



Product Service

Production facility inspection on the basis of the agreement in the testing and certification rules performed on **2023-04-08**

Project No.: 70.197.23.070321.03

Licence holder:

Trina Solar Co., Ltd
No. 2 TianHe Road, Trina PV Industrial Park
New District
213031 Changzhou City, Jiangsu Province
PEOPLE'S REPUBLIC OF CHINA

Production facility:

Trina Solar Co., Ltd
No. 2 TianHe Road, Trina PV Industrial Park
New District
213031 Changzhou City, Jiangsu Province
PEOPLE'S REPUBLIC OF CHINA

This facility manufactures products certified by TUV SÜD PRODUCT SERVICE for the following Product Category/ies:

Crystalline Silicon Terrestrial Photovoltaic (PV) Modules

The production facility inspection was conducted according to the instructions of TUV SÜD PRODUCT SERVICE. The requirements to a faultless and homogeneous fabrication as stated in the test and certification rules are met. The applied and documented quality assurance procedures were found suitable.

The next inspection will be conducted latest in **12 months** starting with the date of inspection.

Shanghai, 2023-04-08
Zhulin Zhang
Photovoltaics

Member of TÜV SÜD Product Service GmbH

TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch
3-13, No.151, Hengtong Road, 200070 Shanghai, P.R.China





Product Service

Attachment of Factory Inspection Attestation

Project No.: 70.197.23.070321.03
Trina Solar Co., Ltd.

Additional Related Information from the Certificates

Certificate No.: Z2 070321 0142 Rev. 07
Project No.: 704062210710-07
mono series with 157 x 157 (mm) solar cells:
72 cells:
TSM-xxxDE14A(II), TSM-xxxDE14A.05(II), TSM-xxxDE14A.08(II),
TSM-xxxDE14A.09(II), TSM-xxxDE14A.T0(II), TSM-xxxDE14A.T8(II),
TSM-xxxDE14A.T9(II) (xxx=330-390, in steps of 5).
TSM-xxxDE14B(II), TSM-xxxDE14B.05(II), TSM-xxxDE14B.08(II),
TSM-xxxDE14B.09(II), TSM-xxxDE14B.T0(II), TSM-xxxDE14B.T8(II),
TSM-xxxDE14B.T9(II)
(xxx=330-385, in steps of 5)
60 cells:
TSM-xxxDE05A(II), TSM-xxxDE05A.05(II), TSM-xxxDE05A.08(II),
TSM-xxxDE05A.09(II), TSM-xxxDE05A.T0(II), TSM-xxxDE05A.T8(II),
TSM-xxxDE05A.T9(II)
(xxx=275-325, in steps of 5)

mono series with 158.75 x 158.75 (mm) solar cells:
72 cells:
TSM-xxxDE15A(II), TSM-xxxDE15A.05(II), TSM-xxxDE15A.08(II),
TSM-xxxDE15A.09(II), TSM-xxxDE15A.T0(II), TSM-xxxDE15A.T8(II),
TSM-xxxDE15A.T9(II)
(xxx=330-385, in steps of 5)
TSM-xxxDE15B(II), TSM-xxxDE15B.05(II), TSM-xxxDE15B.08(II),
TSM-xxxDE15B.09(II), TSM-xxxDE15B.T0(II), TSM-xxxDE15B.T8(II),
TSM-xxxDE15B.T9(II)
(xxx=330-385, in steps of 5)
60 cells:
TSM-xxxDE06A(II), TSM-xxxDE06A.05(II), TSM-xxxDE06A.08(II),
TSM-xxxDE06A.09(II), TSM-xxxDE06A.T0(II), TSM-xxxDE06A.T8(II),
TSM-xxxDE06A.T9(II)
(xxx=275-325, in steps of 5)

Member of TÜV SÜD Product Service GmbH

TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch

3-13, No.151, Hengtong Road, 200070 Shanghai, P.R.China



ATTESTATION STATION

mono series with 157 x 78.5 (mm) half cutting cells:

144 cells:

TSM-xxxDE14H(II), TSM-xxxDE14H.05(II), TSM-xxxDE14H.08(II),
TSM-xxxDE14H.09(II), TSM-xxxDE14H.T0(II), TSM-xxxDE14H.T8(II),
TSM-xxxDE14H.T9(II) (xxx=330-395, in steps of 5).
TSM-xxxDE14HB(II), TSM-xxxDE14HB.05(II), TSM-xxxDE14HB.08(II),
TSM-xxxDE14HB.09(II), TSM-xxxDE14HB.T0(II),
TSM-xxxDE14HB.T8(II),
TSM-xxxDE14HB.T9(II)
(xxx=330-395, in steps of 5)

120 cells:

TSM-xxxDE05H(II), TSM-xxxDE05H.05(II), TSM-xxxDE05H.08(II),
TSM-xxxDE05H.09(II), TSM-xxxDE05H.T0(II), TSM-xxxDE05H.T8(II),
TSM-xxxDE05H.T9(II)
(xxx=275-335, in steps of 5)

mono series with 158.75 x 79.375 (mm) half cutting cells:

144 cells:

TSM-xxxDE15H(II), TSM-xxxDE15H.05(II), TSM-xxxDE15H.08(II),
TSM-xxxDE15H.09(II), TSM-xxxDE15H.T0(II), TSM-xxxDE15H.T8(II),
TSM-xxxDE15H.T9(II)
(xxx=330-425, in steps of 5)
TSM-xxxDE15HB(II), TSM-xxxDE15HB.05(II), TSM-xxxDE15HB.08(II),
TSM-xxxDE15HB.09(II), TSM-xxxDE15HB.T0(II),
TSM-xxxDE15HB.T8(II),
TSM-xxxDE15HB.T9(II)
(xxx=330-425, in steps of 5)

120 cells:

TSM-xxxDE06H(II), TSM-xxxDE06H.05(II), TSM-xxxDE06H.08(II),
TSM-xxxDE06H.09(II), TSM-xxxDE06H.T0(II), TSM-xxxDE06H.T8(II),
TSM-xxxDE06H.T9(II)
(xxx=275-350, in steps of 5)

mono series with 158.75 x 79.375 (mm) half cutting MBB cells:

144 cells:

TSM-xxxDE15M(II), TSM-xxxDE15M.05(II), TSM-xxxDE15M.08(II),
TSM-xxxDE15M.09(II), TSM-xxxDE15M.T0(II), TSM-xxxDE15M.T8(II),
TSM-xxxDE15M.T9(II)
(xxx=330-420, in steps of 5)
TSM-xxxDE15MB(II), TSM-xxxDE15MB.05(II), TSM-xxxDE15MB.08(II),
TSM-xxxDE15MB.09(II), TSM-xxxDE15MB.T0(II),
TSM-xxxDE15MB.T8(II),

Member of TÜV SÜD Product Service GmbH

TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch

3-13, No.151, Hengtong Road, 200070 Shanghai, P.R.China



TSM-xxxDE15MB.T9(II)
 (xxx=330-420, in steps of 5)
 120 cells:
 TSM-xxxDE06M(II), TSM-xxxDE06M.05(II), TSM-xxxDE06M.08(II),
 TSM-xxxDE06M.09(II), TSM-xxxDE06M.T0(II), TSM-xxxDE06M.T8(II),
 TSM-xxxDE06M.T9(II)
 (xxx=275-350, in steps of 5)
 120 cells:
 TSM-xxxDE151M(II), TSM-xxxDE151M.08(II), TSM-xxxDE151M.09(II),
 TSM-xxxDE151M.T0(II), TSM-xxxDE151M.T8(II),
 TSM-xxxDE151M.T9(II),
 TSM-xxxDE151M.05(II)
 (xxx=300-350, in steps of 5)
 96 cells:
 TSM-xxxDE061M(II), TSM-xxxDE061M.08(II), TSM-xxxDE061M.09(II),
 TSM-xxxDE061M.T0(II), TSM-xxxDE061M.T8(II),
 TSM-xxxDE061M.T9(II), TSM-xxxDE061M.05(II),
 TSM-xxxDE061M.10(II), TSM-xxxDE061M.18(II)
 (xxx=240-280, in steps of 5)

mono series with 166 x 83 (mm) half cutting MBB cells:
 144 cells:
 TSM-xxxDE17M(II), TSM-xxxDE17M.05(II), TSM-xxxDE17M.08(II),
 TSM-xxxDE17M.09(II), TSM-xxxDE17M.T0(II), TSM-xxxDE17M.T8(II),
 TSM-xxxDE17M.T9(II)
 (xxx=390-465, in steps of 5)
 120 cells:
 TSM-xxxDE08M(II), TSM-xxxDE08M.05(II), TSM-xxxDE08M.08(II),
 TSM-xxxDE08M.09(II), TSM-xxxDE08M.T0(II), TSM-xxxDE08M.T8(II),
 TSM-xxxDE08M.T9(II)
 (xxx=335-385, in steps of 5)
 110 cells:
 TSM-xxxDE171H(II) (xxx=315-350, in steps of 5)

mono series with 166 x 83 (mm) half cutting MBB cells:
 90 cells:
 TSM-xxxDE081M(II), TSM-xxxDE081M.05(II), TSM-xxxDE081M.08(II),
 TSM-xxxDE081M.09(II), TSM-xxxDE081M.T0(II),
 TSM-xxxDE081M.T8(II),
 TSM-xxxDE081M.T9(II)
 (xxx=265-295, in steps of 5)

mono series with 182 x 91 or 182 x 91.875 (mm) half cutting bifacial MBB cells:
 144 cells:

Member of TÜV SÜD Product Service GmbH
 TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch
 3-13, No.151, Hengtong Road, 200070 Shanghai,P.R.China





TSM-xxxDE18, TSM-xxxDE18.05, TSM-xxxDE18.08, TSM-xxxDE18.09, TSM-xxxDE18.T0, TSM-xxxDE18.T8, TSM-xxxDE18.T9

TSM-xxxDE18.60 (xxx=515-560, in steps of 5)

120 cells: TSM-xxxDE10, TSM-xxxDE10.05, TSM-xxxDE10.08, TSM-xxxDE10.09, TSM-xxxDE10.T0, TSM-xxxDE10.T8, TSM-xxxDE10.T9 (xxx=430-455, in steps of 5)

108 cells: TSM-xxxDE11, TSM-xxxDE11.08, TSM-xxxDE11.09, TSM-xxxDE11.T0, TSM-xxxDE11.T8, TSM-xxxDE11.T9, TSM-xxxDE11.05, TSM-xxxDE11C, TSM-xxxDE11C.05, TSM-xxxDE11C.07 (xxx=390-415, in steps of 5)

mono series with 182 x 91 or 182 x 91.875 (mm) half cutting bifacial MBB cells and transparent backsheet: 144 cells: TSM-xxxDE18C (xxx=515-560, in steps of 5)

mono series with 210 x 105 (mm) half cutting bifacial MBB cells:

120 cells: TSM-xxxDE20, TSM-xxxDE20.05, TSM-xxxDE20.08, TSM-xxxDE20.09, TSM-xxxDE20.T0, TSM-xxxDE20.T8, TSM-xxxDE20.T9, TSM-xxxDE20.B0, TSM-xxxDE20.B5, TSM-xxxDE20.B8, TSM-xxxDE20.60, TSM-xxxDE20.68, TSM-xxxDE20.00S, TSM-xxxDE20.60S, TSM-xxxDE20.68S, TSM-xxxDE20.W (xxx=575-610, in steps of 5)

110 cells: TSM-xxxDE19, TSM-xxxDE19.05, TSM-xxxDE19.08, TSM-xxxDE19.09, TSM-xxxDE19.T0, TSM-xxxDE19.T8, TSM-xxxDE19.T9, TSM-xxxDE19.B0, TSM-xxxDE19.B5, TSM-xxxDE19.B8, TSM-xxxDE19.60, TSM-xxxDE19.68, TSM-xxxDE19.00S, TSM-xxxDE19.60S, TSM-xxxDE19.68S, TSM-xxxDE19.W (xxx=500-560, in steps of 5)

132 cells: TSM-xxxDE21, TSM-xxxDE21.05, TSM-xxxDE21.08, TSM-xxxDE21.09, TSM-xxxDE21.T0, TSM-xxxDE21.T8, TSM-xxxDE21.T9,

Member of TÜV SÜD Product Service GmbH
TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch
3-13, No.151, Hengtong Road, 200070 Shanghai,P.R.China





Product Service

TSM-xxxDE21.60, TSM-xxxDE21.68, TSM-xxxDE21.00S, TSM-xxxDE21.60S, TSM-xxxDE21.68S, TSM-xxxDE21.W (xxx=635-675, in steps of 5)

mono series with 210 x 105 (mm) half cutting bifacial cells and transparent backsheet:

110 cells: TSM-xxxDE19C, TSM-xxxDE19C.08 (xxx=500-560, in steps of 5)

132 cells: TSM-xxxDE21C, TSM-xxxDE21C.05, TSM-xxxDE21C.07 (xxx=635-675, in steps of 5)

mono series with 182 x 105 (mm) cutting bifacial MBB cells:

132 cells: TSM-xxxDE19R, TSM-xxxDE19R.08, TSM-xxxDE19R.09, TSM-xxxDE19R.T0, TSM-xxxDE19R.T8, TSM-xxxDE19R.T9, TSM-xxxDE19R.05, TSM-xxxDE19R.00S, TSM-xxxDE19R.B0, TSM-xxxDE19R.B5, TSM-xxxDE19R.B8, TSM-xxxDE19R.W (xxx=550-605, in steps of 5)

mono series with 182 x 70 (mm) 1/3 cutting bifacial MBB cells:

144 cells: TSM-xxxDE09R, TSM-xxxDE09R.08, TSM-xxxDE09R.09, TSM-xxxDE09R.T0, TSM-xxxDE09R.T8, TSM-xxxDE09R.T9, TSM-xxxDE09R.05, TSM-xxxDE09R.B0, TSM-xxxDE09R.B5, TSM-xxxDE09R.B8, TSM-xxxDE09R.00S, TSM-xxxDE09R.08S, TSM-xxxDE09R.05S, TSM-xxxDE09R.B0S, TSM-xxxDE09R.B8S, TSM-xxxDE09R.B5S, TSM-xxxDE09R.W, TSM-xxxDE09R.05W, TSM-xxxDE09R.08W, TSM-xxxDE09R.B5W, TSM-xxxDE09R.B8W, TSM-xxxDE09R.B0W (xxx=395-440, in steps of 5)

mono series with 158.75 x 52.92 (mm) 1/3 cutting bifacial MBB cells:

252 cells: TSM-xxxDE15V(II), TSM-xxxDE15V.05(II), TSM-xxxDE15V.08(II), TSM-xxxDE15V.09(II), TSM-xxxDE15V.T0(II), TSM-xxxDE15V.T8(II), TSM-xxxDE15V.T9(II) (xxx=465-490, in steps of 5)

Member of TÜV SÜD Product Service GmbH

TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch

3-13, No.151, Hengtong Road, 200070 Shanghai, P.R.China





Product Service

mono series with 210 x 70 (mm) 1/3 cutting bifacial MBB cells:

150 cells:

TSM-xxxDE18M(II), TSM-xxxDE18M.05(II), TSM-xxxDE18M.08(II),
TSM-xxxDE18M.09(II), TSM-xxxDE18M.T0(II), TSM-xxxDE18M.T8(II),
TSM-xxxDE18M.T9(II), TSM-xxxDE18M.B0(II), TSM-xxxDE18M.B5(II),
TSM-xxxDE18M.B8(II), TSM-xxxDE18M.60(II), TSM-xxxDE18M.68(II),
TSM-xxxDE18M.00S(II), TSM-xxxDE18M.08S(II),
TSM-xxxDE18M.68S(II)
TSM-xxxDE18M.W(II), TSM-xxxDE18M.08W(II)
(xxx=470-520, in steps of 5)

120 cells:

TSM-xxxDE09, TSM-xxxDE09.05, TSM-xxxDE09.08,
TSM-xxxDE09.09,
TSM-xxxDE09.T0, TSM-xxxDE09.T8, TSM-xxxDE09.T9,
TSM-xxxDE09.B0, TSM-xxxDE09.B5, TSM-xxxDE09.B8, TSM-xxxDE09.00S,
TSM-xxxDE09.05S, TSM-xxxDE09.08S, TSM-xxxDE09.05W, TSM-xxxDE09.08W
(xxx=375-415, in steps of 5)

mono series with 210 x 70 (mm) 1/3 cutting bifacial MBB cells and transparent backsheets:

120 cells:

TSM-xxxDE09C.05, TSM-xxxDE09C.07
(xxx=375-415, in steps of 5)

mono series with 158.75 x 79.375 (mm) half cutting MBB cells (for cells splicing technology):

156 cells:

TSM-xxxDE15X(II), TSM-xxxDE15X.05(II), TSM-xxxDE15X.08(II),
TSM-xxxDE15X.09(II), TSM-xxxDE15X.T0(II), TSM-xxxDE15X.T8(II),
TSM-xxxDE15X.T9(II)
(xxx=405-435, in steps of 5)

132 cells:

TSM-xxxDE06X(II), TSM-xxxDE06X.05(II), TSM-xxxDE06X.08(II),
TSM-xxxDE06X.09(II), TSM-xxxDE06X.T0(II), TSM-xxxDE06X.T8(II),
TSM-xxxDE06X.T9(II)
(xxx=345-375, in steps of 5)

mono series with 158.75 x 79.375 (mm) half cutting bifacial cells and transparent backsheets:

132 cells:

TSM-xxxDE06XC(II), TSM-xxxDE06XC.05(II), TSM-xxxDE06XC.08(II),
TSM-xxxDE06XC.09(II), TSM-xxxDE06XC.07(II)
(xxx=355-380, in steps of 5)

Member of TÜV SÜD Product Service GmbH

TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch

3-13, No.151, Hengtong Road, 200070 Shanghai, P.R.China



Product Service

mono series with 166 x 83 (mm) half cutting MBB cells
(for cells splicing technology):

156 cells:

TSM-xxxDE17X(II), TSM-xxxDE17X.05(II), TSM-
xxxDE17X.08(II),
TSM-xxxDE17X.09(II), TSM-xxxDE17X.T0(II), TSM-
xxxDE17X.T8(II),
TSM-xxxDE17X.T9(II)
(xxx=450-485, in steps of 5)

mono series with 158.75 x 79.375 (mm) half cutting N
type MBB cell:

144 cells:

TSM-xxxNE15M(II), TSM-xxxNE15M.05(II), TSM-
xxxNE15M.08(II),
TSM-xxxNE15M.09(II), TSM-xxxNE15M.T0(II), TSM-
xxxNE15M.T8(II),
TSM-xxxNE15M.T9(II)
(xxx=375-430, in steps of 5)

120 cells:

TSM-xxxNE06M(II), TSM-xxxNE06M.05(II), TSM-
xxxNE06M.08(II),
TSM-xxxNE06M.09(II), TSM-xxxNE06M.T0(II), TSM-
xxxNE06M.T8(II),
TSM-xxxNE06M.T9(II)
(xxx=315-355, in steps of 5)

mono series with 161.7 x 80.85 (mm) half cutting N
type MBB cell:

144 cells:

TSM-xxxNE16M(II), TSM-xxxNE16M.05(II), TSM-
xxxNE16M.08(II),
TSM-xxxNE16M.09(II), TSM-xxxNE16M.T0(II), TSM-
xxxNE16M.T8(II),
TSM-xxxNE16M.T9(II)
(xxx=375-405, in steps of 5)

120 cells:

TSM-xxxNE07M(II), TSM-xxxNE07M.05(II), TSM-
xxxNE07M.08(II),
TSM-xxxNE07M.09(II), TSM-xxxNE07M.T0(II), TSM-
xxxNE07M.T8(II),
TSM-xxxNE07M.T9(II) (xxx=315-335, in steps of 5)

mono series with 210 x 105 (mm) half cutting bifacial N
type MBB cells:

132 cells:

TSM-xxxNE21, TSM-xxxNE21.05, TSM-xxxNE21.08,
TSM-xxxNE21.09,
TSM-xxxNE21.T0, TSM-xxxNE21.T8, TSM-
xxxNE21.T9
(xxx=645-675, in steps of 5)

120 cells:

TSM-xxxNE20, TSM-xxxNE20.05, TSM-xxxNE20.08,
TSM-xxxNE20.09,
TSM-xxxNE20.T0, TSM-xxxNE20.T8, TSM-
xxxNE20.T9

Member of TÜV SÜD Product Service GmbH

TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch

3-13, No.151, Hengtong Road, 200070 Shanghai, P.R.China



Product Service

(xxx=590-610, in steps of 5)
 110 cells:
 TSM-xxxNE19, TSM-xxxNE19.05, TSM-xxxNE19.08,
 TSM-xxxNE19.09,
 TSM-xxxNE19.T0, TSM-xxxNE19.T8, TSM-
 xxxNE19.T9
 (xxx=540-560, in steps of 5)

mono series with 210 x 70 (mm) 1/3 cutting bifacial N
 type MBB cells:
 150 cells:
 TSM-xxxNE18M(II), TSM-xxxNE18M.05(II), TSM-
 xxxNE18M.08(II),
 TSM-xxxNE18M.09(II), TSM-xxxNE18M.T0(II), TSM-
 xxxNE18M.T8(II),
 TSM-xxxNE18M.T9(II)

(xxx=490-530, in steps of 5)
 120 cells:
 TSM-xxxNE09, TSM-xxxNE09.05, TSM-xxxNE09.08,
 TSM-xxxNE09.09,
 TSM-xxxNE09.T0, TSM-xxxNE09.T8, TSM-
 xxxNE09.T9
 (xxx=395-420, in steps of 5)

mono series with 182 x 105 (mm) half cutting bifacial N
 type MBB cells:
 132 cells:
 TSM-xxxNE19R, TSM-xxxNE19R.08, TSM-
 xxxNE19R.09,
 TSM-xxxNE19R.T0, TSM-xxxNE19R.T8, TSM-
 xxxNE19R.T9,
 TSM-xxxNE19R.08 (xxx=565-590, in steps of 5)

mono series with 182 x 70 (mm) 1/3 cutting bifacial N
 type MBB cells:
 144 cells:
 TSM-xxxNE09R, TSM-xxxNE09R.05, TSM-
 xxxNE09R.08,
 TSM-xxxNE09R.B0, TSM-xxxNE09R.B5, TSM-
 xxxNE09R.B8
 (xxx=415-435, in steps of 5, 144 cells)

mono series with 182 x 70 (mm) 1/3 cutting bifacial N
 type MBB cells and transparent backsheets:
 144 cells:
 TSM-xxxNE09RC.05, TSM-xxxNE09RC.07 (xxx=365-
 440, in steps of 5)

mono series with 158.75 x 79.375 (mm) half cutting N
 type MBB cells (for cells splicing technology):
 156 cells:
 TSM-xxxNE15X(II), TSM-xxxNE15X.05(II), TSM-
 xxxNE15X.08(II),
 TSM-xxxNE15X.09(II), TSM-xxxNE15X.T0(II), TSM-
 xxxNE15X.T8(II),
 TSM-xxxNE15X.T9(II) (xxx=405-435, in steps of 5)
 132 cells:

Member of TÜV SÜD Product Service GmbH
 TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch
 3-13, No.151, Hengtong Road, 200070 Shanghai, P.R.China





Product Service

TSM-xxxNE06X(II), TSM-xxxNE06X.05(II), TSM-xxxNE06X.08(II), TSM-xxxNE06X.09(II), TSM-xxxNE06X.T0(II), TSM-xxxNE06X.T8(II), TSM-xxxNE06X.T9(II)
(xxx=345-390, in steps of 5)

poly series with 157 x 157 (mm) solar cells:
72 cells:

TSM-xxxPE14A, TSM-xxxPE14A.08, TSM-xxxPE14A.09, TSM-xxxPE14A(II), TSM-xxxPE14A.08(II), TSM-xxxPE14A.09(II), TSM-xxxPE14A.T0, TSM-xxxPE14A.T8, TSM-xxxPE14A.T9, TSM-xxxPE14A.T0(II), TSM-xxxPE14A.T8(II), TSM-xxxPE14A.T9(II), TSM-xxxPE14A.W (xxx=305-360, in steps of 5) TSM-xxxPE14B, TSM-xxxPE14B.08, TSM-xxxPE14B.09, TSM-xxxPE14B(II), TSM-xxxPE14B.08(II), TSM-xxxPE14B.09(II), TSM-xxxPE14B.T0, TSM-xxxPE14B.T8, TSM-xxxPE14B.T9, TSM-xxxPE14B.T0(II), TSM-xxxPE14B.T8(II), TSM-xxxPE14B.T9(II)
(xxx=305-360, in steps of 5)

60 cells:

TSM-xxxPE05A, TSM-xxxPE05A.08, TSM-xxxPE05A.09, TSM-xxxPE05A(II), TSM-xxxPE05A.08(II), TSM-xxxPE05A.09(II), TSM-xxxPE05A.T0, TSM-xxxPE05A.T8, TSM-xxxPE05A.T9, TSM-xxxPE05A.T0(II), TSM-xxxPE05A.T8(II), TSM-xxxPE05A.T9(II)
(xxx=255-300, in steps of 5)

poly series with 158.75 x 158.75 (mm) solar cells:
72 cells:

TSM-xxxPE15A, TSM-xxxPE15A.08, TSM-xxxPE15A.09, TSM-xxxPE15A(II), TSM-xxxPE15A.08(II), TSM-xxxPE15A.09(II), TSM-xxxPE15A.T0, TSM-xxxPE15A.T8, TSM-xxxPE15A.T9, TSM-xxxPE15A.T0(II), TSM-xxxPE15A.T8(II), TSM-xxxPE15A.T9(II)
(xxx=305-360, in steps of 5) TSM-xxxPE15B, TSM-xxxPE15B.08, TSM-xxxPE15B.09, TSM-xxxPE15B(II), TSM-xxxPE15B.08(II), TSM-xxxPE15B.09(II), TSM-xxxPE15B.T0, TSM-xxxPE15B.T8, TSM-xxxPE15B.T9, TSM-xxxPE15B.T0(II), TSM-xxxPE15B.T8(II), TSM-xxxPE15B.T9(II)

Member of TÜV SÜD Product Service GmbH

TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch

3-13, No.151, Hengtong Road, 200070 Shanghai,P.R.China

ATTESTATION



(xxx=305-360, in steps of 5)
 60 cells:
 TSM-xxxPE06A, TSM-xxxPE06A.08, TSM-xxxPE06A.09,
 TSM-xxxPE06A(II), TSM-xxxPE06A.08(II), TSM-xxxPE06A.09(II),
 TSM-xxxPE06A.T0, TSM-xxxPE06A.T8, TSM-xxxPE06A.T9,
 TSM-xxxPE06A.T0(II), TSM-xxxPE06A.T8(II), TSM-xxxPE06A.T9(II)
 (xxx=255-300, in steps of 5)

poly series with 157 x 78.5 (mm) half cutting cells:
 144 cells:
 TSM-xxxPE14H, TSM-xxxPE14H.08, TSM-xxxPE14H.09,
 TSM-xxxPE14H(II), TSM-xxxPE14H.08(II), TSM-xxxPE14H.09(II),
 TSM-xxxPE14H.T0, TSM-xxxPE14H.T8, TSM-xxxPE14H.T9,
 TSM-xxxPE14H.T0(II), TSM-xxxPE14H.T8(II), TSM-xxxPE14H.T9(II)

(xxx=320-360, in steps of 5)
 TSM-xxxPE14HB, TSM-xxxPE14HB.08, TSM-xxxPE14HB.09,
 TSM-xxxPE14HB(II), TSM-xxxPE14HB.08(II), TSM-xxxPE14HB.09(II),
 TSM-xxxPE14HB.T0, TSM-xxxPE14HB.T8, TSM-xxxPE14HB.T9,
 TSM-xxxPE14HB.T0(II), TSM-xxxPE14HB.T8(II), TSM-xxxPE14HB.T9(II)

(xxx=320-360, in steps of 5)
 120 cells:
 TSM-xxxPE05H, TSM-xxxPE05H.08, TSM-xxxPE05H.09,
 TSM-xxxPE05H(II), TSM-xxxPE05H.08(II), TSM-xxxPE05H.09(II),
 TSM-xxxPE05H.T0, TSM-xxxPE05H.T8, TSM-xxxPE05H.T9,
 TSM-xxxPE05H.T0(II), TSM-xxxPE05H.T8(II), TSM-xxxPE05H.T9(II)
 (xxx=270-300, in steps of 5)

poly series with 158.75 x 79.375 (mm) half cutting cells:
 144 cells:
 TSM-xxxPE15H, TSM-xxxPE15H.08, TSM-xxxPE15H.09,
 TSM-xxxPE15H(II), TSM-xxxPE15H.08(II), TSM-xxxPE15H.09(II),
 TSM-xxxPE15H.T0, TSM-xxxPE15H.T8, TSM-xxxPE15H.T9,
 TSM-xxxPE15H.T0(II), TSM-xxxPE15H.T8(II), TSM-xxxPE15H.T9(II)
 (xxx=320-405, in steps of 5)
 TSM-xxxPE15HB, TSM-xxxPE15HB.08, TSM-xxxPE15HB.09,

Member of TÜV SÜD Product Service GmbH
 TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch
 3-13, No.151, Hengtong Road, 200070 Shanghai,P.R.China



Product Service

TSM-xxxPE15HB(II), TSM-xxxPE15HB.08(II), TSM-xxxPE15HB.09(II), TSM-xxxPE15HB.T0, TSM-xxxPE15HB.T8, TSM-xxxPE15HB.T9, TSM-xxxPE15HB.T0(II), TSM-xxxPE15HB.T8(II), TSM-xxxPE15HB.T9(II)

(xxx=320-390, in steps of 5)

120 cells:

TSM-xxxPE06H, TSM-xxxPE06H.08, TSM-xxxPE06H.09, TSM-xxxPE06H(II), TSM-xxxPE06H.08(II), TSM-xxxPE06H.09(II), TSM-xxxPE06H.T0, TSM-xxxPE06H.T8, TSM-xxxPE06H.T9, TSM-xxxPE06H.T0(II), TSM-xxxPE06H.T8(II), TSM-xxxPE06H.T9(II)

(xxx=270-335, in steps of 5)

poly series with 158.75 x 79.375 (mm) half cutting MBB cells:

144 cells:

TSM-xxxPE15M, TSM-xxxPE15M.08, TSM-xxxPE15M.09, TSM-xxxPE15M.T0, TSM-xxxPE15M.T8, TSM-xxxPE15M.T9, TSM-xxxPE15M(II), TSM-xxxPE15M.08(II), TSM-xxxPE15M.09(II), TSM-xxxPE15M.T0(II), TSM-xxxPE15M.T8(II), TSM-xxxPE15M.T9(II)

(xxx=320-405, in steps of 5)

120 cells:

TSM-xxxPE06M, TSM-xxxPE06M.08, TSM-xxxPE06M.09, TSM-xxxPE06M.T0, TSM-xxxPE06M.T8, TSM-xxxPE06M.T9, TSM-xxxPE06M(II), TSM-xxxPE06M.08(II), TSM-xxxPE06M.09(II), TSM-xxxPE06M.T0(II), TSM-xxxPE06M.T8(II), TSM-xxxPE06M.T9(II)

(xxx=270-335, in steps of 5)

poly series with 166 x 83 (mm) half cutting MBB cells:

144 cells:

TSM-xxxPE17M, TSM-xxxPE17M.08, TSM-xxxPE17M.09, TSM-xxxPE17M.T0, TSM-xxxPE17M.T8, TSM-xxxPE17M.T9, TSM-xxxPE17M(II), TSM-xxxPE17M.08(II), TSM-xxxPE17M.09(II), TSM-xxxPE17M.T0(II), TSM-xxxPE17M.T8(II), TSM-xxxPE17M.T9(II)

(xxx=410-445, in steps of 5)

120 cells:

TSM-xxxPE08M, TSM-xxxPE08M.08, TSM-xxxPE08M.09, TSM-xxxPE08M.T0, TSM-xxxPE08M.T8, TSM-xxxPE08M.T9,

Member of TÜV SÜD Product Service GmbH

TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch

3-13, No.151, Hengtong Road, 200070 Shanghai,P.R.China





Product Service

TSM-xxxPE08M(II), TSM-xxxPE08M.08(II), TSM-xxxPE08M.09(II), TSM-xxxPE08M.T0(II), TSM-xxxPE08M.T8(II), TSM-xxxPE08M.T9(II)
(xxx=335-365, in steps of 5)
xxx stands for rated output power at STC

Certificate No.: Z2 070321 0097 Rev. 47
Project No.: 64290170581762
mono series with 157 x 157 (mm) and 156.75 x 156.75 (mm) solar cells:

72 cells:
TSM-xxxDEG14(II), TSM-xxxDEG14.05(II), TSM-xxxDEG14.25(II), TSM-xxxDEG14.07(II), TSM-xxxDEG14.20(II), TSM-xxxDEG14.27(II), TSM-xxxDEG14.28(II), TSM-xxxDEG14.29(II), TSM-xxxDEG14.40(II), TSM-xxxDEG14.47(II) (xxx=330-390, in steps of 5).

60 cells:
TSM-xxxDEG5(II), TSM-xxxDEG5.05(II), TSM-xxxDEG5.25(II), TSM-xxxDEG5.07(II), TSM-xxxDEG5.20(II), TSM-xxxDEG5.27(II), TSM-xxxDEG5.28(II), TSM-xxxDEG5.29(II), TSM-xxxDEG5.40(II), TSM-xxxDEG5.47(II) (xxx=275-325, in steps of 5).

mono series with 158.75 x 158.75 (mm) solar cells:
72 cells:

TSM-xxxDEG15(II), TSM-xxxDEG15.05(II), TSM-xxxDEG15.25(II), TSM-xxxDEG15.07(II), TSM-xxxDEG15.20(II), TSM-xxxDEG15.27(II), TSM-xxxDEG15.28(II), TSM-xxxDEG15.29(II), TSM-xxxDEG15.40(II), TSM-xxxDEG15.47(II) (xxx=330-380, in steps of 5).

60 cells:
TSM-xxxDEG6(II), TSM-xxxDEG6.05(II), TSM-xxxDEG6.25(II), TSM-xxxDEG6.07(II), TSM-xxxDEG6.20(II), TSM-xxxDEG6.27(II), TSM-xxxDEG6.28(II), TSM-xxxDEG6.29(II), TSM-xxxDEG6.40(II), TSM-xxxDEG6.47(II) (xxx=275-315, in steps of 5).

mono series with 157 x 157 (mm) bifacial cell:
72 cells:

TSM-xxxDEG14C(II), TSM-xxxDEG14C.05(II), TSM-xxxDEG14C.25(II), TSM-xxxDEG14C.07(II), TSM-xxxDEG14C.20(II), TSM-xxxDEG14C.27(II), TSM-xxxDEG14C.28(II), TSM-xxxDEG14C.29(II) (xxx=335-370, in steps of 5).

60 cells:
TSM-xxxDEG5C(II), TSM-xxxDEG5C.05(II), TSM-xxxDEG5C.25(II), TSM-xxxDEG5C.07(II), TSM-xxxDEG5C.20(II), TSM-xxxDEG5C.27(II), TSM-xxxDEG5C.28(II), TSM-xxxDEG5C.29(II) (xxx=285-305, in steps of 5).

mono series with 158.75 x 158.75 (mm) bifacial cell

Member of TÜV SÜD Product Service GmbH

TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch

3-13, No.151, Hengtong Road, 200070 Shanghai, P.R.China

ATTESTATION STATION



Product Service

72 cells:
 TSM-xxxDEG15C(II), TSM-xxxDEG15C.05(II),
 TSM-xxxDEG15C.25(II), TSM-xxxDEG15C.07(II),
 TSM-xxxDEG15C.20(II), TSM-xxxDEG15C.27(II),
 TSM-xxxDEG15C.28(II), TSM-xxxDEG15C.29(II)
 (xxx=335-350, in steps of 5).

60 cells:
 TSM-xxxDEG6C(II), TSM-xxxDEG6C.05(II),
 TSM-xxxDEG6C.25(II), TSM-xxxDEG6C.07(II),
 TSM-xxxDEG6C.20(II), TSM-xxxDEG6C.27(II),
 TSM-xxxDEG6C.28(II), TSM-xxxDEG6C.29(II)
 (xxx=285-295, in steps of 5).

mono series with 157 x 78.5 (mm) half cutting cell:

144 cells:
 TSM-xxxDEG14H(II), TSM-xxxDEG14H.05(II),
 TSM-xxxDEG14H.25(II), TSM-xxxDEG14H.07(II),
 TSM-xxxDEG14H.20(II), TSM-xxxDEG14H.27(II),
 TSM-xxxDEG14H.28(II), TSM-xxxDEG14H.29(II),
 TSM-xxxDEG14H.40(II), TSM-xxxDEG14H.47(II)
 (xxx=345-395, in steps of 5).

120 cells:
 TSM-xxxDEG5H(II), TSM-xxxDEG5H.05(II),
 TSM-xxxDEG5H.25(II), TSM-xxxDEG5H.07(II),
 TSM-xxxDEG5H.20(II), TSM-xxxDEG5H.27(II),
 TSM-xxxDEG5H.28(II), TSM-xxxDEG5H.29(II),
 TSM-xxxDEG5H.40(II), TSM-xxxDEG5H.47(II)
 (xxx=290-330, in steps of 5).

mono series with 158.75 x 79.375 (mm) half cutting cell:

144 cells:
 TSM-xxxDEG15H(II), TSM-xxxDEG15H.05(II),
 TSM-xxxDEG15H.25(II), TSM-xxxDEG15H.07(II),
 TSM-xxxDEG15H.20(II), TSM-xxxDEG15H.27(II),
 TSM-xxxDEG15H.28(II), TSM-xxxDEG15H.29(II),
 TSM-xxxDEG15H.40(II), TSM-xxxDEG15H.47(II)
 (xxx=380-410, in steps of 5).

120 cells:
 TSM-xxxDEG6H(II), TSM-xxxDEG6H.05(II),
 TSM-xxxDEG6H.25(II), TSM-xxxDEG6H.07(II),
 TSM-xxxDEG6H.20(II), TSM-xxxDEG6H.27(II),
 TSM-xxxDEG6H.28(II), TSM-xxxDEG6H.29(II),
 TSM-xxxDEG6H.40(II), TSM-xxxDEG6H.47(II)
 (xxx=310-340, in steps of 5).

mono series with 157 x 78.5 (mm) half cutting MBB cell:

144 cells:
 TSM-xxxDEG14M(II), TSM-xxxDEG14M.05(II),
 TSM-xxxDEG14M.25(II), TSM-xxxDEG14M.07(II),
 TSM-xxxDEG14M.20(II), TSM-xxxDEG14M.27(II),
 TSM-xxxDEG14M.28(II), TSM-xxxDEG14M.29(II),
 TSM-xxxDEG14M.40(II), TSM-xxxDEG14M.47(II)
 (xxx=345-385, in steps of 5).

120 cells:
 TSM-xxxDEG5M(II), TSM-xxxDEG5M.05(II),

Member of TÜV SÜD Product Service GmbH
 TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch
 3-13, No.151, Hengtong Road, 200070 Shanghai, P.R.China





TSM-xxxDEG5M.25(II), TSM-xxxDEG5M.07(II), TSM-xxxDEG5M.20(II), TSM-xxxDEG5M.27(II), TSM-xxxDEG5M.28(II), TSM-xxxDEG5M.29(II), TSM-xxxDEG5M.40(II), TSM-xxxDEG5M.47(II)
(xxx=290-320, in steps of 5).

mono series with 158.75 x 79.375 (mm) half cutting MBB cells:

144 cells:
TSM-xxxDEG15M(II), TSM-xxxDEG15M.07(II), TSM-xxxDEG15M.20(II), TSM-xxxDEG15M.27(II), TSM-xxxDEG15M.28(II), TSM-xxxDEG15M.29(II), TSM-xxxDEG15M.40(II), TSM-xxxDEG15M.47(II)
(xxx=350-420, in steps of 5).

120 cells:
TSM-xxxDEG6M(II), TSM-xxxDEG6M.05(II), TSM-xxxDEG6M.25(II), TSM-xxxDEG6M.07(II), TSM-xxxDEG6M.20(II), TSM-xxxDEG6M.27(II), TSM-xxxDEG6M.28(II), TSM-xxxDEG6M.29(II), TSM-xxxDEG6M.40(II), TSM-xxxDEG6M.47(II)
(xxx=295-350, in steps of 5).

mono series with 166.0 x 83.0 (mm) half cutting MBB cells:

144 cells:
TSM-xxxDEG17M(II), TSM-xxxDEG17M.07(II), TSM-xxxDEG17M.25(II), TSM-xxxDEG17M.07(II), TSM-xxxDEG17M.20(II), TSM-xxxDEG17M.27(II), TSM-xxxDEG17M.28(II), TSM-xxxDEG17M.29(II), TSM-xxxDEG17M.40(II), TSM-xxxDEG17M.47(II)
(xxx=425-460, in steps of 5).

120 cells:
TSM-xxxDEG8M(II), TSM-xxxDEG8M.05(II), TSM-xxxDEG8M.25(II), TSM-xxxDEG8M.07(II), TSM-xxxDEG8M.20(II), TSM-xxxDEG8M.27(II), TSM-xxxDEG8M.28(II), TSM-xxxDEG8M.29(II), TSM-xxxDEG8M.40(II), TSM-xxxDEG8M.47(II)
(xxx=355-380, in steps of 5).

mono series with 157 x 78.5 (mm) half cutting bifacial cell:

144 cells:
TSM-xxxDEG14HC(II), TSM-xxxDEG14HC.05(II), TSM-xxxDEG14HC.25(II), TSM-xxxDEG14HC.07(II), TSM-xxxDEG14HC.20(II), TSM-xxxDEG14HC.27(II), TSM-xxxDEG14HC.28(II), TSM-xxxDEG14HC.29(II)
(xxx=350-395, in steps of 5).

120 cells:
TSM-xxxDEG5HC(II), TSM-xxxDEG5HC.05(II), TSM-xxxDEG5HC.25(II), TSM-xxxDEG5HC.07(II), TSM-xxxDEG5HC.20(II), TSM-xxxDEG5HC.27(II), TSM-xxxDEG5HC.28(II), TSM-xxxDEG5HC.29(II)
(xxx=295-330, in steps of 5).

mono series with 158.75 x 79.375 (mm) half cutting bifacial cell:

Member of TÜV SÜD Product Service GmbH
TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch
3-13, No.151, Hengtong Road, 200070 Shanghai, P.R.China





Product Service

144 cells:

TSM-xxxDEG15HC(II), TSM-xxxDEG15HC.05(II),
TSM-xxxDEG15HC.25(II), TSM-xxxDEG15HC.07(II),
TSM-xxxDEG15HC.20(II), TSM-xxxDEG15HC.27(II),
TSM-xxxDEG15HC.28(II), TSM-xxxDEG15HC.29(II)
(xxx=350-410, in steps of 5).

120 cells:

TSM-xxxDEG6HC(II), TSM-xxxDEG6HC.05(II),
TSM-xxxDEG6HC.25(II), TSM-xxxDEG6HC.07(II),
TSM-xxxDEG6HC.20(II), TSM-xxxDEG6HC.27(II),
TSM-xxxDEG6HC.28(II), TSM-xxxDEG6HC.29(II)
(xxx=295-340, in steps of 5).

mono series with 157 x 78.5 (mm) half cutting MBB
bifacial cell:

144 cells:

TSM-xxxDEG14MC(II), TSM-xxxDEG14MC.05(II),
TSM-xxxDEG14MC.25(II), TSM-xxxDEG14MC.07(II),
TSM-xxxDEG14MC.20(II), TSM-
xxxDEG14HMC.20(II),
TSM-xxxDEG14MC.27(II), TSM-xxxDEG14MC.28(II),
TSM-xxxDEG14MC.29(II) (xxx=350-395, in steps of
5).

120 cells:

TSM-xxxDEG5MC(II), TSM-xxxDEG5MC.05(II), TSM-
xxxDEG5MC.25(II), TSM-xxxDEG5MC.07(II), TSM-
xxxDEG5MC.20(II), TSM-xxxDEG5MC.27(II), TSM-
xxxDEG5MC.28(II), TSM-xxxDEG5MC.29(II)
(xxx=295-330, in steps of 5).

mono series with 158.75 x 79.375 (mm) half cutting
bifacial cell:

144 cells:

TSM-xxxDEG15MC(II), TSM-xxxDEG15MC.05(II),
TSM-xxxDEG15MC.25(II), TSM-xxxDEG15MC.07(II),
TSM-xxxDEG15MC.20(II), TSM-xxxDEG15MC.27(II),
TSM-xxxDEG15MC.28(II), TSM-xxxDEG15MC.29(II)
(xxx=350-425, in steps of 5).

120 cells:

TSM-xxxDEG6MC(II), TSM-xxxDEG6MC.05(II), TSM-
xxxDEG6MC.25(II), TSM-xxxDEG6MC.07(II), TSM-
xxxDEG6MC.20(II), TSM-xxxDEG6MC.27(II), TSM-
xxxDEG6MC.28(II), TSM-xxxDEG6MC.29(II)
(xxx=295-350, in steps of 5).

mono series with 166.0 x 83.0 (mm) half cutting
bifacial cell:

144 cells:

TSM-xxxDEG17MC(II), TSM-xxxDEG17MC.05(II),
TSM-xxxDEG17MC.25(II), TSM-xxxDEG17MC.07(II),
TSM-xxxDEG17MC.20(II), TSM-xxxDEG17MC.27(II),
TSM-xxxDEG17MC.28(II), TSM-xxxDEG17MC.29(II)
(xxx=425-460, in steps of 5).

120 cells:

TSM-xxxDEG8MC(II), TSM-xxxDEG8MC.05(II), TSM-
xxxDEG8MC.25(II), TSM-xxxDEG8MC.07(II), TSM-

Member of TÜV SÜD Product Service GmbH

TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch

3-13, No.151, Hengtong Road, 200070 Shanghai, P.R.China



xxxDEG8MC.20(II), TSM-xxxDEG8MC.27(II), TSM-xxxDEG8MC.28(II), TSM-xxxDEG8MC.29(II)
(xxx=355-380, in steps of 5).

mono series with 210.0 x 70.0 (mm) 1/3 cutting MBB bifacial cell:

150 cells:

TSM-xxxDEG18MC(II), TSM-xxxDEG18MC.05(II), TSM-xxxDEG18MC.25(II), TSM-xxxDEG18MC.07(II), TSM-xxxDEG18MC.20(II), TSM-xxxDEG18MC.27(II), TSM-xxxDEG18MC.28(II), TSM-xxxDEG18MC.29(II), TSM-xxxDEG18MC.20W(II) (xxx=460-510, in steps of 5).

120 cells:

TSM-xxxDEG9C.20, TSM-xxxDEG9C.25, TSM-xxxDEG9C.27, TSM-xxxDEG9C.28, TSM-xxxDEG9C.29
(xxx=370-405, in steps of 5).

mono series with 210.0 x 70.0 (mm) 1/3 cutting MBB bifacial cell:

(Module Type for rear side with white EVA or Glass white)

150 cells:

TSM-xxxDEG18M(II), TSM-xxxDEG18M.05(II), TSM-xxxDEG18M.25(II), TSM-xxxDEG18M.07(II), TSM-xxxDEG18M.20(II), TSM-xxxDEG18M.27(II), TSM-xxxDEG18M.28(II), TSM-xxxDEG18M.29(II)
(xxx=460-510, in steps of 5).

120 cells:

TSM-xxxDEG9.20, TSM-xxxDEG9.25, TSM-xxxDEG9.27, TSM-xxxDEG9.28, TSM-xxxDEG9.29
(xxx=370-405, in steps of 5).

mono series with 166 x 83 (mm) half cutting MBB bifacial cell

(for cells splicing technology):

156 cells:

TSM-xxxDEG17XC.25(II), TSM-xxxDEG17XC.20(II), TSM-xxxDEG17XC.27(II), TSM-xxxDEG17XC.28(II), TSM-xxxDEG17XC.29(II) (xxx=445-490, in steps of 5).

mono series with 166 x 83 (mm) half cutting MBB bifacial cell

(for cells splicing technology)

(Module Type for rear side with white EVA or Glass white):

156 cells:

TSM-xxxDEG17X.25(II), TSM-xxxDEG17X.20(II), TSM-xxxDEG17X.27(II), TSM-xxxDEG17X.28(II), TSM-xxxDEG17X.29(II) (xxx=445-490, in steps of 5).

mono series with 210.0 x 105.0 (mm) half cutting MBB bifacial cell:

120 cells:

TSM-xxxDEG20C.20, TSM-xxxDEG20C.25,

Member of TÜV SÜD Product Service GmbH

TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch

3-13, No.151, Hengtong Road, 200070 Shanghai, P.R.China



TSM-xxxDEG20C.27, TSM-xxxDEG20C.28, TSM-xxxDEG20C.29, TSM-xxxDEG20C.20W (xxx=570-605, in steps of 5).

110 cells:
TSM-xxxDEG19C.20, TSM-xxxDEG19C.25, TSM-xxxDEG19C.27, TSM-xxxDEG19C.28, TSM-xxxDEG19C.29, TSM-xxxDEG19C.20W (xxx=525-555, in steps of 5).

132 cells:
TSM-xxxDEG21C.20, TSM-xxxDEG21C.25, TSM-xxxDEG21C.27, TSM-xxxDEG21C.28, TSM-xxxDEG21C.29, TSM-xxxDEG21C.20W (xxx=625-675, in steps of 5).

mono series with 210.0 x 105.0 (mm) half cutting MBB bifacial cell:
(Module Type for rear side with white EVA or Glass white)

120 cells:
TSM-xxxDEG20.20, TSM-xxxDEG20.25, TSM-xxxDEG20.27, TSM-xxxDEG20.28, TSM-xxxDEG20.29 (xxx=575-605, in steps of 5).

110 cells:
TSM-xxxDEG19.20, TSM-xxxDEG19.25, TSM-xxxDEG19.27, TSM-xxxDEG19.28, TSM-xxxDEG19.29 (xxx=525-555, in steps of 5).

mono series with 182.0 x 91.0/91.875 (mm) half cutting MBB bifacial cell:

144 cells:
TSM-xxxDEG18C.20, TSM-xxxDEG18C.25, TSM-xxxDEG18C.27, TSM-xxxDEG18C.28, TSM-xxxDEG18C.29, TSM-xxxDEG18C.20W (xxx=520-555, in steps of 5).

120 cells:
TSM-xxxDEG10C.20, TSM-xxxDEG10C.25, TSM-xxxDEG10C.27, TSM-xxxDEG10C.28, TSM-xxxDEG10C.29 (xxx=425-450, in steps of 5).

mono series with 182.0 x 91.0/91.875 (mm) half cutting MBB bifacial cell:
(Module Type for rear side with white EVA or Glass white)

144 cells:
TSM-xxxDEG18.20, TSM-xxxDEG18.25, TSM-xxxDEG18.27, TSM-xxxDEG18.28, TSM-xxxDEG18.29 (xxx=520-555, in steps of 5).

120 cells:
TSM-xxxDEG10.20, TSM-xxxDEG10.25, TSM-xxxDEG10.27, TSM-xxxDEG10.28, TSM-xxxDEG10.29 (xxx=425-450, in steps of 5).

mono series with 182 x 105 (mm) half cutting MBB bifacial cell:

132 cells:
TSM-xxxDEG19RC.20, TSM-xxxDEG19RC.25, TSM-xxxDEG19RC.27, TSM-xxxDEG19RC.28,

Member of TÜV SÜD Product Service GmbH

TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch

3-13, No.151, Hengtong Road, 200070 Shanghai, P.R.China



TSM-xxxDEG19RC.29, TSM-xxxDEG19RC.B0, TSM-xxxDEG19RC.B5, TSM-xxxDEG19RC.B7, TSM-xxxDEG19RC.B8, TSM-xxxDEG19RC.B9, TSM-xxxDEG19RC.20W (xxx=540-590, in steps of 5)

mono series with 182 x 105 (mm) half cutting MBB bifacial cell:
(Module Type for rear side with white EVA or Glass white)

132 cells:
TSM-xxxDEG19R.20, TSM-xxxDEG19R.25, TSM-xxxDEG19R.27, TSM-xxxDEG19R.28, TSM-xxxDEG19R.29, TSM-xxxDEG19R.B0, TSM-xxxDEG19R.B5, TSM-xxxDEG19R.B7, TSM-xxxDEG19R.B8, TSM-xxxDEG19R.B9, (xxx=540-590, in steps of 5)

mono series with 182 x 70 (mm) 1/3 cutting MBB bifacial cell:

144 cells:
TSM-xxxDEG9RC.B0, TSM-xxxDEG9RC.B5, TSM-xxxDEG9RC.B7, TSM-xxxDEG9RC.B8, TSM-xxxDEG9RC.B9, TSM-xxxDEG9RC.20, TSM-xxxDEG9RC.25, TSM-xxxDEG9RC.28, TSM-xxxDEG9RC.27, TSM-xxxDEG9RC.29, TSM-xxxDEG9RC.27W (xxx=395-435, in steps of 5)

mono series with 182 x 70 (mm) 1/3 cutting MBB bifacial cell:
(Module Type for rear side with white EVA or Glass white)

144 cells:
TSM-xxxDEG9R.B0, TSM-xxxDEG9R.B5, TSM-xxxDEG9R.B7, TSM-xxxDEG9R.B8, TSM-xxxDEG9R.B9, TSM-xxxDEG9R.20, TSM-xxxDEG9R.25, TSM-xxxDEG9R.27, TSM-xxxDEG9R.28, TSM-xxxDEG9R.29, TSM-xxxDEG9R.20W, TSM-xxxDEG9R.28W (xxx=395-435, in steps of 5)

mono series with 158.75 x 52.9 (mm) 1/3 cutting MBB bifacial cell:

252 cells:
TSM-xxxDEG15VC.20(II), TSM-xxxDEG15VC.25(II), TSM-xxxDEG15VC.27(II), TSM-xxxDEG15VC.28(II), TSM-xxxDEG15VC.29(II) (xxx=465-490, in steps of 5).

mono series with 157 x 157 (mm) N type MBB bifacial cell:

72 cells:
TSM-xxxNEG14C(II), TSM-xxxNEG14C.05(II), TSM-xxxNEG14C.25(II), TSM-xxxNEG14C.07(II), TSM-xxxNEG14C.20(II), TSM-xxxNEG14C.27(II), TSM-xxxNEG14C.28(II), TSM-xxxNEG14C.29(II)

Member of TÜV SÜD Product Service GmbH

TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch

3-13, No.151, Hengtong Road, 200070 Shanghai, P.R.China





(xxx=350-370, in steps of 5).

60 cells:

TSM-xxxNEG5C(II), TSM-xxxNEG5C.05(II), TSM-xxxNEG5C.25(II), TSM-xxxNEG5C.07(II), TSM-xxxNEG5C.20(II), TSM-xxxNEG5C.27(II), TSM-xxxNEG5C.28(II), TSM-xxxNEG5C.29(II) (xxx=295-305, in steps of 5).

mono series with 158.75 x 158.75 (mm) N type MBB bifacial cell:

72 cells:

TSM-xxxNEG15C(II), TSM-xxxNEG15C.05(II), TSM-xxxNEG15C.25(II), TSM-xxxNEG15C.07(II), TSM-xxxNEG15C.20(II), TSM-xxxNEG15C.27(II), TSM-xxxNEG15C.28(II), TSM-xxxNEG15C.29(II) (xxx=350-370, in steps of 5).

60 cells:

TSM-xxxNEG6C(II), TSM-xxxNEG6C.05(II), TSM-xxxNEG6C.25(II), TSM-xxxNEG6C.07(II), TSM-xxxNEG6C.20(II), TSM-xxxNEG6C.27(II), TSM-xxxNEG6C.28(II), TSM-xxxNEG6C.29(II) (xxx=295-305, in steps of 5).

mono series with 161.7 x 161.7 (mm) N type MBB bifacial cell:

72 cells:

TSM-xxxNEG16C(II), TSM-xxxNEG16C.05(II), TSM-xxxNEG16C.25(II), TSM-xxxNEG16C.07(II), TSM-xxxNEG16C.20(II), TSM-xxxNEG16C.27(II), TSM-xxxNEG16C.28(II), TSM-xxxNEG16C.29(II) (xxx=350-370, in steps of 5).

60 cells:

TSM-xxxNEG7C(II), TSM-xxxNEG7C.05(II), TSM-xxxNEG7C.25(II), TSM-xxxNEG7C.07(II), TSM-xxxNEG7C.20(II), TSM-xxxNEG7C.27(II), TSM-xxxNEG7C.28(II), TSM-xxxNEG7C.29(II) (xxx=295-305, in steps of 5).

mono series with 157 x 78.5 (mm) half cutting N type MBB bifacial cell:

144 cells:

TSM-xxxNEG14MC(II), TSM-xxxNEG14MC.05(II), TSM-xxxNEG14MC.25(II), TSM-xxxNEG14MC.07(II), TSM-xxxNEG14MC.20(II), TSM-xxxNEG14MC.27(II), TSM-xxxNEG14MC.28(II), TSM-xxxNEG14MC.29(II) (xxx=350-380, in steps of 5).

120 cells:

TSM-xxxNEG5MC(II), TSM-xxxNEG5MC.05(II), TSM-xxxNEG5MC.25(II), TSM-xxxNEG5MC.07(II), TSM-xxxNEG5MC.20(II), TSM-xxxNEG5MC.27(II), TSM-xxxNEG5MC.28(II), TSM-xxxNEG5MC.29(II) (xxx=295-315, in steps of 5).

mono series with 158.75 x 79.375 (mm) half cutting N type MBB bifacial cell:

144 cells:

TSM-xxxNEG15MC(II), TSM-xxxNEG15MC.05(II)

Member of TÜV SÜD Product Service GmbH

TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch

3-13, No.151, Hengtong Road, 200070 Shanghai, P.R.China





TSM-xxxNEG15MC.25(II), TSM-xxxNEG15MC.07(II), TSM-xxxNEG15MC.20(II), TSM-xxxNEG15MC.27(II), TSM-xxxNEG15MC.28(II), TSM-xxxNEG15MC.29(II) (xxx=350-420, in steps of 5).

120 cells:
TSM-xxxNEG6MC(II), TSM-xxxNEG6MC.05(II), TSM-xxxNEG6MC.25(II), TSM-xxxNEG6MC.07(II), TSM-xxxNEG6MC.20(II), TSM-xxxNEG6MC.27(II), TSM-xxxNEG6MC.28(II), TSM-xxxNEG6MC.29(II) (xxx=295-330, in steps of 5).

mono series with 158.75 x 79.375 (mm) half cutting N type MBB bifacial cell (Module Type for rear side with white EVA or Glass white):

144 cells:
TSM-xxxNEG15M(II), TSM-xxxNEG15M.05(II), TSM-xxxNEG15M.25(II), TSM-xxxNEG15M.07(II), TSM-xxxNEG15M.20(II), TSM-xxxNEG15M.27(II), TSM-xxxNEG15M.28(II), TSM-xxxNEG15M.29(II) (xxx=350-420, in steps of 5).

120 cells:
TSM-xxxNEG6M(II), TSM-xxxNEG6M.05(II), TSM-xxxNEG6M.25(II), TSM-xxxNEG6M.07(II), TSM-xxxNEG6M.20(II), TSM-xxxNEG6M.27(II), TSM-xxxNEG6M.28(II), TSM-xxxNEG6M.29(II) (xxx=295-345, in steps of 5).

mono series with 161.7 x 80.85 (mm) half cutting N type MBB bifacial cell (Module Type for rear side with white EVA or white Glass):

144 cells:
TSM-xxxNEG16M(II), TSM-xxxNEG16M.05(II), TSM-xxxNEG16M.25(II), TSM-xxxNEG16M.07(II), TSM-xxxNEG16M.20(II), TSM-xxxNEG16M.27(II), TSM-xxxNEG16M.28(II), TSM-xxxNEG16M.29(II) (xxx=390-435, in steps of 5).

120 cells:
TSM-xxxNEG7M(II), TSM-xxxNEG7M.05(II), TSM-xxxNEG7M.25(II), TSM-xxxNEG7M.07(II), TSM-xxxNEG7M.20(II), TSM-xxxNEG7M.27(II), TSM-xxxNEG7M.28(II), TSM-xxxNEG7M.29(II) (xxx=325-360, in steps of 5).

mono series with 161.7 x 80.85 (mm) half cutting N type MBB bifacial cell:

144 cells:
TSM-xxxNEG16MC(II), TSM-xxxNEG16MC.05(II), TSM-xxxNEG16MC.25(II), TSM-xxxNEG16MC.07(II), TSM-xxxNEG16MC.20(II), TSM-xxxNEG16MC.27(II), TSM-xxxNEG16MC.28(II), TSM-xxxNEG16MC.29(II) (xxx=390-415, in steps of 5).

120 cells:
TSM-xxxNEG7MC(II), TSM-xxxNEG7MC.05(II), TSM-xxxNEG7MC.25(II), TSM-xxxNEG7MC.07(II), TSM-xxxNEG7MC.20(II), TSM-xxxNEG7MC.27(II), TSM-xxxNEG7MC.28(II), TSM-xxxNEG7MC.29(II) (xxx=325-345, in steps of 5).

Member of TÜV SÜD Product Service GmbH
TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch
3-13, No.151, Hengtong Road, 200070 Shanghai, P.R.China



Product Service

mono series with 210.0 x 70.0 (mm) N type 1/3 cutting MBB bifacial cell:

150 cells:
TSM-xxxNEG18MC.20(II), TSM-xxxNEG18MC.25(II),
TSM-xxxNEG18MC.27(II), TSM-xxxNEG18MC.28(II),
TSM-xxxNEG18MC.29(II), TSM-xxxNEG18MC.30(II)
(xxx=500-520, in steps of 5).

120 cells:
TSM-xxxNEG9C.20, TSM-xxxNEG9C.25,
TSM-xxxNEG9C.27, TSM-xxxNEG9C.28,
TSM-xxxNEG9C.29
(xxx=390-430, in steps of 5).

mono series with 210.0 x 70.0 (mm) N type 1/3 cutting MBB bifacial cell:

(Module Type for rear side with white EVA or Glass white)

120 cells:
TSM-xxxNEG9.20, TSM-xxxNEG9.25,
TSM-xxxNEG9.27, TSM-xxxNEG9.28,
TSM-xxxNEG9.29
(xxx=390-430, in steps of 5).

mono series with 210.0 x 105.0 (mm) half cutting N type MBB bifacial cell:

120 cells:
TSM-xxxNEG20C.20, TSM-xxxNEG20C.25,
TSM-xxxNEG20C.27, TSM-xxxNEG20C.28,
TSM-xxxNEG20C.29 (xxx=580-645, in steps of 5).

110 cells:
TSM-xxxNEG19C.20, TSM-xxxNEG19C.25,
TSM-xxxNEG19C.27, TSM-xxxNEG19C.28,
TSM-xxxNEG19C.29 (xxx=530-570, in steps of 5).

132 cells:
TSM-xxxNEG21C.20, TSM-xxxNEG21C.25,
TSM-xxxNEG21C.27, TSM-xxxNEG21C.28,
TSM-xxxNEG21C.29 (xxx=635-710, in steps of 5).

mono series with 182.0 x 70.0 (mm) N type 1/3 cutting MBB bifacial cell:

144 cells:
TSM-xxxNEG9RC.20, TSM-xxxNEG9RC.25,
TSM-xxxNEG9RC.28, TSM-xxxNEG9RC.27,
TSM-xxxNEG9RC.29, TSM-xxxNEG9RC.B0,
TSM-xxxNEG9RC.B5, TSM-xxxNEG9RC.B8,
TSM-xxxNEG9RC.B7, TSM-xxxNEG9RC.B9,
(xxx=375-460, in steps of 5).

mono series with 182.0 x 70.0 (mm) N type 1/3 cutting MBB bifacial cell:

(Module Type for rear side with white EVA or Glass white)

144 cells:
TSM-xxxNEG9R.20, TSM-xxxNEG9R.25,
TSM-xxxNEG9R.28, TSM-xxxNEG9R.27,
TSM-xxxNEG9R.29, TSM-xxxNEG9R.B0,

Member of TÜV SÜD Product Service GmbH

TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch

3-13, No.151, Hengtong Road, 200070 Shanghai,P.R.China





Product Service

TSM-xxxNEG9R.B5, TSM-xxxNEG9R.B8,
TSM-xxxNEG9R.B7, TSM-xxxNEG9R.B9,
(xxx=375-460, in steps of 5).

mono series with 182.0 x 105.0 (mm) half cutting N
type MBB bifacial cell:

132 cells:
TSM-xxxNEG19RC.20, TSM-xxxNEG19RC.25,
TSM-xxxNEG19RC.27, TSM-xxxNEG19RC.28,
TSM-xxxNEG19RC.29, (xxx=525-620, in steps of 5).

mono series with 182.0 x 105.0 (mm) half cutting N
type MBB bifacial cell:

(Module Type for rear side with white EVA or Glass
white)

132 cells:
TSM-xxxNEG19R.20, TSM-xxxNEG19R.25,
TSM-xxxNEG19R.27, TSM-xxxNEG19R.28,
TSM-xxxNEG19R.29, (xxx=525-620, in steps of 5).

108 cells
TSM-xxxNEG18R.20, TSM-xxxNEG18R.25,
TSM-xxxNEG18R.27, TSM-xxxNEG18R.28,
TSM-xxxNEG18R.29, (xxx=470-505, in steps of 5)

mono series with 182.0 x 91.0 (mm) half cutting N type
MBB bifacial cell:

144 cells:
TSM-xxxNEG18C.20, TSM-xxxNEG18C.25,
TSM-xxxNEG18C.27, TSM-xxxNEG18C.28,
TSM-xxxNEG18C.29, (xxx=555-590, in steps of 5)

mono series with 158.75 x 79.375 (mm) half cutting N
type MBB bifacial cell (for cells splicing technology):

156 cells:
TSM-xxxNEG15XC(II), TSM-xxxNEG15XC.05(II),
TSM-xxxNEG15XC.25(II), TSM-xxxNEG15XC.07(II),
TSM-xxxNEG15XC.20(II), TSM-xxxNEG15XC.27(II),
TSM-xxxNEG15XC.28(II), TSM-xxxNEG15XC.29(II)
(xxx=425-445, in steps of 5).

mono series with 158.75 x 79.375 (mm) half cutting
MBB bifacial HJT cell:

(Horizontal version: the long side of the cell is parallel
to the long side of the module)

156 cells:
TSM-xxxHEG15XKC.203, TSM-xxxHEG15XKC.253,
TSM-xxxHEG15XKC.273, TSM-xxxHEG15XKC.283,
TSM-xxxHEG15XKC.293 (xxx=435-455, in steps of 5).

182 cells:
TSM-xxxHEG15YKC.20, TSM-xxxHEG15YKC.25,
TSM-xxxHEG15YKC.27, TSM-xxxHEG15YKC.28,
TSM-xxxHEG15YKC.29 (xxx=515-530, in steps of 5).

168 cells:
TSM-xxxHEG15VKC.20, TSM-xxxHEG15VKC.25,
TSM-xxxHEG15VKC.27, TSM-xxxHEG15VKC.28,
TSM-xxxHEG15VKC.29 (xxx=475-485, in steps of 5).

130 cells:

Member of TÜV SÜD Product Service GmbH

TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch

3-13, No.151, Hengtong Road, 200070 Shanghai, P.R.China





TSM-xxxHEG6XKC.20, TSM-xxxHEG6XKC.25, TSM-xxxHEG6XKC.27, TSM-xxxHEG6XKC.28, TSM-xxxHEG6XKC.29 (xxx=370-375, in steps of 5).

mono series with 158.75 x 79.375 (mm) half cutting MBB bifacial HJT cell:

(Longitudinal version: the long side of the cell is parallel to the short side of the module)

156 cells:

TSM-xxxHEG15XC.20, TSM-xxxHEG15XC.25, TSM-xxxHEG15XC.27, TSM-xxxHEG15XC.28, TSM-xxxHEG15XC.29 (xxx=440-460, in steps of 5).

144 cells:

TSM-xxxHEG15C.20, TSM-xxxHEG15C.25, TSM-xxxHEG15C.27, TSM-xxxHEG15C.28, TSM-xxxHEG15C.29 (xxx=410-425, in steps of 5).

120 cells:

TSM-xxxHEG6C.20, TSM-xxxHEG6C.25, TSM-xxxHEG6C.27, TSM-xxxHEG6C.28, TSM-xxxHEG6C.29 (xxx=340-350, in steps of 5).

mono series with 210.0 x 105.0 (mm) half cutting MBB bifacial HJT cell:

(Longitudinal version: the long side of the cell is parallel to the short side of the module)

132 cells:

TSM-xxxHEG21C.20, TSM-xxxHEG21C.25, TSM-xxxHEG21C.27, TSM-xxxHEG21C.28, TSM-xxxHEG21C.29 (xxx=640-685, in steps of 5).

120 cells:

TSM-xxxHEG20C.20, TSM-xxxHEG20C.25, TSM-xxxHEG20C.27, TSM-xxxHEG20C.28, TSM-xxxHEG20C.29 (xxx=585-620, in steps of 5).

110 cells:

TSM-xxxHEG19C.20, TSM-xxxHEG19C.25, TSM-xxxHEG19C.27, TSM-xxxHEG19C.28, TSM-xxxHEG19C.29 (xxx=530-565, in steps of 5).

mono series with 157 x 31.4 (mm) 1/5 cutting cells:

336 cells:

TSM-xxxDEG5ZV(II), TSM-xxxDEG5ZV.05(II), TSM-xxxDEG5ZV.07(II), TSM-xxxDEG5ZV.40(II), TSM-xxxDEG5ZV.47(II) (xxx=305-330, in steps of 5).

poly series with 157 x 157 (mm) and 156 x 156 (mm) solar cells:

72 cells:

TSM-xxxPEG14, TSM-xxxPEG14.05, TSM-xxxPEG14.25, TSM-xxxPEG14.07, TSM-xxxPEG14.20, TSM-xxxPEG14.27, TSM-xxxPEG14.28, TSM-xxxPEG14.29, TSM-xxxPEG14.40, TSM-xxxPEG14.47 (xxx=315-360, in steps of 5);

TSM-xxxPEG14(II), TSM-xxxPEG14.05(II), TSM-xxxPEG14.25(II),

TSM-xxxPEG14.07(II), TSM-xxxPEG14.20(II), TSM-xxxPEG14.27(II), TSM-xxxPEG14.28(II), TSM-

Member of TÜV SÜD Product Service GmbH

TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch

3-13, No.151, Hengtong Road, 200070 Shanghai, P.R.China





Product Service

xxxPEG14.29(II), TSM-xxxPEG14.40(II), TSM-xxxPEG14.47(II)
(xxx=315-360, in steps of 5).

60 cells:
TSM-xxxPEG5, TSM-xxxPEG5.05, TSM-xxxPEG5.25, TSM-xxxPEG5.07, TSM-xxxPEG5.20, TSM-xxxPEG5.27, TSM-xxxPEG5.28, TSM-xxxPEG5.29, TSM-xxxPEG5.40, TSM-xxxPEG5.47 (xxx=265-300, in steps of 5);
TSM-xxxPEG5(II), TSM-xxxPEG5.05(II), TSM-xxxPEG5.25(II), TSM-xxxPEG5.07(II), TSM-xxxPEG5.20(II), TSM-xxxPEG5.27(II), TSM-xxxPEG5.28(II), TSM-xxxPEG5.29(II), TSM-xxxPEG5.40(II), TSM-xxxPEG5.47(II) (xxx=265-300, in steps of 5).

poly series with 158.75 x 158.75 (mm) solar cells:
72 cells:
TSM-xxxPEG15, TSM-xxxPEG15.05, TSM-xxxPEG15.25, TSM-xxxPEG15.07, TSM-xxxPEG15.20, TSM-xxxPEG15.27, TSM-xxxPEG15.28, TSM-xxxPEG15.29, TSM-xxxPEG15.40, TSM-xxxPEG15.47 (xxx=315-360, in steps of 5);

TSM-xxxPEG15(II), TSM-xxxPEG15.05(II), TSM-xxxPEG15.25(II), TSM-xxxPEG15.07(II), TSM-xxxPEG15.20(II), TSM-xxxPEG15.27(II), TSM-xxxPEG15.28(II), TSM-xxxPEG15.29(II), TSM-xxxPEG15.40(II), TSM-xxxPEG15.47(II) (xxx=315-360, in steps of 5).

60 cells:
TSM-xxxPEG6, TSM-xxxPEG6.05, TSM-xxxPEG6.25, TSM-xxxPEG6.07, TSM-xxxPEG6.20, TSM-xxxPEG6.27, TSM-xxxPEG6.28, TSM-xxxPEG6.29, TSM-xxxPEG6.40, TSM-xxxPEG6.47 (xxx=265-300, in steps of 5);

TSM-xxxPEG6(II), TSM-xxxPEG6.05(II), TSM-xxxPEG6.25(II), TSM-xxxPEG6.07(II), TSM-xxxPEG6.20(II), TSM-xxxPEG6.27(II), TSM-xxxPEG6.28(II), TSM-xxxPEG6.29(II), TSM-xxxPEG6.40(II), TSM-xxxPEG6.47(II) (xxx=265-300, in steps of 5).

poly series with 157 x 78.5 (mm) half cutting cell:
144 cells:

TSM-xxxPEG14H, TSM-xxxPEG14H.05, TSM-xxxPEG14H.25, TSM-xxxPEG14H.07, TSM-xxxPEG14H.20, TSM-xxxPEG14H.27, TSM-xxxPEG14H.28, TSM-xxxPEG14H.29, TSM-xxxPEG14H.40, TSM-xxxPEG14H.47 (xxx=330-360, in steps of 5);
TSM-xxxPEG14H(II), TSM-xxxPEG14H.05(II), TSM-xxxPEG14H.25(II), TSM-xxxPEG14H.07(II), TSM-xxxPEG14H.20(II), TSM-xxxPEG14H.27(II),

Member of TÜV SÜD Product Service GmbH

TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch

3-13, No.151, Hengtong Road, 200070 Shanghai, P.R.China



TSM-xxxPEG14H.28(II), TSM-xxxPEG14H.29(II), TSM-xxxPEG14H.40(II), TSM-xxxPEG14H.47(II) (xxx=330-360, in steps of 5).

120 cells: TSM-xxxPEG5H, TSM-xxxPEG5H.05, TSM-xxxPEG5H.25, TSM-xxxPEG5H.07, TSM-xxxPEG5H.20, TSM-xxxPEG5H.27, TSM-xxxPEG5H.28, TSM-xxxPEG5H.29, TSM-xxxPEG5H.40, TSM-xxxPEG5H.47 (xxx=275-300, in steps of 5); TSM-xxxPEG5H(II), TSM-xxxPEG5H.05(II), TSM-xxxPEG5H.25(II), TSM-xxxPEG5H.07(II), TSM-xxxPEG5H.20(II), TSM-xxxPEG5H.27(II), TSM-xxxPEG5H.28(II), TSM-xxxPEG5H.29(II), TSM-xxxPEG5H.40(II), TSM-xxxPEG5H.47(II) (xxx=275-300, in steps of 5).

poly series with 158.75 x 79.375 (mm) half cutting cell: 144 cells:

TSM-xxxPEG15H, TSM-xxxPEG15H.05, TSM-xxxPEG15H.25, TSM-xxxPEG15H.07, TSM-xxxPEG15H.20, TSM-xxxPEG15H.27, TSM-xxxPEG15H.28, TSM-xxxPEG15H.29, TSM-xxxPEG15H.40, TSM-xxxPEG15H.47 (xxx=340-360, in steps of 5); TSM-xxxPEG15H(II), TSM-xxxPEG15H.05(II), TSM-xxxPEG15H.25(II), TSM-xxxPEG15H.07(II), TSM-xxxPEG15H.20(II), TSM-xxxPEG15H.27(II), TSM-xxxPEG15H.28(II), TSM-xxxPEG15H.29(II), TSM-xxxPEG15H.40(II), TSM-xxxPEG15H.47(II) (xxx=340-400, in steps of 5).

120 cells: TSM-xxxPEG6H, TSM-xxxPEG6H.05, TSM-xxxPEG6H.25, TSM-xxxPEG6H.07, TSM-xxxPEG6H.20, TSM-xxxPEG6H.27, TSM-xxxPEG6H.28, TSM-xxxPEG6H.29, TSM-xxxPEG6H.40, TSM-xxxPEG6H.47 (xxx=280-300, in steps of 5); TSM-xxxPEG6H(II), TSM-xxxPEG6H.05(II), TSM-xxxPEG6H.25(II), TSM-xxxPEG6H.07(II), TSM-xxxPEG6H.20(II), TSM-xxxPEG6H.27(II), TSM-xxxPEG6H.28(II), TSM-xxxPEG6H.29(II), TSM-xxxPEG6H.40(II), TSM-xxxPEG6H.47(II), (xxx=280-330, in steps of 5).

poly series with 157 x 78.5 (mm) half cutting MBB cell: 144 cells:

TSM-xxxPEG14M(II), TSM-xxxPEG14M.05(II), TSM-xxxPEG14M.25(II), TSM-xxxPEG14M.07(II), TSM-xxxPEG14M.20(II), TSM-xxxPEG14M.27(II), TSM-xxxPEG14M.28(II), TSM-xxxPEG14M.29(II), TSM-xxxPEG14M.40(II), TSM-xxxPEG14M.47(II) (xxx=330-360, in steps of 5).

120 cells:

Member of TÜV SÜD Product Service GmbH
TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch
3-13, No.151, Hengtong Road, 200070 Shanghai,P.R.China





Product Service

ATTESTATION

TSM-xxxPEG5M(II), TSM-xxxPEG5M.05(II), TSM-xxxPEG5M.25(II), TSM-xxxPEG5M.07(II), TSM-xxxPEG5M.20(II), TSM-xxxPEG5M.27(II), TSM-xxxPEG5M.28(II), TSM-xxxPEG5M.29(II), TSM-xxxPEG5M.40(II), TSM-xxxPEG5M.47(II) (xxx=275-300, in steps of 5).

poly series with 158.75 x 79.375 (mm) half cutting MBB cell:

144 cells:
TSM-xxxPEG15M(II), TSM-xxxPEG15M.05(II), TSM-xxxPEG15M.25(II), TSM-xxxPEG15M.07(II), TSM-xxxPEG15M.20(II), TSM-xxxPEG15M.27(II), TSM-xxxPEG15M.28(II), TSM-xxxPEG15M.29(II), TSM-xxxPEG15M.40(II), TSM-xxxPEG15M.47(II) (xxx=340-405, in steps of 5).

120 cells:
TSM-xxxPEG6M(II), TSM-xxxPEG6M.05(II), TSM-xxxPEG6M.25(II), TSM-xxxPEG6M.07(II), TSM-xxxPEG6M.20(II), TSM-xxxPEG6M.27(II), TSM-xxxPEG6M.28(II), TSM-xxxPEG6M.29(II), TSM-xxxPEG6M.40(II), TSM-xxxPEG6M.47(II) (xxx=280-335, in steps of 5).

poly series with 166 x 83 (mm) half cutting MBB cell:

144 cells:
TSM-xxxPEG17MC(II), TSM-xxxPEG17MC.05(II), TSM-xxxPEG17MC.25(II), TSM-xxxPEG17MC.07(II), TSM-xxxPEG17MC.20(II), TSM-xxxPEG17MC.27(II), TSM-xxxPEG17MC.28(II), TSM-xxxPEG17MC.29(II) (xxx=410-445, in steps of 5).

120 cells:
TSM-xxxPEG8MC(II), TSM-xxxPEG8MC.05(II), TSM-xxxPEG8MC.25(II), TSM-xxxPEG8MC.07(II), TSM-xxxPEG8MC.20(II), TSM-xxxPEG8MC.27(II), TSM-xxxPEG8MC.28(II), TSM-xxxPEG8MC.29(II) (xxx=350-365, in steps of 5).

poly series with 166 x 83 (mm) half cutting MBB cell: (Module Type for rear side with white EVA or Glass white)

144 cells:
TSM-xxxPEG17M(II), TSM-xxxPEG17M.05(II), TSM-xxxPEG17M.25(II), TSM-xxxPEG17M.07(II), TSM-xxxPEG17M.20(II), TSM-xxxPEG17M.27(II), TSM-xxxPEG17M.28(II), TSM-xxxPEG17M.29(II) (xxx=410-445, in steps of 5).

120 cells:
TSM-xxxPEG8M(II), TSM-xxxPEG8M.05(II), TSM-xxxPEG8M.25(II), TSM-xxxPEG8M.07(II), TSM-xxxPEG8M.20(II), TSM-xxxPEG8M.27(II), TSM-xxxPEG8M.28(II), TSM-xxxPEG8M.29(II) (xxx=350-365, in steps of 5).

poly series with 157 x 31.4 (mm) 1/5 cutting cells:
336 cells:

Member of TÜV SÜD Product Service GmbH

TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch

3-13, No.151, Hengtong Road, 200070 Shanghai, P.R.China



Product Service

TSM-xxxPEG5ZV, TSM-xxxPEG5ZV.05, TSM-xxxPEG5ZV.07, TSM-xxxPEG5ZV.40, TSM-xxxPEG5ZV.47 (xxx=280-300, in steps of 5).

Smart PV modules:
 (Module Type with junction box TSD301xy)
 mono series with 210.0 x 105.0 (mm) half cutting MBB bifacial cell:
 132 cells:
 TSM-xxxDEG21C.20S (xxx=625-675, in steps of 5)
 120 cells:
 TSM-xxxDEG20C.20S (xxx=570-605, in steps of 5)
 110 cells:
 TSM-xxxDEG19C.20S (xxx=525-555, in steps of 5)

mono series with 182 x 105 (mm) half cutting MBB bifacial cell:
 132 cells:
 TSM-xxxDEG19RC.20S (xxx=540-590, in steps of 5)

mono series with 182 x 70 (mm) 1/3 cutting MBB bifacial cell:
 144 cells:
 TSM-xxxDEG9RC.B7S (xxx=395-435, in steps of 5)

mono series with 182 x 70 (mm) 1/3 cutting MBB bifacial cell:
 (Module Type for rear side with white EVA or Glass white)
 144 cells:
 TSM-xxxDEG9R.B0S, TSM-xxxDEG9R.B8S (xxx=395-435, in steps of 5)

mono series with 210.0 x 70.0 (mm) 1/3 cutting MBB bifacial cell:
 150 cells:
 TSM-xxxDEG18MC.20S(II) (xxx=460-510, in steps of 5)

mono series with 210.0 x 70.0 (mm) 1/3 cutting MBB bifacial cell:
 (Module Type for rear side with white EVA or Glass white)
 150 cells:
 TSM-xxxDEG18M.20S(II) (xxx=460-510, in steps of 5)

mono series with 210.0 x 105.0 (mm) half cutting N type MBB bifacial cell:
 132 cells:
 TSM-xxxNEG21C.20S (xxx=635-690, in steps of 5)

mono series with 182.0 x 105.0 (mm) half cutting N type MBB bifacial cell:
 132 cells:
 TSM-xxxNEG19RC.20S (xxx=565-595, in steps of 5)

Member of TÜV SÜD Product Service GmbH
 TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch
 3-13, No.151, Hengtong Road, 200070 Shanghai, P.R.China





Product Service

mono series with 182.0 x 70.0 (mm) N type 1/3 cutting
MBB bifacial cell:
(Module Type for rear side with white EVA or Glass
white)

144 cells:

TSM-xxxNEG9R.20S, TSM-xxxNEG9R.28S (xxx=395-
445, in steps of 5)

xxx stands for rated output power at STC

Certificate No.: Z2 070321 0122 Rev. 06

Project No.: 64290193018007

mono series with 157 x 157 (mm) solar cells (without
electronic devices):

a) 72 cells:

TSM-xxxDD14A(II), TSM-xxxDD14A.05(II), TSM-
xxxDD14A.08(II),
TSM-xxxDD14A.09(II), TSM-xxxDD14A.T0(II), TSM-
xxxDD14A.T8(II),
TSM-xxxDD14A.T9(II) (xxx=330-390, in steps of 5).
TSM-xxxDD14B(II), TSM-xxxDD14B.08(II), TSM-
xxxDD14B.09(II),
TSM-xxxDD14B.T0(II), TSM-xxxDD14B.T8(II), TSM-
xxxDD14B.T9(II)
(xxx=330-385, in steps of 5).

b) 60 cells:

TSM-xxxDD05A(II), TSM-xxxDD05A.05(II), TSM-
xxxDD05A.08(II),
TSM-xxxDD05A.09(II), TSM-xxxDD05A.T0(II), TSM-
xxxDD05A.T8(II),
TSM-xxxDD05A.T9(II), TSM-xxxDC05A.05(II), TSM-
xxxDC05A.08
(xxx=275-325, in steps of 5).

mono series with 158.75 x 158.75 (mm) solar cells
(without electronic devices):

a) 72 cells:

TSM-xxxDD15A(II), TSM-xxxDD15A.05(II), TSM-
xxxDD15A.08(II),
TSM-xxxDD15A.09(II), TSM-xxxDD15A.T0(II), TSM-
xxxDD15A.T8(II),
TSM-xxxDD15A.T9(II) (xxx=330-385, in steps of 5).
TSM-xxxDD15B(II), TSM-xxxDD15B.08(II), TSM-
xxxDD15B.09(II),
TSM-xxxDD15B.T0(II), TSM-xxxDD15B.T8(II), TSM-
xxxDD15B.T9(II)
(xxx=330-385, in steps of 5).

b) 60 cells:

TSM-xxxDD06A(II), TSM-xxxDD06A.05(II), TSM-
xxxDD06A.08(II),
TSM-xxxDD06A.09(II), TSM-xxxDC06A.05(II), TSM-
xxxDC06A.08,
TSM-xxxDD06A.T0(II), TSM-xxxDD06A.T8(II), TSM-
xxxDD06A.T9(II)
(xxx=275-325, in steps of 5).

mono series with 157 x 78.5 (mm) half cutting cells
(without electronic devices):

Member of TÜV SÜD Product Service GmbH

TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch

3-13, No.151, Hengtong Road, 200070 Shanghai, P.R.China



Product Service

a) 144 cells:
TSM-xxxDD14H(II), TSM-xxxDD14H.05(II), TSM-xxxDD14H.08(II),
TSM-xxxDD14H.09(II), TSM-xxxDD14H.T0(II), TSM-xxxDD14H.T8(II),
TSM-xxxDD14H.T9(II) (xxx=330-395, in steps of 5).
TSM-xxxDD14HB(II), TSM-xxxDD14HB.08(II), TSM-xxxDD14HB.09(II),
TSM-xxxDD14HB.T0(II), TSM-xxxDD14HB.T8(II),
TSM-xxxDD14HB.T9(II)
(xxx=330-395, in steps of 5).

b) 120 cells:
TSM-xxxDD05H(II), TSM-xxxDD05H.05(II), TSM-xxxDD05H.08(II),
TSM-xxxDD05H.09(II), TSM-xxxDD05H.T0(II), TSM-xxxDD05H.T8(II),
TSM-xxxDD05H.T9(II) (xxx=275-335, in steps of 5).

mono series with 158.75 x 79.375 (mm) half cutting cells (without electron-ic devices):

a) 144 cells:
TSM-xxxDD15H(II), TSM-xxxDD15H.05(II), TSM-xxxDD15H.08(II),
TSM-xxxDD15H.09(II), TSM-xxxDD15H.T0(II), TSM-xxxDD15H.T8(II),
TSM-xxxDD15H.T9(II) (xxx=330-410, in steps of 5).
TSM-xxxDD15HB(II), TSM-xxxDD15HB.08(II), TSM-xxxDD15HB.09(II),
TSM-xxxDD15HB.T0(II), TSM-xxxDD15HB.T8(II),
TSM-xxxDD15HB.T9(II)
(xxx=330-410, in steps of 5).

b) 120 cells:
TSM-xxxDD06H(II), TSM-xxxDD06H.05(II), TSM-xxxDD06H.08(II),
TSM-xxxDD06H.09(II), TSM-xxxDD06H.T0(II), TSM-xxxDD06H.T8(II),
TSM-xxxDD06H.T9(II) (xxx=275-340, in steps of 5).

mono series with 158.75 x 79.375 (mm) half cutting MBB cells (without electronic devices):

a) 144 cells:
TSM-xxxDD15M(II), TSM-xxxDD15M.05(II), TSM-xxxDD15M.08(II),
TSM-xxxDD15M.09(II), TSM-xxxDD15M.T0(II), TSM-xxxDD15M.T8(II),
TSM-xxxDD15M.T9(II) (xxx=330-410, in steps of 5).

b) 120 cells:
TSM-xxxDD06M(II), TSM-xxxDD06M.05(II), TSM-xxxDD06M.08(II),
TSM-xxxDD06M.09(II), TSM-xxxDD06M.T0(II), TSM-xxxDD06M.T8(II),
TSM-xxxDD06M.T9(II) (xxx=275-340, in steps of 5).

mono series with 166 x 83 (mm) half cutting MBB cells (without electronic devices):

a) 144 cells:

Member of TÜV SÜD Product Service GmbH

TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch

3-13, No.151, Hengtong Road, 200070 Shanghai, P.R.China



Product Service

TSM-xxxDD17M(II), TSM-xxxDD17M.05(II), TSM-xxxDD17M.08(II), TSM-xxxDD17M.09(II), TSM-xxxDD17M.T0(II), TSM-xxxDD17M.T8(II), TSM-xxxDD17M.T9(II) (xxx=390-465, in steps of 5).
 b) 120 cells:
 TSM-xxxDD08M(II), TSM-xxxDD08M.05(II), TSM-xxxDD08M.08(II), TSM-xxxDD08M.09(II), TSM-xxxDD08M.T0(II), TSM-xxxDD08M.T8(II), TSM-xxxDD08M.T9(II) (xxx=335-385, in steps of 5).
 c) 72 cells:
 TSM-xxxDC082H.08(II) (xxx=210-225, in steps of 5).

mono series with 182 x 91 (mm) half cutting MBB cells (without electronic devices):

a) 144 cells:
 TSM-xxxDD18, TSM-xxxDD18.05, TSM-xxxDD18.08, TSM-xxxDD18.09, TSM-xxxDD18.T0, TSM-xxxDD18.T8, TSM-xxxDD18.T9 (xxx=515-555, in steps of 5).
 b) 120 cells:
 TSM-xxxDD10, TSM-xxxDD10.05, TSM-xxxDD10.08, TSM-xxxDD10.09, TSM-xxxDD10.T0, TSM-xxxDD10.T8, TSM-xxxDD10.T9 (xxx=430-455, in steps of 5).

mono series with 210 x 105 (mm) half cutting MBB cells (without electron-ic devices):

a) 120 cells:
 TSM-xxxDD20, TSM-xxxDD20.05, TSM-xxxDD20.08, TSM-xxxDD20.09, TSM-xxxDD20.T0, TSM-xxxDD20.T8, TSM-xxxDD20.T9 (xxx=575-610, in steps of 5).
 b) 110 cells:
 TSM-xxxDD19, TSM-xxxDD19.05, TSM-xxxDD19.08, TSM-xxxDD19.09, TSM-xxxDD19.T0, TSM-xxxDD19.T8, TSM-xxxDD19.T9 (xxx=520-560, in steps of 5).
 c) 132 cells:
 TSM-xxxDD21, TSM-xxxDD21.05, TSM-xxxDD21.08, TSM-xxxDD21.09, TSM-xxxDD21.T0, TSM-xxxDD21.T8, TSM-xxxDD21.T9 (xxx=635-675, in steps of 5).

mono series with 210 x 70 (mm) 1/3 cutting MBB cells (without electronic devices):

a) 150 cells:
 TSM-xxxDD18M(II), TSM-xxxDD18M.05(II), TSM-xxxDD18M.08(II), TSM-xxxDD18M.09(II), TSM-xxxDD18M.T0(II), TSM-xxxDD18M.T8(II),

Member of TÜV SÜD Product Service GmbH
 TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch
 3-13, No.151, Hengtong Road, 200070 Shanghai,P.R.China





TSM-xxxDD18M.T9(II) (xxx=470-520, in steps of 5)
b) 120 cells:
TSM-xxxDD09, TSM-xxxDD09.05, TSM-xxxDD09.08,
TSM-xxxDD09.09,
TSM-xxxDD09.T0, TSM-xxxDD09.T8, TSM-
xxxDD09.T9
(xxx=375-410, in steps of 5).

mono series with 158.75 x 79.375 (mm) half cutting
MBB cells (for cells splicing technology):

a) 156 cells:
TSM-xxxDD15X(II), TSM-xxxDD15X.05(II), TSM-
xxxDD15X.08(II),
TSM-xxxDD15X.09(II), TSM-xxxDD15X.T0(II), TSM-
xxxDD15X.T8(II),
TSM-xxxDD15X.T9(II) (xxx=405-435, in steps of 5).
b) 132 cells:
TSM-xxxDD06X(II), TSM-xxxDD06X.05(II), TSM-
xxxDD06X.08(II),
TSM-xxxDD06X.09(II), TSM-xxxDD06X.T0(II), TSM-
xxxDD06X.T8(II),
TSM-xxxDD06X.T9(II) (xxx=345-375, in steps of 5).

mono series with 158.75 x 79.375 (mm) half cutting N
type MBB cell (with-out electronic devices):

a) 144 cells:
TSM-xxxND15M(II), TSM-xxxND15M.05(II), TSM-
xxxND15M.08(II),
TSM-xxxND15M.09(II), TSM-xxxND15M.T0(II), TSM-
xxxND15M.T8(II),
TSM-xxxND15M.T9(II) (xxx=375-405, in steps of 5).
b) 120 cells:
TSM-xxxND06M(II), TSM-xxxND06M.05(II), TSM-
xxxND06M.08(II),
TSM-xxxND06M.09(II), TSM-xxxND06M.T0(II), TSM-
xxxND06M.T8(II),
TSM-xxxND06M.T9(II) (xxx=315-335, in steps of 5).

mono series with 161.7 x 80.85 (mm) half cutting N
type MBB cell (without electronic devices):

a) 144 cells:
TSM-xxxND16M(II), TSM-xxxND16M.05(II), TSM-
xxxND16M.08(II),
TSM-xxxND16M.09(II), TSM-xxxND16M.T0(II), TSM-
xxxND16M.T8(II),
TSM-xxxND16M.T9(II) (xxx=375-405, in steps of 5).
b) 120 cells:
TSM-xxxND07M(II), TSM-xxxND07M.05(II), TSM-
xxxND07M.08(II),
TSM-xxxND07M.09(II), TSM-xxxND07M.T0(II), TSM-
xxxND07M.T8(II),
TSM-xxxND07M.T9(II) (xxx=315-335, in steps of 5).

mono series with 158.75 x 79.375 (mm) half cutting N
type MBB cell (for cells splicing technology):

a) 156 cells:

Member of TÜV SÜD Product Service GmbH

TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch

3-13, No.151, Hengtong Road, 200070 Shanghai, P.R.China



Product Service

TSM-xxxND15X(II), TSM-xxxND15X.05(II), TSM-xxxND15X.08(II), TSM-xxxND15X.09(II), TSM-xxxND15X.T0(II), TSM-xxxND15X.T8(II),

TSM-xxxND15X.T9(II) (xxx=405-435, in steps of 5).

b) 132 cells:

TSM-xxxND06X(II), TSM-xxxND06X.05(II), TSM-xxxND06X.08(II), TSM-xxxND06X.09(II), TSM-xxxND06X.T0(II), TSM-xxxND06X.T8(II),

TSM-xxxND06X.T9(II) (xxx=345-365, in steps of 5).

mono series with 210 x 70 (mm) 1/3 cutting N Type MBB cells (without electronic Devices):

a) 150 cells:

TSM-xxxND18M(II), TSM-xxxND18M.05(II), TSM-xxxND18M.08(II), TSM-xxxND18M.09(II), TSM-xxxND18M.T0(II), TSM-xxxND18M.T8(II),

TSM-xxxND18M.T9(II) (xxx=490-510, in steps of 5).

b) 120 cells:

TSM-xxxND09, TSM-xxxND09.05, TSM-xxxND09.08, TSM-xxxND09.09, TSM-xxxND09.T0, TSM-xxxND09.T8,

TSM-xxxND09.T9 (xxx=395-410, in steps of 5).

mono series with 210 x 105 (mm) half cutting N Type MBB cells (without electronic devices):

a) 120 cells:

TSM-xxxND20, TSM-xxxND20.05, TSM-xxxND20.08, TSM-xxxND20.09, TSM-xxxND20.T0, TSM-xxxND20.T8, TSM-xxxND20.T9

(xxx=590-610, in steps of 5).

b) 110 cells:

TSM-xxxND19, TSM-xxxND19.05, TSM-xxxND19.08, TSM-xxxND19.09, TSM-xxxND19.T0, TSM-xxxND19.T8, TSM-xxxND19.T9

(xxx=540-560, in steps of 5).

c) 132 cells:

TSM-xxxND21, TSM-xxxND21.05, TSM-xxxND21.08, TSM-xxxND21.09, TSM-xxxND21.T0, TSM-xxxND21.T8, TSM-xxxND21.T9

(xxx=645-675, in steps of 5).

mono series with 210 x 105 (mm) half cutting bifacial MBB cells (without electronic devices):

a) 110 cells:

TSM-xxxDD19C, TSM-xxxDD19C.08

(xxx=520-560, in steps of 5).

mono series with 158.75 x 79.375 (mm) half cutting bifacial MBB cells (for cells splicing technology):

a) 132 cells:

Member of TÜV SÜD Product Service GmbH

TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch

3-13, No.151, Hengtong Road, 200070 Shanghai, P.R.China



TSM-xxxDD06XC(II), TSM-xxxDD06XC.08(II), TSM-xxxDD06XC.09(II)
(xxx=345-365, in steps of 5).

mono series with 166 x 83 (mm) half cutting MBB cells:

a) 90 cells:

TSM-xxxDD081M(II), TSM-xxxDD081M.05(II), TSM-xxxDD081M.08(II),
TSM-xxxDD081M.09(II), TSM-xxxDD081M.T0(II),
TSM-xxxDD081M.T8(II), TSM-xxxDD081M.T9(II)
(xxx=265-295, in steps of 5).

mono series with 158.75 x 79.375 (mm) half cutting MBB cells:

a) 120 cells:

TSM-xxxDD151M(II), TSM-xxxDD151M.05(II), TSM-xxxDD151M.08(II),
TSM-xxxDD151M.09(II), TSM-xxxDD151M.T0(II),
TSM-xxxDD151M.T8(II), TSM-xxxDD151M.T9(II)
(xxx=300-350, in steps of 5).

b) 96 cells:

TSM-xxxDD061M(II), TSM-xxxDD061M.05(II), TSM-xxxDD061M.08(II),
TSM-xxxDD061M.09(II), TSM-xxxDD061M.10(II),
TSM-xxxDD061M.18(II), TSM-xxxDD061M.T0(II),
TSM-xxxDD061M.T8(II), TSM-xxxDD061M.T9(II)
(xxx=240-280, in steps of 5).

poly series with 157 x 157 (mm) solar cells (without electronic devices):

a) 72 cells:

TSM-xxxPD14, TSM-xxxPD14.08, TSM-xxxPD14.09,
TSM-xxxPD14(II),
TSM-xxxPD14.08(II), TSM-xxxPD14.09(II), TSM-xxxPD14.T0,
TSM-xxxPD14.T8, TSM-xxxPD14.T9, TSM-xxxPD14.T0(II),
TSM-xxxPD14.T8(II), TSM-xxxPD14.T9(II) (xxx=305-360, in steps of 5).

TSM-xxxPD14B, TSM-xxxPD14B.08, TSM-xxxPD14B.09, TSM-xxxPD14B(II),
TSM-xxxPD14B.08(II), TSM-xxxPD14B.09(II), TSM-xxxPD14B.T0,
TSM-xxxPD14B.T8, TSM-xxxPD14B.T9, TSM-xxxPD14B.T0(II),
TSM-xxxPD14B.T8(II), TSM-xxxPD14B.T9(II)
(xxx=305-360, in steps of 5).

b) 60 cells:

TSM-xxxPD05, TSM-xxxPD05.08, TSM-xxxPD05.09, TSM-xxxPD05(II),
TSM-xxxPD05.08(II), TSM-xxxPD05.09(II), TSM-xxxPD05.T0,
TSM-xxxPD05.T8, TSM-xxxPD05.T9, TSM-xxxPD05.T0(II),
TSM-xxxPD05.T8(II), TSM-xxxPD05.T9(II), TSM-xxxPC05A,

Member of TÜV SÜD Product Service GmbH

TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch

3-13, No.151, Hengtong Road, 200070 Shanghai, P.R.China



TSM-xxxPC05A.08 (xxx=245-300, in steps of 5).
TSM-xxxPC05A-1(xxx=245-255, in steps of 5).
TSM-255PC05A-2

poly series with 158.75 x 158.75 (mm) solar cells
(without electronic de-vices):

a) 72 cells:

TSM-xxxPD15, TSM-xxxPD15.08, TSM-xxxPD15.09,
TSM-xxxPD15(II),
TSM-xxxPD15.08(II), TSM-xxxPD15.09(II), TSM-
xxxPD14.T0,
TSM-xxxPD15.T8, TSM-xxxPD15.T9, TSM-
xxxPD15.T0(II),
TSM-xxxPD15.T8(II), TSM-xxxPD15.T9(II) (xxx=305-
360, in steps of 5).
TSM-xxxPD15B, TSM-xxxPD15B.08, TSM-
xxxPD15B.09, TSM-xxxPD15B(II),
TSM-xxxPD15B.08(II), TSM-xxxPD15B.09(II), TSM-
xxxPD15B.T0,
TSM-xxxPD15B.T8, TSM-xxxPD15B.T9, TSM-
xxxPD15B.T0(II),
TSM-xxxPD15B.T8(II), TSM-xxxPD15B.T9(II)
(xxx=305-360, in steps of 5).

b) 60 cells:

TSM-xxxPD06, TSM-xxxPD06.08, TSM-xxxPD06.09,
TSM-xxxPD06(II),
TSM-xxxPD06.08(II), TSM-xxxPD06.09(II), TSM-
xxxPD06.T0,
TSM-xxxPD06.T8, TSM-xxxPD06.T9, TSM-
xxxPD06.T0(II),
TSM-xxxPD06.T8(II), TSM-xxxPD06.T9(II), TSM-
xxxPC06A,
TSM-xxxPC06A.08 (xxx=255-300, in steps of 5).

poly series with 157 x 78.5 (mm) half cutting cells
(without electronic de-vices):

a) 144 cells:

TSM-xxxPD14H, TSM-xxxPD14H.08, TSM-
xxxPD14H.09, TSM-xxxPD14H(II),
TSM-xxxPD14H.08(II), TSM-xxxPD14H.09(II), TSM-
xxxPD14H.T0,
TSM-xxxPD14H.T8, TSM-xxxPD14H.T9, TSM-
xxxPD14H.T0(II),
TSM-xxxPD14H.T8(II), TSM-xxxPD14H.T9(II)
(xxx=320-360, in steps of 5).
TSM-xxxPD14HB, TSM-xxxPD14HB.08, TSM-
xxxPD14HB.09,
TSM-xxxPD14HB(II), TSM-xxxPD14HB.08(II), TSM-
xxxPD14HB.09(II),
TSM-xxxPD14HB.T0, TSM-xxxPD14HB.T8, TSM-
xxxPD14HB.T9,
TSM-xxxPD14HB.T0(II), TSM-xxxPD14HB.T8(II),
TSM-xxxPD14HB.T9(II)
(xxx=320-360, in steps of 5).

b) 120 cells:

TSM-xxxPD05H, TSM-xxxPD05H.08, TSM-
xxxPD05H.09, TSM-xxxPD05H(II),

Member of TÜV SÜD Product Service GmbH

TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch

3-13, No.151, Hengtong Road, 200070 Shanghai, P.R.China



TSM-xxxPD05H.08(II), TSM-xxxPD05H.09(II), TSM-xxxPD05H.T0, TSM-xxxPD05H.T8, TSM-xxxPD05H.T9, TSM-xxxPD05H.T0(II), TSM-xxxPD05H.T8(II), TSM-xxxPD05H.T9(II) (xxx=270-300, in steps of 5).

poly series with 158.75 x 79.375 (mm) half cutting cells (without electronic devices):

a) 144 cells: TSM-xxxPD15H, TSM-xxxPD15H.08, TSM-xxxPD15H.09, TSM-xxxPD15H(II), TSM-xxxPD15H.08(II), TSM-xxxPD15H.09(II), TSM-xxxPD15H.T0, TSM-xxxPD15H.T8, TSM-xxxPD15H.T9, TSM-xxxPD15H.T0(II), TSM-xxxPD15H.T8(II), TSM-xxxPD15H.T9(II) (xxx=320-405, in steps of 5). TSM-xxxPD15HB, TSM-xxxPD15HB.08, TSM-xxxPD15HB.09, TSM-xxxPD15HB(II), TSM-xxxPD15HB.08(II), TSM-xxxPD15HB.09(II), TSM-xxxPD15HB.T0, TSM-xxxPD15HB.T8, TSM-xxxPD15HB.T9, TSM-xxxPD15HB.T0(II), TSM-xxxPD15HB.T8(II), TSM-xxxPD15HB.T9(II) (xxx=320-390, in steps of 5).

b) 120 cells: TSM-xxxPD06H, TSM-xxxPD06H.08, TSM-xxxPD06H.09, TSM-xxxPD06H(II), TSM-xxxPD06H.08(II), TSM-xxxPD06H.09(II), TSM-xxxPD06H.T0, TSM-xxxPD06H.T8, TSM-xxxPD06H.T9, TSM-xxxPD06H.T0(II), TSM-xxxPD06H.T8(II), TSM-xxxPD06H.T9(II) (xxx=270-335, in steps of 5).

poly series with 158.75 x 79.375 (mm) half cutting MBB cells (without elec-tronic devices):

a) 144 cells: TSM-xxxPD15M, TSM-xxxPD15M.08, TSM-xxxPD15M.09, TSM-xxxPD15M.T0, TSM-xxxPD15M.T8, TSM-xxxPD15M.T9, TSM-xxxPD15M(II), TSM-xxxPD15M.08(II), TSM-xxxPD15M.09(II), TSM-xxxPD15M.T0(II), TSM-xxxPD15M.T8(II), TSM-xxxPD15M.T9(II) (xxx=320-405, in steps of 5).

b) 120 cells: TSM-xxxPD06M, TSM-xxxPD06M.08, TSM-xxxPD06M.09, TSM-xxxPD06M.T0, TSM-xxxPD06M.T8, TSM-xxxPD06M.T9, TSM-xxxPD06M(II), TSM-xxxPD06M.08(II), TSM-xxxPD06M.09(II), TSM-xxxPD06M.T0(II), TSM-xxxPD06M.T8(II), TSM-xxxPD06M.T9(II)

Member of TÜV SÜD Product Service GmbH

TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch

3-13, No.151, Hengtong Road, 200070 Shanghai,P.R.China



(xxx=270-335, in steps of 5).

poly series with 166 x 83 (mm) half cutting MBB cells (without electronic devices):

- a) 144 cells:
 TSM-xxxPD17M, TSM-xxxPD17M.08, TSM-xxxPD17M.09,
 TSM-xxxPD17M.T0, TSM-xxxPD17M.T8, TSM-xxxPD17M.T9,
 TSM-xxxPD17M(II), TSM-xxxPD17M.08(II), TSM-xxxPD17M.09(II),
 TSM-xxxPD17M.T0(II), TSM-xxxPD17M.T8(II), TSM-xxxPD17M.T9(II)

(xxx=320-445, in steps of 5).

- b) 120 cells:
 TSM-xxxPD08M, TSM-xxxPD08M.08, TSM-xxxPD08M.09,
 TSM-xxxPD08M.T0, TSM-xxxPD08M.T8, TSM-xxxPD08M.T9,
 TSM-xxxPD08M(II), TSM-xxxPD08M.08(II), TSM-xxxPD08M.09(II),
 TSM-xxxPD08M.T0(II), TSM-xxxPD08M.T8(II), TSM-xxxPD08M.T9(II)

(xxx=270-365, in steps of 5).

mono series with 157 x 157 (mm) solar cells (with electronic devices):

- a) 144 cells:
 TSM-xxxDD14A.00U(II), TSM-xxxDD14A.08U(II), TSM-xxxDD14A.09U(II)

(xxx=330-380, in steps of 5).

- b) 120 cells:
 TSM-xxxDD05A.00U(II), TSM-xxxDD05A.08U(II), TSM-xxxDD05A.09U(II)

(xxx=275-315, in steps of 5).

poly series with 157 x 157 (mm) solar cells (with electronic devices):

- a) 144 cells:
 TSM-xxxPD14.00U, TSM-xxxPD14.08U, TSM-xxxPD14.09U,
 TSM-xxxPD14.00U(II), TSM-xxxPD14.08U(II), TSM-xxxPD14.09U(II)

(xxx=305-360, in steps of 5).

- b) 120 cells:
 TSM-xxxPD05.00U, TSM-xxxPD05.08U, TSM-xxxPD05.09U,
 TSM-xxxPD05.00U(II), TSM-xxxPD05.08U(II), TSM-xxxPD05.09U(II)

(xxx=255-300, in steps of 5).

xxx stands for rated output power at STC

- Standards:
- IEC 61215-1:2016
 - IEC 61215-1-1:2016
 - IEC 61215-2:2016
 - IEC 61730-1:2016

Member of TÜV SÜD Product Service GmbH
TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch

3-13, No.151, Hengtong Road, 200070 Shanghai, P.R.China





- IEC 61730-2:2016
- EN 61215-1:2016
- EN 61215-1-1:2016
- EN 61215-2:2017
- EN IEC 61730-1:2018
- EN IEC 61730-1:2018/AC:2018-06
- EN IEC 61730-2:2018
- EN IEC 61730-2:2018/AC:2018-06

Supplementary information:

This attachment was updated according to information of factory ID 070321 in CBW at 2023-10-08.

Serial number Code:

XXX XXXX XXX XXXXX

1st - 3rd digit = the workshop of manufacture/factory ID

4th - 5th digit = the year of production

6th - 7th digit = the month of production

8th - 10th digit = the order number of production

11th - 15th digit = the running number of product

the workshop of manufacture/factory ID:

A01 or A02 or A03 or A04 or A05 or A06 or A07 or A08 or A12 or A13 or A14

The main processes are inspected in this visit: Cell tabbing, cell stringing and connection of strings Lamination process Assembly of module (including framing), Electrical routine tests (including safety and power). Other detailed information, please refer to the Factory inspection report, latest Certificates and CDFs.

Member of TÜV SÜD Product Service GmbH

TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch

3-13, No.151, Hengtong Road, 200070 Shanghai,P.R.China





Product Service

Attachment of Factory Inspection Attestation

Project No.: 70.197.23.070321.03
Trina Solar Co., Ltd.

Additional Related Information from the Certificates

Certificate No.: Z2 070321 0142 Rev. 07
Project No.: 704062210710-07
mono series with 157 x 157 (mm) solar cells:
72 cells:
TSM-xxxDE14A(II), TSM-xxxDE14A.05(II), TSM-xxxDE14A.08(II),
TSM-xxxDE14A.09(II), TSM-xxxDE14A.T0(II), TSM-xxxDE14A.T8(II),
TSM-xxxDE14A.T9(II) (xxx=330-390, in steps of 5).
TSM-xxxDE14B(II), TSM-xxxDE14B.05(II), TSM-xxxDE14B.08(II),
TSM-xxxDE14B.09(II), TSM-xxxDE14B.T0(II), TSM-xxxDE14B.T8(II),
TSM-xxxDE14B.T9(II)
(xxx=330-385, in steps of 5)
60 cells:
TSM-xxxDE05A(II), TSM-xxxDE05A.05(II), TSM-xxxDE05A.08(II),
TSM-xxxDE05A.09(II), TSM-xxxDE05A.T0(II), TSM-xxxDE05A.T8(II),
TSM-xxxDE05A.T9(II)
(xxx=275-325, in steps of 5)

mono series with 158.75 x 158.75 (mm) solar cells:
72 cells:
TSM-xxxDE15A(II), TSM-xxxDE15A.05(II), TSM-xxxDE15A.08(II),
TSM-xxxDE15A.09(II), TSM-xxxDE15A.T0(II), TSM-xxxDE15A.T8(II),
TSM-xxxDE15A.T9(II)
(xxx=330-385, in steps of 5)
TSM-xxxDE15B(II), TSM-xxxDE15B.05(II), TSM-xxxDE15B.08(II),
TSM-xxxDE15B.09(II), TSM-xxxDE15B.T0(II), TSM-xxxDE15B.T8(II),
TSM-xxxDE15B.T9(II)
(xxx=330-385, in steps of 5)
60 cells:
TSM-xxxDE06A(II), TSM-xxxDE06A.05(II), TSM-xxxDE06A.08(II),
TSM-xxxDE06A.09(II), TSM-xxxDE06A.T0(II), TSM-xxxDE06A.T8(II),
TSM-xxxDE06A.T9(II)
(xxx=275-325, in steps of 5)

Member of TÜV SÜD Product Service GmbH

TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch

3-13, No.151, Hengtong Road, 200070 Shanghai, P.R.China



ATTESTATION STATION

mono series with 157 x 78.5 (mm) half cutting cells:
144 cells:

TSM-xxxDE14H(II), TSM-xxxDE14H.05(II), TSM-xxxDE14H.08(II),
TSM-xxxDE14H.09(II), TSM-xxxDE14H.T0(II), TSM-xxxDE14H.T8(II),
TSM-xxxDE14H.T9(II) (xxx=330-395, in steps of 5).
TSM-xxxDE14HB(II), TSM-xxxDE14HB.05(II), TSM-xxxDE14HB.08(II),
TSM-xxxDE14HB.09(II), TSM-xxxDE14HB.T0(II),
TSM-xxxDE14HB.T8(II),
TSM-xxxDE14HB.T9(II)
(xxx=330-395, in steps of 5)

120 cells:

TSM-xxxDE05H(II), TSM-xxxDE05H.05(II), TSM-xxxDE05H.08(II),
TSM-xxxDE05H.09(II), TSM-xxxDE05H.T0(II), TSM-xxxDE05H.T8(II),
TSM-xxxDE05H.T9(II)
(xxx=275-335, in steps of 5)

mono series with 158.75 x 79.375 (mm) half cutting cells:

144 cells:

TSM-xxxDE15H(II), TSM-xxxDE15H.05(II), TSM-xxxDE15H.08(II),
TSM-xxxDE15H.09(II), TSM-xxxDE15H.T0(II), TSM-xxxDE15H.T8(II),
TSM-xxxDE15H.T9(II)
(xxx=330-425, in steps of 5)
TSM-xxxDE15HB(II), TSM-xxxDE15HB.05(II), TSM-xxxDE15HB.08(II),
TSM-xxxDE15HB.09(II), TSM-xxxDE15HB.T0(II),
TSM-xxxDE15HB.T8(II),
TSM-xxxDE15HB.T9(II)
(xxx=330-425, in steps of 5)

120 cells:

TSM-xxxDE06H(II), TSM-xxxDE06H.05(II), TSM-xxxDE06H.08(II),
TSM-xxxDE06H.09(II), TSM-xxxDE06H.T0(II), TSM-xxxDE06H.T8(II),
TSM-xxxDE06H.T9(II)
(xxx=275-350, in steps of 5)

mono series with 158.75 x 79.375 (mm) half cutting MBB cells:

144 cells:

TSM-xxxDE15M(II), TSM-xxxDE15M.05(II), TSM-xxxDE15M.08(II),
TSM-xxxDE15M.09(II), TSM-xxxDE15M.T0(II), TSM-xxxDE15M.T8(II),
TSM-xxxDE15M.T9(II)
(xxx=330-420, in steps of 5)
TSM-xxxDE15MB(II), TSM-xxxDE15MB.05(II), TSM-xxxDE15MB.08(II),
TSM-xxxDE15MB.09(II), TSM-xxxDE15MB.T0(II),
TSM-xxxDE15MB.T8(II),

Member of TÜV SÜD Product Service GmbH

TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch

3-13, No.151, Hengtong Road, 200070 Shanghai, P.R.China



TSM-xxxDE15MB.T9(II)
 (xxx=330-420, in steps of 5)
 120 cells:
 TSM-xxxDE06M(II), TSM-xxxDE06M.05(II), TSM-xxxDE06M.08(II),
 TSM-xxxDE06M.09(II), TSM-xxxDE06M.T0(II), TSM-xxxDE06M.T8(II),
 TSM-xxxDE06M.T9(II)
 (xxx=275-350, in steps of 5)
 120 cells:
 TSM-xxxDE151M(II), TSM-xxxDE151M.08(II), TSM-xxxDE151M.09(II),
 TSM-xxxDE151M.T0(II), TSM-xxxDE151M.T8(II),
 TSM-xxxDE151M.T9(II),
 TSM-xxxDE151M.05(II)
 (xxx=300-350, in steps of 5)
 96 cells:
 TSM-xxxDE061M(II), TSM-xxxDE061M.08(II), TSM-xxxDE061M.09(II),
 TSM-xxxDE061M.T0(II), TSM-xxxDE061M.T8(II),
 TSM-xxxDE061M.T9(II), TSM-xxxDE061M.05(II),
 TSM-xxxDE061M.10(II), TSM-xxxDE061M.18(II)
 (xxx=240-280, in steps of 5)

mono series with 166 x 83 (mm) half cutting MBB cells:
 144 cells:
 TSM-xxxDE17M(II), TSM-xxxDE17M.05(II), TSM-xxxDE17M.08(II),
 TSM-xxxDE17M.09(II), TSM-xxxDE17M.T0(II), TSM-xxxDE17M.T8(II),
 TSM-xxxDE17M.T9(II)
 (xxx=390-465, in steps of 5)
 120 cells:
 TSM-xxxDE08M(II), TSM-xxxDE08M.05(II), TSM-xxxDE08M.08(II),
 TSM-xxxDE08M.09(II), TSM-xxxDE08M.T0(II), TSM-xxxDE08M.T8(II),
 TSM-xxxDE08M.T9(II)
 (xxx=335-385, in steps of 5)
 110 cells:
 TSM-xxxDE171H(II) (xxx=315-350, in steps of 5)

mono series with 166 x 83 (mm) half cutting MBB cells:
 90 cells:
 TSM-xxxDE081M(II), TSM-xxxDE081M.05(II), TSM-xxxDE081M.08(II),
 TSM-xxxDE081M.09(II), TSM-xxxDE081M.T0(II),
 TSM-xxxDE081M.T8(II),
 TSM-xxxDE081M.T9(II)
 (xxx=265-295, in steps of 5)

mono series with 182 x 91 or 182 x 91.875 (mm) half cutting bifacial MBB cells:
 144 cells:

Member of TÜV SÜD Product Service GmbH
 TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch
 3-13, No.151, Hengtong Road, 200070 Shanghai,P.R.China





TSM-xxxDE18, TSM-xxxDE18.05, TSM-xxxDE18.08, TSM-xxxDE18.09, TSM-xxxDE18.T0, TSM-xxxDE18.T8, TSM-xxxDE18.T9

TSM-xxxDE18.60 (xxx=515-560, in steps of 5)

120 cells: TSM-xxxDE10, TSM-xxxDE10.05, TSM-xxxDE10.08, TSM-xxxDE10.09, TSM-xxxDE10.T0, TSM-xxxDE10.T8, TSM-xxxDE10.T9 (xxx=430-455, in steps of 5)

108 cells: TSM-xxxDE11, TSM-xxxDE11.08, TSM-xxxDE11.09, TSM-xxxDE11.T0, TSM-xxxDE11.T8, TSM-xxxDE11.T9, TSM-xxxDE11.05, TSM-xxxDE11C, TSM-xxxDE11C.05, TSM-xxxDE11C.07 (xxx=390-415, in steps of 5)

mono series with 182 x 91 or 182 x 91.875 (mm) half cutting bifacial MBB cells and transparent backsheet: 144 cells: TSM-xxxDE18C (xxx=515-560, in steps of 5)

mono series with 210 x 105 (mm) half cutting bifacial MBB cells: 120 cells:

TSM-xxxDE20, TSM-xxxDE20.05, TSM-xxxDE20.08, TSM-xxxDE20.09, TSM-xxxDE20.T0, TSM-xxxDE20.T8, TSM-xxxDE20.T9, TSM-xxxDE20.B0, TSM-xxxDE20.B5, TSM-xxxDE20.B8, TSM-xxxDE20.60, TSM-xxxDE20.68, TSM-xxxDE20.00S, TSM-xxxDE20.60S, TSM-xxxDE20.68S, TSM-xxxDE20.W (xxx=575-610, in steps of 5)

110 cells: TSM-xxxDE19, TSM-xxxDE19.05, TSM-xxxDE19.08, TSM-xxxDE19.09, TSM-xxxDE19.T0, TSM-xxxDE19.T8, TSM-xxxDE19.T9, TSM-xxxDE19.B0, TSM-xxxDE19.B5, TSM-xxxDE19.B8, TSM-xxxDE19.60, TSM-xxxDE19.68, TSM-xxxDE19.00S, TSM-xxxDE19.60S, TSM-xxxDE19.68S, TSM-xxxDE19.W (xxx=500-560, in steps of 5)

132 cells: TSM-xxxDE21, TSM-xxxDE21.05, TSM-xxxDE21.08, TSM-xxxDE21.09, TSM-xxxDE21.T0, TSM-xxxDE21.T8, TSM-xxxDE21.T9,

Member of TÜV SÜD Product Service GmbH
TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch
3-13, No.151, Hengtong Road, 200070 Shanghai,P.R.China





Product Service

TSM-xxxDE21.60, TSM-xxxDE21.68, TSM-xxxDE21.00S,
TSM-xxxDE21.60S, TSM-xxxDE21.68S, TSM-xxxDE21.W
(xxx=635-675, in steps of 5)

mono series with 210 x 105 (mm) half cutting bifacial cells and transparent backsheet:

110 cells:
TSM-xxxDE19C, TSM-xxxDE19C.08
(xxx=500-560, in steps of 5)

132 cells:
TSM-xxxDE21C, TSM-xxxDE21C.05, TSM-xxxDE21C.07
(xxx=635-675, in steps of 5)

mono series with 182 x 105 (mm) cutting bifacial MBB cells:

132 cells:
TSM-xxxDE19R, TSM-xxxDE19R.08, TSM-xxxDE19R.09,
TSM-xxxDE19R.T0, TSM-xxxDE19R.T8, TSM-xxxDE19R.T9,
TSM-xxxDE19R.05, TSM-xxxDE19R.00S, TSM-xxxDE19R.B0,
TSM-xxxDE19R.B5, TSM-xxxDE19R.B8, TSM-xxxDE19R.W
(xxx=550-605, in steps of 5)

mono series with 182 x 70 (mm) 1/3 cutting bifacial MBB cells:

144 cells:
TSM-xxxDE09R, TSM-xxxDE09R.08, TSM-xxxDE09R.09,
TSM-xxxDE09R.T0, TSM-xxxDE09R.T8, TSM-xxxDE09R.T9,
TSM-xxxDE09R.05, TSM-xxxDE09R.B0, TSM-xxxDE09R.B5,
TSM-xxxDE09R.B8, TSM-xxxDE09R.00S, TSM-xxxDE09R.08S,
TSM-xxxDE09R.05S, TSM-xxxDE09R.B0S, TSM-xxxDE09R.B8S,
TSM-xxxDE09R.B5S, TSM-xxxDE09R.W, TSM-xxxDE09R.05W,
TSM-xxxDE09R.08W, TSM-xxxDE09R.B5W, TSM-xxxDE09R.B8W,
TSM-xxxDE09R.B0W (xxx=395-440, in steps of 5)

mono series with 158.75 x 52.92 (mm) 1/3 cutting bifacial MBB cells:

252 cells:
TSM-xxxDE15V(II), TSM-xxxDE15V.05(II), TSM-xxxDE15V.08(II),
TSM-xxxDE15V.09(II), TSM-xxxDE15V.T0(II), TSM-xxxDE15V.T8(II),
TSM-xxxDE15V.T9(II)
(xxx=465-490, in steps of 5)

Member of TÜV SÜD Product Service GmbH

TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch

3-13, No.151, Hengtong Road, 200070 Shanghai, P.R.China



Product Service

mono series with 210 x 70 (mm) 1/3 cutting bifacial MBB cells:

150 cells:

TSM-xxxDE18M(II), TSM-xxxDE18M.05(II), TSM-xxxDE18M.08(II),
TSM-xxxDE18M.09(II), TSM-xxxDE18M.T0(II), TSM-xxxDE18M.T8(II),
TSM-xxxDE18M.T9(II), TSM-xxxDE18M.B0(II), TSM-xxxDE18M.B5(II),
TSM-xxxDE18M.B8(II), TSM-xxxDE18M.60(II), TSM-xxxDE18M.68(II),
TSM-xxxDE18M.00S(II), TSM-xxxDE18M.08S(II),
TSM-xxxDE18M.68S(II)
TSM-xxxDE18M.W(II), TSM-xxxDE18M.08W(II)
(xxx=470-520, in steps of 5)

120 cells:

TSM-xxxDE09, TSM-xxxDE09.05, TSM-xxxDE09.08,
TSM-xxxDE09.09,
TSM-xxxDE09.T0, TSM-xxxDE09.T8, TSM-xxxDE09.T9,
TSM-xxxDE09.B0, TSM-xxxDE09.B5, TSM-xxxDE09.B8, TSM-xxxDE09.00S,
TSM-xxxDE09.05S, TSM-xxxDE09.08S, TSM-xxxDE09.05W, TSM-xxxDE09.08W
(xxx=375-415, in steps of 5)

mono series with 210 x 70 (mm) 1/3 cutting bifacial MBB cells and transparent backsheet:

120 cells:

TSM-xxxDE09C.05, TSM-xxxDE09C.07
(xxx=375-415, in steps of 5)

mono series with 158.75 x 79.375 (mm) half cutting MBB cells (for cells splicing technology):

156 cells:

TSM-xxxDE15X(II), TSM-xxxDE15X.05(II), TSM-xxxDE15X.08(II),
TSM-xxxDE15X.09(II), TSM-xxxDE15X.T0(II), TSM-xxxDE15X.T8(II),
TSM-xxxDE15X.T9(II)
(xxx=405-435, in steps of 5)

132 cells:

TSM-xxxDE06X(II), TSM-xxxDE06X.05(II), TSM-xxxDE06X.08(II),
TSM-xxxDE06X.09(II), TSM-xxxDE06X.T0(II), TSM-xxxDE06X.T8(II),
TSM-xxxDE06X.T9(II)
(xxx=345-375, in steps of 5)

mono series with 158.75 x 79.375 (mm) half cutting bifacial cells and transparent backsheet:

132 cells:

TSM-xxxDE06XC(II), TSM-xxxDE06XC.05(II), TSM-xxxDE06XC.08(II),
TSM-xxxDE06XC.09(II), TSM-xxxDE06XC.07(II)
(xxx=355-380, in steps of 5)

Member of TÜV SÜD Product Service GmbH

TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch

3-13, No.151, Hengtong Road, 200070 Shanghai, P.R.China



Product Service

mono series with 166 x 83 (mm) half cutting MBB cells
(for cells splicing technology):

156 cells:

TSM-xxxDE17X(II), TSM-xxxDE17X.05(II), TSM-
xxxDE17X.08(II),
TSM-xxxDE17X.09(II), TSM-xxxDE17X.T0(II), TSM-
xxxDE17X.T8(II),
TSM-xxxDE17X.T9(II)
(xxx=450-485, in steps of 5)

mono series with 158.75 x 79.375 (mm) half cutting N
type MBB cell:

144 cells:

TSM-xxxNE15M(II), TSM-xxxNE15M.05(II), TSM-
xxxNE15M.08(II),
TSM-xxxNE15M.09(II), TSM-xxxNE15M.T0(II), TSM-
xxxNE15M.T8(II),
TSM-xxxNE15M.T9(II)
(xxx=375-430, in steps of 5)

120 cells:

TSM-xxxNE06M(II), TSM-xxxNE06M.05(II), TSM-
xxxNE06M.08(II),
TSM-xxxNE06M.09(II), TSM-xxxNE06M.T0(II), TSM-
xxxNE06M.T8(II),
TSM-xxxNE06M.T9(II)
(xxx=315-355, in steps of 5)

mono series with 161.7 x 80.85 (mm) half cutting N
type MBB cell:

144 cells:

TSM-xxxNE16M(II), TSM-xxxNE16M.05(II), TSM-
xxxNE16M.08(II),
TSM-xxxNE16M.09(II), TSM-xxxNE16M.T0(II), TSM-
xxxNE16M.T8(II),
TSM-xxxNE16M.T9(II)
(xxx=375-405, in steps of 5)

120 cells:

TSM-xxxNE07M(II), TSM-xxxNE07M.05(II), TSM-
xxxNE07M.08(II),
TSM-xxxNE07M.09(II), TSM-xxxNE07M.T0(II), TSM-
xxxNE07M.T8(II),
TSM-xxxNE07M.T9(II) (xxx=315-335, in steps of 5)

mono series with 210 x 105 (mm) half cutting bifacial N
type MBB cells:

132 cells:

TSM-xxxNE21, TSM-xxxNE21.05, TSM-xxxNE21.08,
TSM-xxxNE21.09,
TSM-xxxNE21.T0, TSM-xxxNE21.T8, TSM-
xxxNE21.T9
(xxx=645-675, in steps of 5)

120 cells:

TSM-xxxNE20, TSM-xxxNE20.05, TSM-xxxNE20.08,
TSM-xxxNE20.09,
TSM-xxxNE20.T0, TSM-xxxNE20.T8, TSM-
xxxNE20.T9

Member of TÜV SÜD Product Service GmbH

TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch

3-13, No.151, Hengtong Road, 200070 Shanghai, P.R.China



Product Service

(xxx=590-610, in steps of 5)

110 cells:

TSM-xxxNE19, TSM-xxxNE19.05, TSM-xxxNE19.08,
TSM-xxxNE19.09,
TSM-xxxNE19.T0, TSM-xxxNE19.T8, TSM-
xxxNE19.T9

(xxx=540-560, in steps of 5)

mono series with 210 x 70 (mm) 1/3 cutting bifacial N
type MBB cells:

150 cells:

TSM-xxxNE18M(II), TSM-xxxNE18M.05(II), TSM-
xxxNE18M.08(II),
TSM-xxxNE18M.09(II), TSM-xxxNE18M.T0(II), TSM-
xxxNE18M.T8(II),
TSM-xxxNE18M.T9(II)

(xxx=490-530, in steps of 5)

120 cells:

TSM-xxxNE09, TSM-xxxNE09.05, TSM-xxxNE09.08,
TSM-xxxNE09.09,
TSM-xxxNE09.T0, TSM-xxxNE09.T8, TSM-
xxxNE09.T9

(xxx=395-420, in steps of 5)

mono series with 182 x 105 (mm) half cutting bifacial N
type MBB cells:

132 cells:

TSM-xxxNE19R, TSM-xxxNE19R.08, TSM-
xxxNE19R.09,
TSM-xxxNE19R.T0, TSM-xxxNE19R.T8, TSM-
xxxNE19R.T9,
TSM-xxxNE19R.08 (xxx=565-590, in steps of 5)

mono series with 182 x 70 (mm) 1/3 cutting bifacial N
type MBB cells:

144 cells:

TSM-xxxNE09R, TSM-xxxNE09R.05, TSM-
xxxNE09R.08,
TSM-xxxNE09R.B0, TSM-xxxNE09R.B5, TSM-
xxxNE09R.B8

(xxx=415-435, in steps of 5, 144 cells)

mono series with 182 x 70 (mm) 1/3 cutting bifacial N
type MBB cells and transparent backsheets:

144 cells:

TSM-xxxNE09RC.05, TSM-xxxNE09RC.07 (xxx=365-
440, in steps of 5)

mono series with 158.75 x 79.375 (mm) half cutting N
type MBB cells (for cells splicing technology):

156 cells:

TSM-xxxNE15X(II), TSM-xxxNE15X.05(II), TSM-
xxxNE15X.08(II),
TSM-xxxNE15X.09(II), TSM-xxxNE15X.T0(II), TSM-
xxxNE15X.T8(II),
TSM-xxxNE15X.T9(II) (xxx=405-435, in steps of 5)

132 cells:

Member of TÜV SÜD Product Service GmbH

TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch

3-13, No.151, Hengtong Road, 200070 Shanghai, P.R.China



Product Service

TSM-xxxNE06X(II), TSM-xxxNE06X.05(II), TSM-xxxNE06X.08(II), TSM-xxxNE06X.09(II), TSM-xxxNE06X.T0(II), TSM-xxxNE06X.T8(II), TSM-xxxNE06X.T9(II)
(xxx=345-390, in steps of 5)

poly series with 157 x 157 (mm) solar cells:
72 cells:

TSM-xxxPE14A, TSM-xxxPE14A.08, TSM-xxxPE14A.09, TSM-xxxPE14A(II), TSM-xxxPE14A.08(II), TSM-xxxPE14A.09(II), TSM-xxxPE14A.T0, TSM-xxxPE14A.T8, TSM-xxxPE14A.T9, TSM-xxxPE14A.T0(II), TSM-xxxPE14A.T8(II), TSM-xxxPE14A.T9(II), TSM-xxxPE14A.W (xxx=305-360, in steps of 5) TSM-xxxPE14B, TSM-xxxPE14B.08, TSM-xxxPE14B.09, TSM-xxxPE14B(II), TSM-xxxPE14B.08(II), TSM-xxxPE14B.09(II), TSM-xxxPE14B.T0, TSM-xxxPE14B.T8, TSM-xxxPE14B.T9, TSM-xxxPE14B.T0(II), TSM-xxxPE14B.T8(II), TSM-xxxPE14B.T9(II)
(xxx=305-360, in steps of 5)

60 cells:

TSM-xxxPE05A, TSM-xxxPE05A.08, TSM-xxxPE05A.09, TSM-xxxPE05A(II), TSM-xxxPE05A.08(II), TSM-xxxPE05A.09(II), TSM-xxxPE05A.T0, TSM-xxxPE05A.T8, TSM-xxxPE05A.T9, TSM-xxxPE05A.T0(II), TSM-xxxPE05A.T8(II), TSM-xxxPE05A.T9(II)
(xxx=255-300, in steps of 5)

poly series with 158.75 x 158.75 (mm) solar cells:
72 cells:

TSM-xxxPE15A, TSM-xxxPE15A.08, TSM-xxxPE15A.09, TSM-xxxPE15A(II), TSM-xxxPE15A.08(II), TSM-xxxPE15A.09(II), TSM-xxxPE15A.T0, TSM-xxxPE15A.T8, TSM-xxxPE15A.T9, TSM-xxxPE15A.T0(II), TSM-xxxPE15A.T8(II), TSM-xxxPE15A.T9(II)
(xxx=305-360, in steps of 5) TSM-xxxPE15B, TSM-xxxPE15B.08, TSM-xxxPE15B.09, TSM-xxxPE15B(II), TSM-xxxPE15B.08(II), TSM-xxxPE15B.09(II), TSM-xxxPE15B.T0, TSM-xxxPE15B.T8, TSM-xxxPE15B.T9, TSM-xxxPE15B.T0(II), TSM-xxxPE15B.T8(II), TSM-xxxPE15B.T9(II)

Member of TÜV SÜD Product Service GmbH

TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch

3-13, No.151, Hengtong Road, 200070 Shanghai, P.R.China

ATTESTATION



(xxx=305-360, in steps of 5)
 60 cells:
 TSM-xxxPE06A, TSM-xxxPE06A.08, TSM-xxxPE06A.09,
 TSM-xxxPE06A(II), TSM-xxxPE06A.08(II), TSM-xxxPE06A.09(II),
 TSM-xxxPE06A.T0, TSM-xxxPE06A.T8, TSM-xxxPE06A.T9,
 TSM-xxxPE06A.T0(II), TSM-xxxPE06A.T8(II), TSM-xxxPE06A.T9(II)
 (xxx=255-300, in steps of 5)

poly series with 157 x 78.5 (mm) half cutting cells:
 144 cells:
 TSM-xxxPE14H, TSM-xxxPE14H.08, TSM-xxxPE14H.09,
 TSM-xxxPE14H(II), TSM-xxxPE14H.08(II), TSM-xxxPE14H.09(II),
 TSM-xxxPE14H.T0, TSM-xxxPE14H.T8, TSM-xxxPE14H.T9,
 TSM-xxxPE14H.T0(II), TSM-xxxPE14H.T8(II), TSM-xxxPE14H.T9(II)

(xxx=320-360, in steps of 5)
 TSM-xxxPE14HB, TSM-xxxPE14HB.08, TSM-xxxPE14HB.09,
 TSM-xxxPE14HB(II), TSM-xxxPE14HB.08(II), TSM-xxxPE14HB.09(II),
 TSM-xxxPE14HB.T0, TSM-xxxPE14HB.T8, TSM-xxxPE14HB.T9,
 TSM-xxxPE14HB.T0(II), TSM-xxxPE14HB.T8(II), TSM-xxxPE14HB.T9(II)

(xxx=320-360, in steps of 5)
 120 cells:
 TSM-xxxPE05H, TSM-xxxPE05H.08, TSM-xxxPE05H.09,
 TSM-xxxPE05H(II), TSM-xxxPE05H.08(II), TSM-xxxPE05H.09(II),
 TSM-xxxPE05H.T0, TSM-xxxPE05H.T8, TSM-xxxPE05H.T9,
 TSM-xxxPE05H.T0(II), TSM-xxxPE05H.T8(II), TSM-xxxPE05H.T9(II)
 (xxx=270-300, in steps of 5)

poly series with 158.75 x 79.375 (mm) half cutting cells:
 144 cells:
 TSM-xxxPE15H, TSM-xxxPE15H.08, TSM-xxxPE15H.09,
 TSM-xxxPE15H(II), TSM-xxxPE15H.08(II), TSM-xxxPE15H.09(II),
 TSM-xxxPE15H.T0, TSM-xxxPE15H.T8, TSM-xxxPE15H.T9,
 TSM-xxxPE15H.T0(II), TSM-xxxPE15H.T8(II), TSM-xxxPE15H.T9(II)
 (xxx=320-405, in steps of 5)
 TSM-xxxPE15HB, TSM-xxxPE15HB.08, TSM-xxxPE15HB.09,

Member of TÜV SÜD Product Service GmbH
 TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch
 3-13, No.151, Hengtong Road, 200070 Shanghai,P.R.China



Product Service

TSM-xxxPE15HB(II), TSM-xxxPE15HB.08(II), TSM-xxxPE15HB.09(II),
 TSM-xxxPE15HB.T0, TSM-xxxPE15HB.T8, TSM-xxxPE15HB.T9,
 TSM-xxxPE15HB.T0(II), TSM-xxxPE15HB.T8(II), TSM-xxxPE15HB.T9(II)
 (xxx=320-390, in steps of 5)
 120 cells:
 TSM-xxxPE06H, TSM-xxxPE06H.08, TSM-xxxPE06H.09,
 TSM-xxxPE06H(II), TSM-xxxPE06H.08(II), TSM-xxxPE06H.09(II),
 TSM-xxxPE06H.T0, TSM-xxxPE06H.T8, TSM-xxxPE06H.T9,
 TSM-xxxPE06H.T0(II), TSM-xxxPE06H.T8(II), TSM-xxxPE06H.T9(II)
 (xxx=270-335, in steps of 5)

poly series with 158.75 x 79.375 (mm) half cutting MBB cells:

144 cells:
 TSM-xxxPE15M, TSM-xxxPE15M.08, TSM-xxxPE15M.09,
 TSM-xxxPE15M.T0, TSM-xxxPE15M.T8, TSM-xxxPE15M.T9,
 TSM-xxxPE15M(II), TSM-xxxPE15M.08(II), TSM-xxxPE15M.09(II),
 TSM-xxxPE15M.T0(II), TSM-xxxPE15M.T8(II), TSM-xxxPE15M.T9(II)
 (xxx=320-405, in steps of 5)

120 cells:
 TSM-xxxPE06M, TSM-xxxPE06M.08, TSM-xxxPE06M.09,
 TSM-xxxPE06M.T0, TSM-xxxPE06M.T8, TSM-xxxPE06M.T9,
 TSM-xxxPE06M(II), TSM-xxxPE06M.08(II), TSM-xxxPE06M.09(II),
 TSM-xxxPE06M.T0(II), TSM-xxxPE06M.T8(II), TSM-xxxPE06M.T9(II)
 (xxx=270-335, in steps of 5)

poly series with 166 x 83 (mm) half cutting MBB cells:

144 cells:
 TSM-xxxPE17M, TSM-xxxPE17M.08, TSM-xxxPE17M.09,
 TSM-xxxPE17M.T0, TSM-xxxPE17M.T8, TSM-xxxPE17M.T9,
 TSM-xxxPE17M(II), TSM-xxxPE17M.08(II), TSM-xxxPE17M.09(II),
 TSM-xxxPE17M.T0(II), TSM-xxxPE17M.T8(II), TSM-xxxPE17M.T9(II)
 (xxx=410-445, in steps of 5)

120 cells:
 TSM-xxxPE08M, TSM-xxxPE08M.08, TSM-xxxPE08M.09,
 TSM-xxxPE08M.T0, TSM-xxxPE08M.T8, TSM-xxxPE08M.T9,

Member of TÜV SÜD Product Service GmbH

TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch

3-13, No.151, Hengtong Road, 200070 Shanghai,P.R.China





Product Service

TSM-xxxPE08M(II), TSM-xxxPE08M.08(II), TSM-xxxPE08M.09(II), TSM-xxxPE08M.T0(II), TSM-xxxPE08M.T8(II), TSM-xxxPE08M.T9(II)
(xxx=335-365, in steps of 5)
xxx stands for rated output power at STC

Certificate No.: Z2 070321 0097 Rev. 47
Project No.: 64290170581762
mono series with 157 x 157 (mm) and 156.75 x 156.75 (mm) solar cells:

72 cells:
TSM-xxxDEG14(II), TSM-xxxDEG14.05(II), TSM-xxxDEG14.25(II),
TSM-xxxDEG14.07(II), TSM-xxxDEG14.20(II),
TSM-xxxDEG14.27(II), TSM-xxxDEG14.28(II),
TSM-xxxDEG14.29(II), TSM-xxxDEG14.40(II),
TSM-xxxDEG14.47(II) (xxx=330-390, in steps of 5).

60 cells:
TSM-xxxDEG5(II), TSM-xxxDEG5.05(II), TSM-xxxDEG5.25(II), TSM-xxxDEG5.07(II), TSM-xxxDEG5.20(II), TSM-xxxDEG5.27(II), TSM-xxxDEG5.28(II), TSM-xxxDEG5.29(II), TSM-xxxDEG5.40(II), TSM-xxxDEG5.47(II) (xxx=275-325, in steps of 5).

mono series with 158.75 x 158.75 (mm) solar cells:
72 cells:

TSM-xxxDEG15(II), TSM-xxxDEG15.05(II), TSM-xxxDEG15.25(II), TSM-xxxDEG15.07(II), TSM-xxxDEG15.20(II),
TSM-xxxDEG15.27(II), TSM-xxxDEG15.28(II),
TSM-xxxDEG15.29(II), TSM-xxxDEG15.40(II),
TSM-xxxDEG15.47(II) (xxx=330-380, in steps of 5).

60 cells:
TSM-xxxDEG6(II), TSM-xxxDEG6.05(II), TSM-xxxDEG6.25(II), TSM-xxxDEG6.07(II), TSM-xxxDEG6.20(II), TSM-xxxDEG6.27(II), TSM-xxxDEG6.28(II), TSM-xxxDEG6.29(II), TSM-xxxDEG6.40(II), TSM-xxxDEG6.47(II) (xxx=275-315, in steps of 5).

mono series with 157 x 157 (mm) bifacial cell:
72 cells:

TSM-xxxDEG14C(II), TSM-xxxDEG14C.05(II),
TSM-xxxDEG14C.25(II), TSM-xxxDEG14C.07(II),
TSM-xxxDEG14C.20(II), TSM-xxxDEG14C.27(II),
TSM-xxxDEG14C.28(II), TSM-xxxDEG14C.29(II)
(xxx=335-370, in steps of 5).

60 cells:
TSM-xxxDEG5C(II), TSM-xxxDEG5C.05(II),
TSM-xxxDEG5C.25(II), TSM-xxxDEG5C.07(II),
TSM-xxxDEG5C.20(II), TSM-xxxDEG5C.27(II),
TSM-xxxDEG5C.28(II), TSM-xxxDEG5C.29(II)
(xxx=285-305, in steps of 5).

mono series with 158.75 x 158.75 (mm) bifacial cell

Member of TÜV SÜD Product Service GmbH

TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch

3-13, No.151, Hengtong Road, 200070 Shanghai, P.R.China

ATTESTATION STATION



Product Service

72 cells:
TSM-xxxDEG15C(II), TSM-xxxDEG15C.05(II),
TSM-xxxDEG15C.25(II), TSM-xxxDEG15C.07(II),
TSM-xxxDEG15C.20(II), TSM-xxxDEG15C.27(II),
TSM-xxxDEG15C.28(II), TSM-xxxDEG15C.29(II)
(xxx=335-350, in steps of 5).

60 cells:
TSM-xxxDEG6C(II), TSM-xxxDEG6C.05(II),
TSM-xxxDEG6C.25(II), TSM-xxxDEG6C.07(II),
TSM-xxxDEG6C.20(II), TSM-xxxDEG6C.27(II),
TSM-xxxDEG6C.28(II), TSM-xxxDEG6C.29(II)
(xxx=285-295, in steps of 5).

mono series with 157 x 78.5 (mm) half cutting cell:

144 cells:
TSM-xxxDEG14H(II), TSM-xxxDEG14H.05(II),
TSM-xxxDEG14H.25(II), TSM-xxxDEG14H.07(II),
TSM-xxxDEG14H.20(II), TSM-xxxDEG14H.27(II),
TSM-xxxDEG14H.28(II), TSM-xxxDEG14H.29(II),
TSM-xxxDEG14H.40(II), TSM-xxxDEG14H.47(II)
(xxx=345-395, in steps of 5).

120 cells:
TSM-xxxDEG5H(II), TSM-xxxDEG5H.05(II),
TSM-xxxDEG5H.25(II), TSM-xxxDEG5H.07(II),
TSM-xxxDEG5H.20(II), TSM-xxxDEG5H.27(II),
TSM-xxxDEG5H.28(II), TSM-xxxDEG5H.29(II),
TSM-xxxDEG5H.40(II), TSM-xxxDEG5H.47(II)
(xxx=290-330, in steps of 5).

mono series with 158.75 x 79.375 (mm) half cutting cell:

144 cells:
TSM-xxxDEG15H(II), TSM-xxxDEG15H.05(II),
TSM-xxxDEG15H.25(II), TSM-xxxDEG15H.07(II),
TSM-xxxDEG15H.20(II), TSM-xxxDEG15H.27(II),
TSM-xxxDEG15H.28(II), TSM-xxxDEG15H.29(II),
TSM-xxxDEG15H.40(II), TSM-xxxDEG15H.47(II)
(xxx=380-410, in steps of 5).

120 cells:
TSM-xxxDEG6H(II), TSM-xxxDEG6H.05(II),
TSM-xxxDEG6H.25(II), TSM-xxxDEG6H.07(II),
TSM-xxxDEG6H.20(II), TSM-xxxDEG6H.27(II),
TSM-xxxDEG6H.28(II), TSM-xxxDEG6H.29(II),
TSM-xxxDEG6H.40(II), TSM-xxxDEG6H.47(II)
(xxx=310-340, in steps of 5).

mono series with 157 x 78.5 (mm) half cutting MBB cell:

144 cells:
TSM-xxxDEG14M(II), TSM-xxxDEG14M.05(II),
TSM-xxxDEG14M.25(II), TSM-xxxDEG14M.07(II),
TSM-xxxDEG14M.20(II), TSM-xxxDEG14M.27(II),
TSM-xxxDEG14M.28(II), TSM-xxxDEG14M.29(II),
TSM-xxxDEG14M.40(II), TSM-xxxDEG14M.47(II)
(xxx=345-385, in steps of 5).

120 cells:
TSM-xxxDEG5M(II), TSM-xxxDEG5M.05(II),

Member of TÜV SÜD Product Service GmbH
TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch
3-13, No.151, Hengtong Road, 200070 Shanghai, P.R.China





TSM-xxxDEG5M.25(II), TSM-xxxDEG5M.07(II), TSM-xxxDEG5M.20(II), TSM-xxxDEG5M.27(II), TSM-xxxDEG5M.28(II), TSM-xxxDEG5M.29(II), TSM-xxxDEG5M.40(II), TSM-xxxDEG5M.47(II)
(xxx=290-320, in steps of 5).

mono series with 158.75 x 79.375 (mm) half cutting MBB cells:

144 cells:
TSM-xxxDEG15M(II), TSM-xxxDEG15M.07(II), TSM-xxxDEG15M.20(II), TSM-xxxDEG15M.27(II), TSM-xxxDEG15M.28(II), TSM-xxxDEG15M.29(II), TSM-xxxDEG15M.40(II), TSM-xxxDEG15M.47(II)
(xxx=350-420, in steps of 5).

120 cells:
TSM-xxxDEG6M(II), TSM-xxxDEG6M.05(II), TSM-xxxDEG6M.25(II), TSM-xxxDEG6M.07(II), TSM-xxxDEG6M.20(II), TSM-xxxDEG6M.27(II), TSM-xxxDEG6M.28(II), TSM-xxxDEG6M.29(II), TSM-xxxDEG6M.40(II), TSM-xxxDEG6M.47(II)
(xxx=295-350, in steps of 5).

mono series with 166.0 x 83.0 (mm) half cutting MBB cells:

144 cells:
TSM-xxxDEG17M(II), TSM-xxxDEG17M.07(II), TSM-xxxDEG17M.25(II), TSM-xxxDEG17M.07(II), TSM-xxxDEG17M.20(II), TSM-xxxDEG17M.27(II), TSM-xxxDEG17M.28(II), TSM-xxxDEG17M.29(II), TSM-xxxDEG17M.40(II), TSM-xxxDEG17M.47(II)
(xxx=425-460, in steps of 5).

120 cells:
TSM-xxxDEG8M(II), TSM-xxxDEG8M.05(II), TSM-xxxDEG8M.25(II), TSM-xxxDEG8M.07(II), TSM-xxxDEG8M.20(II), TSM-xxxDEG8M.27(II), TSM-xxxDEG8M.28(II), TSM-xxxDEG8M.29(II), TSM-xxxDEG8M.40(II), TSM-xxxDEG8M.47(II)
(xxx=355-380, in steps of 5).

mono series with 157 x 78.5 (mm) half cutting bifacial cell:

144 cells:
TSM-xxxDEG14HC(II), TSM-xxxDEG14HC.05(II), TSM-xxxDEG14HC.25(II), TSM-xxxDEG14HC.07(II), TSM-xxxDEG14HC.20(II), TSM-xxxDEG14HC.27(II), TSM-xxxDEG14HC.28(II), TSM-xxxDEG14HC.29(II)
(xxx=350-395, in steps of 5).

120 cells:
TSM-xxxDEG5HC(II), TSM-xxxDEG5HC.05(II), TSM-xxxDEG5HC.25(II), TSM-xxxDEG5HC.07(II), TSM-xxxDEG5HC.20(II), TSM-xxxDEG5HC.27(II), TSM-xxxDEG5HC.28(II), TSM-xxxDEG5HC.29(II)
(xxx=295-330, in steps of 5).

mono series with 158.75 x 79.375 (mm) half cutting bifacial cell:

Member of TÜV SÜD Product Service GmbH
TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch
3-13, No.151, Hengtong Road, 200070 Shanghai,P.R.China





Product Service

144 cells:

TSM-xxxDEG15HC(II), TSM-xxxDEG15HC.05(II),
TSM-xxxDEG15HC.25(II), TSM-xxxDEG15HC.07(II),
TSM-xxxDEG15HC.20(II), TSM-xxxDEG15HC.27(II),
TSM-xxxDEG15HC.28(II), TSM-xxxDEG15HC.29(II)
(xxx=350-410, in steps of 5).

120 cells:

TSM-xxxDEG6HC(II), TSM-xxxDEG6HC.05(II),
TSM-xxxDEG6HC.25(II), TSM-xxxDEG6HC.07(II),
TSM-xxxDEG6HC.20(II), TSM-xxxDEG6HC.27(II),
TSM-xxxDEG6HC.28(II), TSM-xxxDEG6HC.29(II)
(xxx=295-340, in steps of 5).

mono series with 157 x 78.5 (mm) half cutting MBB
bifacial cell:

144 cells:

TSM-xxxDEG14MC(II), TSM-xxxDEG14MC.05(II),
TSM-xxxDEG14MC.25(II), TSM-xxxDEG14MC.07(II),
TSM-xxxDEG14MC.20(II), TSM-
xxxDEG14HMC.20(II),
TSM-xxxDEG14MC.27(II), TSM-xxxDEG14MC.28(II),
TSM-xxxDEG14MC.29(II) (xxx=350-395, in steps of
5).

120 cells:

TSM-xxxDEG5MC(II), TSM-xxxDEG5MC.05(II), TSM-
xxxDEG5MC.25(II), TSM-xxxDEG5MC.07(II), TSM-
xxxDEG5MC.20(II), TSM-xxxDEG5MC.27(II), TSM-
xxxDEG5MC.28(II), TSM-xxxDEG5MC.29(II)
(xxx=295-330, in steps of 5).

mono series with 158.75 x 79.375 (mm) half cutting
bifacial cell:

144 cells:

TSM-xxxDEG15MC(II), TSM-xxxDEG15MC.05(II),
TSM-xxxDEG15MC.25(II), TSM-xxxDEG15MC.07(II),
TSM-xxxDEG15MC.20(II), TSM-xxxDEG15MC.27(II),
TSM-xxxDEG15MC.28(II), TSM-xxxDEG15MC.29(II)
(xxx=350-425, in steps of 5).

120 cells:

TSM-xxxDEG6MC(II), TSM-xxxDEG6MC.05(II), TSM-
xxxDEG6MC.25(II), TSM-xxxDEG6MC.07(II), TSM-
xxxDEG6MC.20(II), TSM-xxxDEG6MC.27(II), TSM-
xxxDEG6MC.28(II), TSM-xxxDEG6MC.29(II)
(xxx=295-350, in steps of 5).

mono series with 166.0 x 83.0 (mm) half cutting
bifacial cell:

144 cells:

TSM-xxxDEG17MC(II), TSM-xxxDEG17MC.05(II),
TSM-xxxDEG17MC.25(II), TSM-xxxDEG17MC.07(II),
TSM-xxxDEG17MC.20(II), TSM-xxxDEG17MC.27(II),
TSM-xxxDEG17MC.28(II), TSM-xxxDEG17MC.29(II)
(xxx=425-460, in steps of 5).

120 cells:

TSM-xxxDEG8MC(II), TSM-xxxDEG8MC.05(II), TSM-
xxxDEG8MC.25(II), TSM-xxxDEG8MC.07(II), TSM-

Member of TÜV SÜD Product Service GmbH

TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch

3-13, No.151, Hengtong Road, 200070 Shanghai, P.R.China



xxxDEG8MC.20(II), TSM-xxxDEG8MC.27(II), TSM-xxxDEG8MC.28(II), TSM-xxxDEG8MC.29(II)
(xxx=355-380, in steps of 5).

mono series with 210.0 x 70.0 (mm) 1/3 cutting MBB bifacial cell:

150 cells:
TSM-xxxDEG18MC(II), TSM-xxxDEG18MC.05(II), TSM-xxxDEG18MC.25(II), TSM-xxxDEG18MC.07(II), TSM-xxxDEG18MC.20(II), TSM-xxxDEG18MC.27(II), TSM-xxxDEG18MC.28(II), TSM-xxxDEG18MC.29(II), TSM-xxxDEG18MC.20W(II) (xxx=460-510, in steps of 5).

120 cells:
TSM-xxxDEG9C.20, TSM-xxxDEG9C.25, TSM-xxxDEG9C.27, TSM-xxxDEG9C.28, TSM-xxxDEG9C.29
(xxx=370-405, in steps of 5).

mono series with 210.0 x 70.0 (mm) 1/3 cutting MBB bifacial cell:

(Module Type for rear side with white EVA or Glass white)

150 cells:
TSM-xxxDEG18M(II), TSM-xxxDEG18M.05(II), TSM-xxxDEG18M.25(II), TSM-xxxDEG18M.07(II), TSM-xxxDEG18M.20(II), TSM-xxxDEG18M.27(II), TSM-xxxDEG18M.28(II), TSM-xxxDEG18M.29(II)
(xxx=460-510, in steps of 5).

120 cells:
TSM-xxxDEG9.20, TSM-xxxDEG9.25, TSM-xxxDEG9.27, TSM-xxxDEG9.28, TSM-xxxDEG9.29
(xxx=370-405, in steps of 5).

mono series with 166 x 83 (mm) half cutting MBB bifacial cell

(for cells splicing technology):

156 cells:
TSM-xxxDEG17XC.25(II), TSM-xxxDEG17XC.20(II), TSM-xxxDEG17XC.27(II), TSM-xxxDEG17XC.28(II), TSM-xxxDEG17XC.29(II) (xxx=445-490, in steps of 5).

mono series with 166 x 83 (mm) half cutting MBB bifacial cell

(for cells splicing technology)

(Module Type for rear side with white EVA or Glass white):

156 cells:
TSM-xxxDEG17X.25(II), TSM-xxxDEG17X.20(II), TSM-xxxDEG17X.27(II), TSM-xxxDEG17X.28(II), TSM-xxxDEG17X.29(II) (xxx=445-490, in steps of 5).

mono series with 210.0 x 105.0 (mm) half cutting MBB bifacial cell:

120 cells:
TSM-xxxDEG20C.20, TSM-xxxDEG20C.25,

Member of TÜV SÜD Product Service GmbH

TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch

3-13, No.151, Hengtong Road, 200070 Shanghai, P.R.China



TSM-xxxDEG20C.27, TSM-xxxDEG20C.28, TSM-xxxDEG20C.29, TSM-xxxDEG20C.20W (xxx=570-605, in steps of 5).

110 cells:
TSM-xxxDEG19C.20, TSM-xxxDEG19C.25, TSM-xxxDEG19C.27, TSM-xxxDEG19C.28, TSM-xxxDEG19C.29, TSM-xxxDEG19C.20W (xxx=525-555, in steps of 5).

132 cells:
TSM-xxxDEG21C.20, TSM-xxxDEG21C.25, TSM-xxxDEG21C.27, TSM-xxxDEG21C.28, TSM-xxxDEG21C.29, TSM-xxxDEG21C.20W (xxx=625-675, in steps of 5).

mono series with 210.0 x 105.0 (mm) half cutting MBB bifacial cell:
(Module Type for rear side with white EVA or Glass white)

120 cells:
TSM-xxxDEG20.20, TSM-xxxDEG20.25, TSM-xxxDEG20.27, TSM-xxxDEG20.28, TSM-xxxDEG20.29 (xxx=575-605, in steps of 5).

110 cells:
TSM-xxxDEG19.20, TSM-xxxDEG19.25, TSM-xxxDEG19.27, TSM-xxxDEG19.28, TSM-xxxDEG19.29 (xxx=525-555, in steps of 5).

mono series with 182.0 x 91.0/91.875 (mm) half cutting MBB bifacial cell:

144 cells:
TSM-xxxDEG18C.20, TSM-xxxDEG18C.25, TSM-xxxDEG18C.27, TSM-xxxDEG18C.28, TSM-xxxDEG18C.29, TSM-xxxDEG18C.20W (xxx=520-555, in steps of 5).

120 cells:
TSM-xxxDEG10C.20, TSM-xxxDEG10C.25, TSM-xxxDEG10C.27, TSM-xxxDEG10C.28, TSM-xxxDEG10C.29 (xxx=425-450, in steps of 5).

mono series with 182.0 x 91.0/91.875 (mm) half cutting MBB bifacial cell:
(Module Type for rear side with white EVA or Glass white)

144 cells:
TSM-xxxDEG18.20, TSM-xxxDEG18.25, TSM-xxxDEG18.27, TSM-xxxDEG18.28, TSM-xxxDEG18.29 (xxx=520-555, in steps of 5).

120 cells:
TSM-xxxDEG10.20, TSM-xxxDEG10.25, TSM-xxxDEG10.27, TSM-xxxDEG10.28, TSM-xxxDEG10.29 (xxx=425-450, in steps of 5).

mono series with 182 x 105 (mm) half cutting MBB bifacial cell:

132 cells:
TSM-xxxDEG19RC.20, TSM-xxxDEG19RC.25, TSM-xxxDEG19RC.27, TSM-xxxDEG19RC.28,

Member of TÜV SÜD Product Service GmbH

TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch

3-13, No.151, Hengtong Road, 200070 Shanghai, P.R.China



TSM-xxxDEG19RC.29, TSM-xxxDEG19RC.B0, TSM-xxxDEG19RC.B5, TSM-xxxDEG19RC.B7, TSM-xxxDEG19RC.B8, TSM-xxxDEG19RC.B9, TSM-xxxDEG19RC.20W (xxx=540-590, in steps of 5)

mono series with 182 x 105 (mm) half cutting MBB bifacial cell:
(Module Type for rear side with white EVA or Glass white)

132 cells:
TSM-xxxDEG19R.20, TSM-xxxDEG19R.25, TSM-xxxDEG19R.27, TSM-xxxDEG19R.28, TSM-xxxDEG19R.29, TSM-xxxDEG19R.B0, TSM-xxxDEG19R.B5, TSM-xxxDEG19R.B7, TSM-xxxDEG19R.B8, TSM-xxxDEG19R.B9, (xxx=540-590, in steps of 5)

mono series with 182 x 70 (mm) 1/3 cutting MBB bifacial cell:

144 cells:
TSM-xxxDEG9RC.B0, TSM-xxxDEG9RC.B5, TSM-xxxDEG9RC.B7, TSM-xxxDEG9RC.B8, TSM-xxxDEG9RC.B9, TSM-xxxDEG9RC.20, TSM-xxxDEG9RC.25, TSM-xxxDEG9RC.28, TSM-xxxDEG9RC.27, TSM-xxxDEG9RC.29, TSM-xxxDEG9RC.27W (xxx=395-435, in steps of 5)

mono series with 182 x 70 (mm) 1/3 cutting MBB bifacial cell:
(Module Type for rear side with white EVA or Glass white)

144 cells:
TSM-xxxDEG9R.B0, TSM-xxxDEG9R.B5, TSM-xxxDEG9R.B7, TSM-xxxDEG9R.B8, TSM-xxxDEG9R.B9, TSM-xxxDEG9R.20, TSM-xxxDEG9R.25, TSM-xxxDEG9R.27, TSM-xxxDEG9R.28, TSM-xxxDEG9R.29, TSM-xxxDEG9R.20W, TSM-xxxDEG9R.28W (xxx=395-435, in steps of 5)

mono series with 158.75 x 52.9 (mm) 1/3 cutting MBB bifacial cell:

252 cells:
TSM-xxxDEG15VC.20(II), TSM-xxxDEG15VC.25(II), TSM-xxxDEG15VC.27(II), TSM-xxxDEG15VC.28(II), TSM-xxxDEG15VC.29(II) (xxx=465-490, in steps of 5).

mono series with 157 x 157 (mm) N type MBB bifacial cell:

72 cells:
TSM-xxxNEG14C(II), TSM-xxxNEG14C.05(II), TSM-xxxNEG14C.25(II), TSM-xxxNEG14C.07(II), TSM-xxxNEG14C.20(II), TSM-xxxNEG14C.27(II), TSM-xxxNEG14C.28(II), TSM-xxxNEG14C.29(II)

Member of TÜV SÜD Product Service GmbH

TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch

3-13, No.151, Hengtong Road, 200070 Shanghai, P.R.China





(xxx=350-370, in steps of 5).

60 cells:

TSM-xxxNEG5C(II), TSM-xxxNEG5C.05(II), TSM-xxxNEG5C.25(II), TSM-xxxNEG5C.07(II), TSM-xxxNEG5C.20(II), TSM-xxxNEG5C.27(II), TSM-xxxNEG5C.28(II), TSM-xxxNEG5C.29(II) (xxx=295-305, in steps of 5).

mono series with 158.75 x 158.75 (mm) N type MBB bifacial cell:

72 cells:

TSM-xxxNEG15C(II), TSM-xxxNEG15C.05(II), TSM-xxxNEG15C.25(II), TSM-xxxNEG15C.07(II), TSM-xxxNEG15C.20(II), TSM-xxxNEG15C.27(II), TSM-xxxNEG15C.28(II), TSM-xxxNEG15C.29(II) (xxx=350-370, in steps of 5).

60 cells:

TSM-xxxNEG6C(II), TSM-xxxNEG6C.05(II), TSM-xxxNEG6C.25(II), TSM-xxxNEG6C.07(II), TSM-xxxNEG6C.20(II), TSM-xxxNEG6C.27(II), TSM-xxxNEG6C.28(II), TSM-xxxNEG6C.29(II) (xxx=295-305, in steps of 5).

mono series with 161.7 x 161.7 (mm) N type MBB bifacial cell:

72 cells:

TSM-xxxNEG16C(II), TSM-xxxNEG16C.05(II), TSM-xxxNEG16C.25(II), TSM-xxxNEG16C.07(II), TSM-xxxNEG16C.20(II), TSM-xxxNEG16C.27(II), TSM-xxxNEG16C.28(II), TSM-xxxNEG16C.29(II) (xxx=350-370, in steps of 5).

60 cells:

TSM-xxxNEG7C(II), TSM-xxxNEG7C.05(II), TSM-xxxNEG7C.25(II), TSM-xxxNEG7C.07(II), TSM-xxxNEG7C.20(II), TSM-xxxNEG7C.27(II), TSM-xxxNEG7C.28(II), TSM-xxxNEG7C.29(II) (xxx=295-305, in steps of 5).

mono series with 157 x 78.5 (mm) half cutting N type MBB bifacial cell:

144 cells:

TSM-xxxNEG14MC(II), TSM-xxxNEG14MC.05(II), TSM-xxxNEG14MC.25(II), TSM-xxxNEG14MC.07(II), TSM-xxxNEG14MC.20(II), TSM-xxxNEG14MC.27(II), TSM-xxxNEG14MC.28(II), TSM-xxxNEG14MC.29(II) (xxx=350-380, in steps of 5).

120 cells:

TSM-xxxNEG5MC(II), TSM-xxxNEG5MC.05(II), TSM-xxxNEG5MC.25(II), TSM-xxxNEG5MC.07(II), TSM-xxxNEG5MC.20(II), TSM-xxxNEG5MC.27(II), TSM-xxxNEG5MC.28(II), TSM-xxxNEG5MC.29(II) (xxx=295-315, in steps of 5).

mono series with 158.75 x 79.375 (mm) half cutting N type MBB bifacial cell:

144 cells:

TSM-xxxNEG15MC(II), TSM-xxxNEG15MC.05(II)

Member of TÜV SÜD Product Service GmbH
TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch
3-13, No.151, Hengtong Road, 200070 Shanghai,P.R.China





TSM-xxxNEG15MC.25(II), TSM-xxxNEG15MC.07(II), TSM-xxxNEG15MC.20(II), TSM-xxxNEG15MC.27(II), TSM-xxxNEG15MC.28(II), TSM-xxxNEG15MC.29(II) (xxx=350-420, in steps of 5).

120 cells:

TSM-xxxNEG6MC(II), TSM-xxxNEG6MC.05(II), TSM-xxxNEG6MC.25(II), TSM-xxxNEG6MC.07(II), TSM-xxxNEG6MC.20(II), TSM-xxxNEG6MC.27(II), TSM-xxxNEG6MC.28(II), TSM-xxxNEG6MC.29(II) (xxx=295-330, in steps of 5).

mono series with 158.75 x 79.375 (mm) half cutting N type MBB bifacial cell (Module Type for rear side with white EVA or Glass white):

144 cells:

TSM-xxxNEG15M(II), TSM-xxxNEG15M.05(II), TSM-xxxNEG15M.25(II), TSM-xxxNEG15M.07(II), TSM-xxxNEG15M.20(II), TSM-xxxNEG15M.27(II), TSM-xxxNEG15M.28(II), TSM-xxxNEG15M.29(II) (xxx=350-420, in steps of 5).

120 cells:

TSM-xxxNEG6M(II), TSM-xxxNEG6M.05(II), TSM-xxxNEG6M.25(II), TSM-xxxNEG6M.07(II), TSM-xxxNEG6M.20(II), TSM-xxxNEG6M.27(II), TSM-xxxNEG6M.28(II), TSM-xxxNEG6M.29(II) (xxx=295-345, in steps of 5).

mono series with 161.7 x 80.85 (mm) half cutting N type MBB bifacial cell (Module Type for rear side with white EVA or white Glass):

144 cells:

TSM-xxxNEG16M(II), TSM-xxxNEG16M.05(II), TSM-xxxNEG16M.25(II), TSM-xxxNEG16M.07(II), TSM-xxxNEG16M.20(II), TSM-xxxNEG16M.27(II), TSM-xxxNEG16M.28(II), TSM-xxxNEG16M.29(II) (xxx=390-435, in steps of 5).

120 cells:

TSM-xxxNEG7M(II), TSM-xxxNEG7M.05(II), TSM-xxxNEG7M.25(II), TSM-xxxNEG7M.07(II), TSM-xxxNEG7M.20(II), TSM-xxxNEG7M.27(II), TSM-xxxNEG7M.28(II), TSM-xxxNEG7M.29(II) (xxx=325-360, in steps of 5).

mono series with 161.7 x 80.85 (mm) half cutting N type MBB bifacial cell:

144 cells:

TSM-xxxNEG16MC(II), TSM-xxxNEG16MC.05(II), TSM-xxxNEG16MC.25(II), TSM-xxxNEG16MC.07(II), TSM-xxxNEG16MC.20(II), TSM-xxxNEG16MC.27(II), TSM-xxxNEG16MC.28(II), TSM-xxxNEG16MC.29(II) (xxx=390-415, in steps of 5).

120 cells:

TSM-xxxNEG7MC(II), TSM-xxxNEG7MC.05(II), TSM-xxxNEG7MC.25(II), TSM-xxxNEG7MC.07(II), TSM-xxxNEG7MC.20(II), TSM-xxxNEG7MC.27(II), TSM-xxxNEG7MC.28(II), TSM-xxxNEG7MC.29(II) (xxx=325-345, in steps of 5).

Member of TÜV SÜD Product Service GmbH

TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch

3-13, No.151, Hengtong Road, 200070 Shanghai, P.R.China



Product Service

mono series with 210.0 x 70.0 (mm) N type 1/3 cutting MBB bifacial cell:

150 cells:
TSM-xxxNEG18MC.20(II), TSM-xxxNEG18MC.25(II),
TSM-xxxNEG18MC.27(II), TSM-xxxNEG18MC.28(II),
TSM-xxxNEG18MC.29(II), TSM-xxxNEG18MC.30(II)
(xxx=500-520, in steps of 5).

120 cells:
TSM-xxxNEG9C.20, TSM-xxxNEG9C.25,
TSM-xxxNEG9C.27, TSM-xxxNEG9C.28,
TSM-xxxNEG9C.29
(xxx=390-430, in steps of 5).

mono series with 210.0 x 70.0 (mm) N type 1/3 cutting MBB bifacial cell:

(Module Type for rear side with white EVA or Glass white)

120 cells:
TSM-xxxNEG9.20, TSM-xxxNEG9.25,
TSM-xxxNEG9.27, TSM-xxxNEG9.28,
TSM-xxxNEG9.29
(xxx=390-430, in steps of 5).

mono series with 210.0 x 105.0 (mm) half cutting N type MBB bifacial cell:

120 cells:
TSM-xxxNEG20C.20, TSM-xxxNEG20C.25,
TSM-xxxNEG20C.27, TSM-xxxNEG20C.28,
TSM-xxxNEG20C.29 (xxx=580-645, in steps of 5).

110 cells:
TSM-xxxNEG19C.20, TSM-xxxNEG19C.25,
TSM-xxxNEG19C.27, TSM-xxxNEG19C.28,
TSM-xxxNEG19C.29 (xxx=530-570, in steps of 5).

132 cells:
TSM-xxxNEG21C.20, TSM-xxxNEG21C.25,
TSM-xxxNEG21C.27, TSM-xxxNEG21C.28,
TSM-xxxNEG21C.29 (xxx=635-710, in steps of 5).

mono series with 182.0 x 70.0 (mm) N type 1/3 cutting MBB bifacial cell:

144 cells:
TSM-xxxNEG9RC.20, TSM-xxxNEG9RC.25,
TSM-xxxNEG9RC.28, TSM-xxxNEG9RC.27,
TSM-xxxNEG9RC.29, TSM-xxxNEG9RC.B0,
TSM-xxxNEG9RC.B5, TSM-xxxNEG9RC.B8,
TSM-xxxNEG9RC.B7, TSM-xxxNEG9RC.B9,
(xxx=375-460, in steps of 5).

mono series with 182.0 x 70.0 (mm) N type 1/3 cutting MBB bifacial cell:

(Module Type for rear side with white EVA or Glass white)

144 cells:
TSM-xxxNEG9R.20, TSM-xxxNEG9R.25,
TSM-xxxNEG9R.28, TSM-xxxNEG9R.27,
TSM-xxxNEG9R.29, TSM-xxxNEG9R.B0,

Member of TÜV SÜD Product Service GmbH

TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch

3-13, No.151, Hengtong Road, 200070 Shanghai,P.R.China





Product Service

TSM-xxxNEG9R.B5, TSM-xxxNEG9R.B8,
TSM-xxxNEG9R.B7, TSM-xxxNEG9R.B9,
(xxx=375-460, in steps of 5).

mono series with 182.0 x 105.0 (mm) half cutting N
type MBB bifacial cell:

132 cells:
TSM-xxxNEG19RC.20, TSM-xxxNEG19RC.25,
TSM-xxxNEG19RC.27, TSM-xxxNEG19RC.28,
TSM-xxxNEG19RC.29, (xxx=525-620, in steps of 5).

mono series with 182.0 x 105.0 (mm) half cutting N
type MBB bifacial cell:

(Module Type for rear side with white EVA or Glass
white)

132 cells:
TSM-xxxNEG19R.20, TSM-xxxNEG19R.25,
TSM-xxxNEG19R.27, TSM-xxxNEG19R.28,
TSM-xxxNEG19R.29, (xxx=525-620, in steps of 5).

108 cells
TSM-xxxNEG18R.20, TSM-xxxNEG18R.25,
TSM-xxxNEG18R.27, TSM-xxxNEG18R.28,
TSM-xxxNEG18R.29, (xxx=470-505, in steps of 5)

mono series with 182.0 x 91.0 (mm) half cutting N type
MBB bifacial cell:

144 cells:
TSM-xxxNEG18C.20, TSM-xxxNEG18C.25,
TSM-xxxNEG18C.27, TSM-xxxNEG18C.28,
TSM-xxxNEG18C.29, (xxx=555-590, in steps of 5)

mono series with 158.75 x 79.375 (mm) half cutting N
type MBB bifacial cell (for cells splicing technology):

156 cells:
TSM-xxxNEG15XC(II), TSM-xxxNEG15XC.05(II),
TSM-xxxNEG15XC.25(II), TSM-xxxNEG15XC.07(II),
TSM-xxxNEG15XC.20(II), TSM-xxxNEG15XC.27(II),
TSM-xxxNEG15XC.28(II), TSM-xxxNEG15XC.29(II)
(xxx=425-445, in steps of 5).

mono series with 158.75 x 79.375 (mm) half cutting
MBB bifacial HJT cell:

(Horizontal version: the long side of the cell is parallel
to the long side of the module)

156 cells:
TSM-xxxHEG15XKC.203, TSM-xxxHEG15XKC.253,
TSM-xxxHEG15XKC.273, TSM-xxxHEG15XKC.283,
TSM-xxxHEG15XKC.293 (xxx=435-455, in steps of 5).

182 cells:
TSM-xxxHEG15YKC.20, TSM-xxxHEG15YKC.25,
TSM-xxxHEG15YKC.27, TSM-xxxHEG15YKC.28,
TSM-xxxHEG15YKC.29 (xxx=515-530, in steps of 5).

168 cells:
TSM-xxxHEG15VKC.20, TSM-xxxHEG15VKC.25,
TSM-xxxHEG15VKC.27, TSM-xxxHEG15VKC.28,
TSM-xxxHEG15VKC.29 (xxx=475-485, in steps of 5).

130 cells:

Member of TÜV SÜD Product Service GmbH

TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch

3-13, No.151, Hengtong Road, 200070 Shanghai, P.R.China





TSM-xxxHEG6XKC.20, TSM-xxxHEG6XKC.25, TSM-xxxHEG6XKC.27, TSM-xxxHEG6XKC.28, TSM-xxxHEG6XKC.29 (xxx=370-375, in steps of 5).

mono series with 158.75 x 79.375 (mm) half cutting MBB bifacial HJT cell:

(Longitudinal version: the long side of the cell is parallel to the short side of the module)

156 cells:

TSM-xxxHEG15XC.20, TSM-xxxHEG15XC.25, TSM-xxxHEG15XC.27, TSM-xxxHEG15XC.28, TSM-xxxHEG15XC.29 (xxx=440-460, in steps of 5).

144 cells:

TSM-xxxHEG15C.20, TSM-xxxHEG15C.25, TSM-xxxHEG15C.27, TSM-xxxHEG15C.28, TSM-xxxHEG15C.29 (xxx=410-425, in steps of 5).

120 cells:

TSM-xxxHEG6C.20, TSM-xxxHEG6C.25, TSM-xxxHEG6C.27, TSM-xxxHEG6C.28, TSM-xxxHEG6C.29 (xxx=340-350, in steps of 5).

mono series with 210.0 x 105.0 (mm) half cutting MBB bifacial HJT cell:

(Longitudinal version: the long side of the cell is parallel to the short side of the module)

132 cells:

TSM-xxxHEG21C.20, TSM-xxxHEG21C.25, TSM-xxxHEG21C.27, TSM-xxxHEG21C.28, TSM-xxxHEG21C.29 (xxx=640-685, in steps of 5).

120 cells:

TSM-xxxHEG20C.20, TSM-xxxHEG20C.25, TSM-xxxHEG20C.27, TSM-xxxHEG20C.28, TSM-xxxHEG20C.29 (xxx=585-620, in steps of 5).

110 cells:

TSM-xxxHEG19C.20, TSM-xxxHEG19C.25, TSM-xxxHEG19C.27, TSM-xxxHEG19C.28, TSM-xxxHEG19C.29 (xxx=530-565, in steps of 5).

mono series with 157 x 31.4 (mm) 1/5 cutting cells:

336 cells:

TSM-xxxDEG5ZV(II), TSM-xxxDEG5ZV.05(II), TSM-xxxDEG5ZV.07(II), TSM-xxxDEG5ZV.40(II), TSM-xxxDEG5ZV.47(II) (xxx=305-330, in steps of 5).

poly series with 157 x 157 (mm) and 156 x 156 (mm) solar cells:

72 cells:

TSM-xxxPEG14, TSM-xxxPEG14.05, TSM-xxxPEG14.25, TSM-xxxPEG14.07, TSM-xxxPEG14.20, TSM-xxxPEG14.27, TSM-xxxPEG14.28, TSM-xxxPEG14.29, TSM-xxxPEG14.40, TSM-xxxPEG14.47 (xxx=315-360, in steps of 5);

TSM-xxxPEG14(II), TSM-xxxPEG14.05(II), TSM-xxxPEG14.25(II),

TSM-xxxPEG14.07(II), TSM-xxxPEG14.20(II), TSM-xxxPEG14.27(II), TSM-xxxPEG14.28(II), TSM-

Member of TÜV SÜD Product Service GmbH

TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch

3-13, No.151, Hengtong Road, 200070 Shanghai, P.R.China





Product Service

xxxPEG14.29(II), TSM-xxxPEG14.40(II), TSM-xxxPEG14.47(II)
(xxx=315-360, in steps of 5).

60 cells:
TSM-xxxPEG5, TSM-xxxPEG5.05, TSM-xxxPEG5.25, TSM-xxxPEG5.07, TSM-xxxPEG5.20, TSM-xxxPEG5.27, TSM-xxxPEG5.28, TSM-xxxPEG5.29, TSM-xxxPEG5.40, TSM-xxxPEG5.47 (xxx=265-300, in steps of 5);
TSM-xxxPEG5(II), TSM-xxxPEG5.05(II), TSM-xxxPEG5.25(II), TSM-xxxPEG5.07(II), TSM-xxxPEG5.20(II), TSM-xxxPEG5.27(II), TSM-xxxPEG5.28(II), TSM-xxxPEG5.29(II), TSM-xxxPEG5.40(II), TSM-xxxPEG5.47(II) (xxx=265-300, in steps of 5).

poly series with 158.75 x 158.75 (mm) solar cells:
72 cells:
TSM-xxxPEG15, TSM-xxxPEG15.05, TSM-xxxPEG15.25, TSM-xxxPEG15.07, TSM-xxxPEG15.20, TSM-xxxPEG15.27, TSM-xxxPEG15.28, TSM-xxxPEG15.29, TSM-xxxPEG15.40, TSM-xxxPEG15.47 (xxx=315-360, in steps of 5);
TSM-xxxPEG15(II), TSM-xxxPEG15.05(II), TSM-xxxPEG15.25(II), TSM-xxxPEG15.07(II), TSM-xxxPEG15.20(II), TSM-xxxPEG15.27(II), TSM-xxxPEG15.28(II), TSM-xxxPEG15.29(II), TSM-xxxPEG15.40(II), TSM-xxxPEG15.47(II) (xxx=315-360, in steps of 5).

60 cells:
TSM-xxxPEG6, TSM-xxxPEG6.05, TSM-xxxPEG6.25, TSM-xxxPEG6.07, TSM-xxxPEG6.20, TSM-xxxPEG6.27, TSM-xxxPEG6.28, TSM-xxxPEG6.29, TSM-xxxPEG6.40, TSM-xxxPEG6.47 (xxx=265-300, in steps of 5);
TSM-xxxPEG6(II), TSM-xxxPEG6.05(II), TSM-xxxPEG6.25(II), TSM-xxxPEG6.07(II), TSM-xxxPEG6.20(II), TSM-xxxPEG6.27(II), TSM-xxxPEG6.28(II), TSM-xxxPEG6.29(II), TSM-xxxPEG6.40(II), TSM-xxxPEG6.47(II) (xxx=265-300, in steps of 5).

poly series with 157 x 78.5 (mm) half cutting cell:
144 cells:
TSM-xxxPEG14H, TSM-xxxPEG14H.05, TSM-xxxPEG14H.25, TSM-xxxPEG14H.07, TSM-xxxPEG14H.20, TSM-xxxPEG14H.27, TSM-xxxPEG14H.28, TSM-xxxPEG14H.29, TSM-xxxPEG14H.40, TSM-xxxPEG14H.47 (xxx=330-360, in steps of 5);
TSM-xxxPEG14H(II), TSM-xxxPEG14H.05(II), TSM-xxxPEG14H.25(II), TSM-xxxPEG14H.07(II), TSM-xxxPEG14H.20(II), TSM-xxxPEG14H.27(II),

Member of TÜV SÜD Product Service GmbH
TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch
3-13, No.151, Hengtong Road, 200070 Shanghai, P.R.China





TSM-xxxPEG14H.28(II), TSM-xxxPEG14H.29(II), TSM-xxxPEG14H.40(II), TSM-xxxPEG14H.47(II) (xxx=330-360, in steps of 5).

120 cells: TSM-xxxPEG5H, TSM-xxxPEG5H.05, TSM-xxxPEG5H.25, TSM-xxxPEG5H.07, TSM-xxxPEG5H.20, TSM-xxxPEG5H.27, TSM-xxxPEG5H.28, TSM-xxxPEG5H.29, TSM-xxxPEG5H.40, TSM-xxxPEG5H.47 (xxx=275-300, in steps of 5); TSM-xxxPEG5H(II), TSM-xxxPEG5H.05(II), TSM-xxxPEG5H.25(II), TSM-xxxPEG5H.07(II), TSM-xxxPEG5H.20(II), TSM-xxxPEG5H.27(II), TSM-xxxPEG5H.28(II), TSM-xxxPEG5H.29(II), TSM-xxxPEG5H.40(II), TSM-xxxPEG5H.47(II) (xxx=275-300, in steps of 5).

poly series with 158.75 x 79.375 (mm) half cutting cell: 144 cells:

TSM-xxxPEG15H, TSM-xxxPEG15H.05, TSM-xxxPEG15H.25, TSM-xxxPEG15H.07, TSM-xxxPEG15H.20, TSM-xxxPEG15H.27, TSM-xxxPEG15H.28, TSM-xxxPEG15H.29, TSM-xxxPEG15H.40, TSM-xxxPEG15H.47 (xxx=340-360, in steps of 5); TSM-xxxPEG15H(II), TSM-xxxPEG15H.05(II), TSM-xxxPEG15H.25(II), TSM-xxxPEG15H.07(II), TSM-xxxPEG15H.20(II), TSM-xxxPEG15H.27(II), TSM-xxxPEG15H.28(II), TSM-xxxPEG15H.29(II), TSM-xxxPEG15H.40(II), TSM-xxxPEG15H.47(II) (xxx=340-400, in steps of 5).

120 cells: TSM-xxxPEG6H, TSM-xxxPEG6H.05, TSM-xxxPEG6H.25, TSM-xxxPEG6H.07, TSM-xxxPEG6H.20, TSM-xxxPEG6H.27, TSM-xxxPEG6H.28, TSM-xxxPEG6H.29, TSM-xxxPEG6H.40, TSM-xxxPEG6H.47 (xxx=280-300, in steps of 5); TSM-xxxPEG6H(II), TSM-xxxPEG6H.05(II), TSM-xxxPEG6H.25(II), TSM-xxxPEG6H.07(II), TSM-xxxPEG6H.20(II), TSM-xxxPEG6H.27(II), TSM-xxxPEG6H.28(II), TSM-xxxPEG6H.29(II), TSM-xxxPEG6H.40(II), TSM-xxxPEG6H.47(II), (xxx=280-330, in steps of 5).

poly series with 157 x 78.5 (mm) half cutting MBB cell: 144 cells:

TSM-xxxPEG14M(II), TSM-xxxPEG14M.05(II), TSM-xxxPEG14M.25(II), TSM-xxxPEG14M.07(II), TSM-xxxPEG14M.20(II), TSM-xxxPEG14M.27(II), TSM-xxxPEG14M.28(II), TSM-xxxPEG14M.29(II), TSM-xxxPEG14M.40(II), TSM-xxxPEG14M.47(II) (xxx=330-360, in steps of 5). 120 cells:

Member of TÜV SÜD Product Service GmbH
TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch
3-13, No.151, Hengtong Road, 200070 Shanghai,P.R.China





Product Service

ATTESTATION

TSM-xxxPEG5M(II), TSM-xxxPEG5M.05(II), TSM-xxxPEG5M.25(II), TSM-xxxPEG5M.07(II), TSM-xxxPEG5M.20(II), TSM-xxxPEG5M.27(II), TSM-xxxPEG5M.28(II), TSM-xxxPEG5M.29(II), TSM-xxxPEG5M.40(II), TSM-xxxPEG5M.47(II) (xxx=275-300, in steps of 5).

poly series with 158.75 x 79.375 (mm) half cutting MBB cell:

144 cells:
TSM-xxxPEG15M(II), TSM-xxxPEG15M.05(II), TSM-xxxPEG15M.25(II), TSM-xxxPEG15M.07(II), TSM-xxxPEG15M.20(II), TSM-xxxPEG15M.27(II), TSM-xxxPEG15M.28(II), TSM-xxxPEG15M.29(II), TSM-xxxPEG15M.40(II), TSM-xxxPEG15M.47(II) (xxx=340-405, in steps of 5).

120 cells:
TSM-xxxPEG6M(II), TSM-xxxPEG6M.05(II), TSM-xxxPEG6M.25(II), TSM-xxxPEG6M.07(II), TSM-xxxPEG6M.20(II), TSM-xxxPEG6M.27(II), TSM-xxxPEG6M.28(II), TSM-xxxPEG6M.29(II), TSM-xxxPEG6M.40(II), TSM-xxxPEG6M.47(II) (xxx=280-335, in steps of 5).

poly series with 166 x 83 (mm) half cutting MBB cell:

144 cells:
TSM-xxxPEG17MC(II), TSM-xxxPEG17MC.05(II), TSM-xxxPEG17MC.25(II), TSM-xxxPEG17MC.07(II), TSM-xxxPEG17MC.20(II), TSM-xxxPEG17MC.27(II), TSM-xxxPEG17MC.28(II), TSM-xxxPEG17MC.29(II) (xxx=410-445, in steps of 5).

120 cells:
TSM-xxxPEG8MC(II), TSM-xxxPEG8MC.05(II), TSM-xxxPEG8MC.25(II), TSM-xxxPEG8MC.07(II), TSM-xxxPEG8MC.20(II), TSM-xxxPEG8MC.27(II), TSM-xxxPEG8MC.28(II), TSM-xxxPEG8MC.29(II) (xxx=350-365, in steps of 5).

poly series with 166 x 83 (mm) half cutting MBB cell: (Module Type for rear side with white EVA or Glass white)

144 cells:
TSM-xxxPEG17M(II), TSM-xxxPEG17M.05(II), TSM-xxxPEG17M.25(II), TSM-xxxPEG17M.07(II), TSM-xxxPEG17M.20(II), TSM-xxxPEG17M.27(II), TSM-xxxPEG17M.28(II), TSM-xxxPEG17M.29(II) (xxx=410-445, in steps of 5).

120 cells:
TSM-xxxPEG8M(II), TSM-xxxPEG8M.05(II), TSM-xxxPEG8M.25(II), TSM-xxxPEG8M.07(II), TSM-xxxPEG8M.20(II), TSM-xxxPEG8M.27(II), TSM-xxxPEG8M.28(II), TSM-xxxPEG8M.29(II) (xxx=350-365, in steps of 5).

poly series with 157 x 31.4 (mm) 1/5 cutting cells:
336 cells:

Member of TÜV SÜD Product Service GmbH

TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch

3-13, No.151, Hengtong Road, 200070 Shanghai, P.R.China



Product Service

TSM-xxxPEG5ZV, TSM-xxxPEG5ZV.05, TSM-xxxPEG5ZV.07, TSM-xxxPEG5ZV.40, TSM-xxxPEG5ZV.47 (xxx=280-300, in steps of 5).

Smart PV modules:
 (Module Type with junction box TSD301xy)
 mono series with 210.0 x 105.0 (mm) half cutting MBB bifacial cell:
 132 cells:
 TSM-xxxDEG21C.20S (xxx=625-675, in steps of 5)
 120 cells:
 TSM-xxxDEG20C.20S (xxx=570-605, in steps of 5)
 110 cells:
 TSM-xxxDEG19C.20S (xxx=525-555, in steps of 5)

mono series with 182 x 105 (mm) half cutting MBB bifacial cell:
 132 cells:
 TSM-xxxDEG19RC.20S (xxx=540-590, in steps of 5)

mono series with 182 x 70 (mm) 1/3 cutting MBB bifacial cell:
 144 cells:
 TSM-xxxDEG9RC.B7S (xxx=395-435, in steps of 5)

mono series with 182 x 70 (mm) 1/3 cutting MBB bifacial cell:
 (Module Type for rear side with white EVA or Glass white)
 144 cells:
 TSM-xxxDEG9R.B0S, TSM-xxxDEG9R.B8S (xxx=395-435, in steps of 5)

mono series with 210.0 x 70.0 (mm) 1/3 cutting MBB bifacial cell:
 150 cells:
 TSM-xxxDEG18MC.20S(II) (xxx=460-510, in steps of 5)

mono series with 210.0 x 70.0 (mm) 1/3 cutting MBB bifacial cell:
 (Module Type for rear side with white EVA or Glass white)
 150 cells:
 TSM-xxxDEG18M.20S(II) (xxx=460-510, in steps of 5)

mono series with 210.0 x 105.0 (mm) half cutting N type MBB bifacial cell:
 132 cells:
 TSM-xxxNEG21C.20S (xxx=635-690, in steps of 5)

mono series with 182.0 x 105.0 (mm) half cutting N type MBB bifacial cell:
 132 cells:
 TSM-xxxNEG19RC.20S (xxx=565-595, in steps of 5)

Member of TÜV SÜD Product Service GmbH
 TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch
 3-13, No.151, Hengtong Road, 200070 Shanghai, P.R.China





Product Service

mono series with 182.0 x 70.0 (mm) N type 1/3 cutting
MBB bifacial cell:
(Module Type for rear side with white EVA or Glass
white)

144 cells:

TSM-xxxNEG9R.20S, TSM-xxxNEG9R.28S (xxx=395-
445, in steps of 5)

xxx stands for rated output power at STC

Certificate No.: Z2 070321 0122 Rev. 06

Project No.: 64290193018007

mono series with 157 x 157 (mm) solar cells (without
electronic devices):

a) 72 cells:

TSM-xxxDD14A(II), TSM-xxxDD14A.05(II), TSM-
xxxDD14A.08(II),

TSM-xxxDD14A.09(II), TSM-xxxDD14A.T0(II), TSM-
xxxDD14A.T8(II),

TSM-xxxDD14A.T9(II) (xxx=330-390, in steps of 5).

TSM-xxxDD14B(II), TSM-xxxDD14B.08(II), TSM-
xxxDD14B.09(II),

TSM-xxxDD14B.T0(II), TSM-xxxDD14B.T8(II), TSM-
xxxDD14B.T9(II)

(xxx=330-385, in steps of 5).

b) 60 cells:

TSM-xxxDD05A(II), TSM-xxxDD05A.05(II), TSM-
xxxDD05A.08(II),

TSM-xxxDD05A.09(II), TSM-xxxDD05A.T0(II), TSM-
xxxDD05A.T8(II),

TSM-xxxDD05A.T9(II), TSM-xxxDC05A.05(II), TSM-
xxxDC05A.08

(xxx=275-325, in steps of 5).

mono series with 158.75 x 158.75 (mm) solar cells
(without electronic devices):

a) 72 cells:

TSM-xxxDD15A(II), TSM-xxxDD15A.05(II), TSM-
xxxDD15A.08(II),

TSM-xxxDD15A.09(II), TSM-xxxDD15A.T0(II), TSM-
xxxDD15A.T8(II),

TSM-xxxDD15A.T9(II) (xxx=330-385, in steps of 5).

TSM-xxxDD15B(II), TSM-xxxDD15B.08(II), TSM-
xxxDD15B.09(II),

TSM-xxxDD15B.T0(II), TSM-xxxDD15B.T8(II), TSM-
xxxDD15B.T9(II)

(xxx=330-385, in steps of 5).

b) 60 cells:

TSM-xxxDD06A(II), TSM-xxxDD06A.05(II), TSM-
xxxDD06A.08(II),

TSM-xxxDD06A.09(II), TSM-xxxDC06A.05(II), TSM-
xxxDC06A.08,

TSM-xxxDD06A.T0(II), TSM-xxxDD06A.T8(II), TSM-
xxxDD06A.T9(II)

(xxx=275-325, in steps of 5).

mono series with 157 x 78.5 (mm) half cutting cells
(without electronic devices):

Member of TÜV SÜD Product Service GmbH

TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch

3-13, No.151, Hengtong Road, 200070 Shanghai, P.R.China



Product Service

a) 144 cells:
TSM-xxxDD14H(II), TSM-xxxDD14H.05(II), TSM-xxxDD14H.08(II),
TSM-xxxDD14H.09(II), TSM-xxxDD14H.T0(II), TSM-xxxDD14H.T8(II),
TSM-xxxDD14H.T9(II) (xxx=330-395, in steps of 5).
TSM-xxxDD14HB(II), TSM-xxxDD14HB.08(II), TSM-xxxDD14HB.09(II),
TSM-xxxDD14HB.T0(II), TSM-xxxDD14HB.T8(II),
TSM-xxxDD14HB.T9(II)
(xxx=330-395, in steps of 5).

b) 120 cells:
TSM-xxxDD05H(II), TSM-xxxDD05H.05(II), TSM-xxxDD05H.08(II),
TSM-xxxDD05H.09(II), TSM-xxxDD05H.T0(II), TSM-xxxDD05H.T8(II),
TSM-xxxDD05H.T9(II) (xxx=275-335, in steps of 5).

mono series with 158.75 x 79.375 (mm) half cutting cells (without electron-ic devices):

a) 144 cells:
TSM-xxxDD15H(II), TSM-xxxDD15H.05(II), TSM-xxxDD15H.08(II),
TSM-xxxDD15H.09(II), TSM-xxxDD15H.T0(II), TSM-xxxDD15H.T8(II),
TSM-xxxDD15H.T9(II) (xxx=330-410, in steps of 5).
TSM-xxxDD15HB(II), TSM-xxxDD15HB.08(II), TSM-xxxDD15HB.09(II),
TSM-xxxDD15HB.T0(II), TSM-xxxDD15HB.T8(II),
TSM-xxxDD15HB.T9(II)
(xxx=330-410, in steps of 5).

b) 120 cells:
TSM-xxxDD06H(II), TSM-xxxDD06H.05(II), TSM-xxxDD06H.08(II),
TSM-xxxDD06H.09(II), TSM-xxxDD06H.T0(II), TSM-xxxDD06H.T8(II),
TSM-xxxDD06H.T9(II) (xxx=275-340, in steps of 5).

mono series with 158.75 x 79.375 (mm) half cutting MBB cells (without electronic devices):

a) 144 cells:
TSM-xxxDD15M(II), TSM-xxxDD15M.05(II), TSM-xxxDD15M.08(II),
TSM-xxxDD15M.09(II), TSM-xxxDD15M.T0(II), TSM-xxxDD15M.T8(II),
TSM-xxxDD15M.T9(II) (xxx=330-410, in steps of 5).

b) 120 cells:
TSM-xxxDD06M(II), TSM-xxxDD06M.05(II), TSM-xxxDD06M.08(II),
TSM-xxxDD06M.09(II), TSM-xxxDD06M.T0(II), TSM-xxxDD06M.T8(II),
TSM-xxxDD06M.T9(II) (xxx=275-340, in steps of 5).

mono series with 166 x 83 (mm) half cutting MBB cells (without electronic devices):

a) 144 cells:

Member of TÜV SÜD Product Service GmbH

TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch

3-13, No.151, Hengtong Road, 200070 Shanghai, P.R.China



Product Service

TSM-xxxDD17M(II), TSM-xxxDD17M.05(II), TSM-xxxDD17M.08(II), TSM-xxxDD17M.09(II), TSM-xxxDD17M.T0(II), TSM-xxxDD17M.T8(II), TSM-xxxDD17M.T9(II) (xxx=390-465, in steps of 5).
 b) 120 cells:
 TSM-xxxDD08M(II), TSM-xxxDD08M.05(II), TSM-xxxDD08M.08(II), TSM-xxxDD08M.09(II), TSM-xxxDD08M.T0(II), TSM-xxxDD08M.T8(II), TSM-xxxDD08M.T9(II) (xxx=335-385, in steps of 5).
 c) 72 cells:
 TSM-xxxDC082H.08(II) (xxx=210-225, in steps of 5).

mono series with 182 x 91 (mm) half cutting MBB cells (without electronic devices):

a) 144 cells:
 TSM-xxxDD18, TSM-xxxDD18.05, TSM-xxxDD18.08, TSM-xxxDD18.09, TSM-xxxDD18.T0, TSM-xxxDD18.T8, TSM-xxxDD18.T9 (xxx=515-555, in steps of 5).
 b) 120 cells:
 TSM-xxxDD10, TSM-xxxDD10.05, TSM-xxxDD10.08, TSM-xxxDD10.09, TSM-xxxDD10.T0, TSM-xxxDD10.T8, TSM-xxxDD10.T9 (xxx=430-455, in steps of 5).

mono series with 210 x 105 (mm) half cutting MBB cells (without electron-ic devices):

a) 120 cells:
 TSM-xxxDD20, TSM-xxxDD20.05, TSM-xxxDD20.08, TSM-xxxDD20.09, TSM-xxxDD20.T0, TSM-xxxDD20.T8, TSM-xxxDD20.T9 (xxx=575-610, in steps of 5).
 b) 110 cells:
 TSM-xxxDD19, TSM-xxxDD19.05, TSM-xxxDD19.08, TSM-xxxDD19.09, TSM-xxxDD19.T0, TSM-xxxDD19.T8, TSM-xxxDD19.T9 (xxx=520-560, in steps of 5).
 c) 132 cells:
 TSM-xxxDD21, TSM-xxxDD21.05, TSM-xxxDD21.08, TSM-xxxDD21.09, TSM-xxxDD21.T0, TSM-xxxDD21.T8, TSM-xxxDD21.T9 (xxx=635-675, in steps of 5).

mono series with 210 x 70 (mm) 1/3 cutting MBB cells (without electronic devices):

a) 150 cells:
 TSM-xxxDD18M(II), TSM-xxxDD18M.05(II), TSM-xxxDD18M.08(II), TSM-xxxDD18M.09(II), TSM-xxxDD18M.T0(II), TSM-xxxDD18M.T8(II),

Member of TÜV SÜD Product Service GmbH
 TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch
 3-13, No.151, Hengtong Road, 200070 Shanghai,P.R.China





TSM-xxxDD18M.T9(II) (xxx=470-520, in steps of 5)
b) 120 cells:
TSM-xxxDD09, TSM-xxxDD09.05, TSM-xxxDD09.08,
TSM-xxxDD09.09,
TSM-xxxDD09.T0, TSM-xxxDD09.T8, TSM-
xxxDD09.T9
(xxx=375-410, in steps of 5).

mono series with 158.75 x 79.375 (mm) half cutting
MBB cells (for cells splicing technology):

a) 156 cells:
TSM-xxxDD15X(II), TSM-xxxDD15X.05(II), TSM-
xxxDD15X.08(II),
TSM-xxxDD15X.09(II), TSM-xxxDD15X.T0(II), TSM-
xxxDD15X.T8(II),
TSM-xxxDD15X.T9(II) (xxx=405-435, in steps of 5).
b) 132 cells:
TSM-xxxDD06X(II), TSM-xxxDD06X.05(II), TSM-
xxxDD06X.08(II),
TSM-xxxDD06X.09(II), TSM-xxxDD06X.T0(II), TSM-
xxxDD06X.T8(II),
TSM-xxxDD06X.T9(II) (xxx=345-375, in steps of 5).

mono series with 158.75 x 79.375 (mm) half cutting N
type MBB cell (with-out electronic devices):

a) 144 cells:
TSM-xxxND15M(II), TSM-xxxND15M.05(II), TSM-
xxxND15M.08(II),
TSM-xxxND15M.09(II), TSM-xxxND15M.T0(II), TSM-
xxxND15M.T8(II),
TSM-xxxND15M.T9(II) (xxx=375-405, in steps of 5).
b) 120 cells:
TSM-xxxND06M(II), TSM-xxxND06M.05(II), TSM-
xxxND06M.08(II),
TSM-xxxND06M.09(II), TSM-xxxND06M.T0(II), TSM-
xxxND06M.T8(II),
TSM-xxxND06M.T9(II) (xxx=315-335, in steps of 5).

mono series with 161.7 x 80.85 (mm) half cutting N
type MBB cell (without electronic devices):

a) 144 cells:
TSM-xxxND16M(II), TSM-xxxND16M.05(II), TSM-
xxxND16M.08(II),
TSM-xxxND16M.09(II), TSM-xxxND16M.T0(II), TSM-
xxxND16M.T8(II),
TSM-xxxND16M.T9(II) (xxx=375-405, in steps of 5).
b) 120 cells:
TSM-xxxND07M(II), TSM-xxxND07M.05(II), TSM-
xxxND07M.08(II),
TSM-xxxND07M.09(II), TSM-xxxND07M.T0(II), TSM-
xxxND07M.T8(II),
TSM-xxxND07M.T9(II) (xxx=315-335, in steps of 5).

mono series with 158.75 x 79.375 (mm) half cutting N
type MBB cell (for cells splicing technology):

a) 156 cells:

Member of TÜV SÜD Product Service GmbH

TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch

3-13, No.151, Hengtong Road, 200070 Shanghai, P.R.China



Product Service

TSM-xxxND15X(II), TSM-xxxND15X.05(II), TSM-xxxND15X.08(II), TSM-xxxND15X.09(II), TSM-xxxND15X.T0(II), TSM-xxxND15X.T8(II),

TSM-xxxND15X.T9(II) (xxx=405-435, in steps of 5).

b) 132 cells:

TSM-xxxND06X(II), TSM-xxxND06X.05(II), TSM-xxxND06X.08(II), TSM-xxxND06X.09(II), TSM-xxxND06X.T0(II), TSM-xxxND06X.T8(II),

TSM-xxxND06X.T9(II) (xxx=345-365, in steps of 5).

mono series with 210 x 70 (mm) 1/3 cutting N Type MBB cells (without electronic Devices):

a) 150 cells:

TSM-xxxND18M(II), TSM-xxxND18M.05(II), TSM-xxxND18M.08(II), TSM-xxxND18M.09(II), TSM-xxxND18M.T0(II), TSM-xxxND18M.T8(II),

TSM-xxxND18M.T9(II) (xxx=490-510, in steps of 5).

b) 120 cells:

TSM-xxxND09, TSM-xxxND09.05, TSM-xxxND09.08, TSM-xxxND09.09, TSM-xxxND09.T0, TSM-xxxND09.T8,

TSM-xxxND09.T9 (xxx=395-410, in steps of 5).

mono series with 210 x 105 (mm) half cutting N Type MBB cells (without electronic devices):

a) 120 cells:

TSM-xxxND20, TSM-xxxND20.05, TSM-xxxND20.08, TSM-xxxND20.09, TSM-xxxND20.T0, TSM-xxxND20.T8, TSM-xxxND20.T9

(xxx=590-610, in steps of 5).

b) 110 cells:

TSM-xxxND19, TSM-xxxND19.05, TSM-xxxND19.08, TSM-xxxND19.09, TSM-xxxND19.T0, TSM-xxxND19.T8, TSM-xxxND19.T9

(xxx=540-560, in steps of 5).

c) 132 cells:

TSM-xxxND21, TSM-xxxND21.05, TSM-xxxND21.08, TSM-xxxND21.09, TSM-xxxND21.T0, TSM-xxxND21.T8, TSM-xxxND21.T9

(xxx=645-675, in steps of 5).

mono series with 210 x 105 (mm) half cutting bifacial MBB cells (without electronic devices):

a) 110 cells:

TSM-xxxDD19C, TSM-xxxDD19C.08

(xxx=520-560, in steps of 5).

mono series with 158.75 x 79.375 (mm) half cutting bifacial MBB cells (for cells splicing technology):

a) 132 cells:

Member of TÜV SÜD Product Service GmbH

TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch

3-13, No.151, Hengtong Road, 200070 Shanghai, P.R.China



TSM-xxxDD06XC(II), TSM-xxxDD06XC.08(II), TSM-xxxDD06XC.09(II)
(xxx=345-365, in steps of 5).

mono series with 166 x 83 (mm) half cutting MBB cells:

a) 90 cells:

TSM-xxxDD081M(II), TSM-xxxDD081M.05(II), TSM-xxxDD081M.08(II),
TSM-xxxDD081M.09(II), TSM-xxxDD081M.T0(II),
TSM-xxxDD081M.T8(II), TSM-xxxDD081M.T9(II)
(xxx=265-295, in steps of 5).

mono series with 158.75 x 79.375 (mm) half cutting MBB cells:

a) 120 cells:

TSM-xxxDD151M(II), TSM-xxxDD151M.05(II), TSM-xxxDD151M.08(II),
TSM-xxxDD151M.09(II), TSM-xxxDD151M.T0(II),
TSM-xxxDD151M.T8(II), TSM-xxxDD151M.T9(II)
(xxx=300-350, in steps of 5).

b) 96 cells:

TSM-xxxDD061M(II), TSM-xxxDD061M.05(II), TSM-xxxDD061M.08(II),
TSM-xxxDD061M.09(II), TSM-xxxDD061M.10(II),
TSM-xxxDD061M.18(II), TSM-xxxDD061M.T0(II),
TSM-xxxDD061M.T8(II), TSM-xxxDD061M.T9(II)
(xxx=240-280, in steps of 5).

poly series with 157 x 157 (mm) solar cells (without electronic devices):

a) 72 cells:

TSM-xxxPD14, TSM-xxxPD14.08, TSM-xxxPD14.09,
TSM-xxxPD14(II),
TSM-xxxPD14.08(II), TSM-xxxPD14.09(II), TSM-xxxPD14.T0,
TSM-xxxPD14.T8, TSM-xxxPD14.T9, TSM-xxxPD14.T0(II),
TSM-xxxPD14.T8(II), TSM-xxxPD14.T9(II) (xxx=305-360, in steps of 5).

TSM-xxxPD14B, TSM-xxxPD14B.08, TSM-xxxPD14B.09, TSM-xxxPD14B(II),
TSM-xxxPD14B.08(II), TSM-xxxPD14B.09(II), TSM-xxxPD14B.T0,
TSM-xxxPD14B.T8, TSM-xxxPD14B.T9, TSM-xxxPD14B.T0(II),
TSM-xxxPD14B.T8(II), TSM-xxxPD14B.T9(II)
(xxx=305-360, in steps of 5).

b) 60 cells:

TSM-xxxPD05, TSM-xxxPD05.08, TSM-xxxPD05.09, TSM-xxxPD05(II),
TSM-xxxPD05.08(II), TSM-xxxPD05.09(II), TSM-xxxPD05.T0,
TSM-xxxPD05.T8, TSM-xxxPD05.T9, TSM-xxxPD05.T0(II),
TSM-xxxPD05.T8(II), TSM-xxxPD05.T9(II), TSM-xxxPC05A,

Member of TÜV SÜD Product Service GmbH

TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch

3-13, No.151, Hengtong Road, 200070 Shanghai, P.R.China



TSM-xxxPC05A.08 (xxx=245-300, in steps of 5).
TSM-xxxPC05A-1(xxx=245-255, in steps of 5).
TSM-255PC05A-2

poly series with 158.75 x 158.75 (mm) solar cells
(without electronic de-vices):

a) 72 cells:

TSM-xxxPD15, TSM-xxxPD15.08, TSM-xxxPD15.09,
TSM-xxxPD15(II),
TSM-xxxPD15.08(II), TSM-xxxPD15.09(II), TSM-
xxxPD14.T0,
TSM-xxxPD15.T8, TSM-xxxPD15.T9, TSM-
xxxPD15.T0(II),
TSM-xxxPD15.T8(II), TSM-xxxPD15.T9(II) (xxx=305-
360, in steps of 5).
TSM-xxxPD15B, TSM-xxxPD15B.08, TSM-
xxxPD15B.09, TSM-xxxPD15B(II),
TSM-xxxPD15B.08(II), TSM-xxxPD15B.09(II), TSM-
xxxPD15B.T0,
TSM-xxxPD15B.T8, TSM-xxxPD15B.T9, TSM-
xxxPD15B.T0(II),
TSM-xxxPD15B.T8(II), TSM-xxxPD15B.T9(II)
(xxx=305-360, in steps of 5).

b) 60 cells:

TSM-xxxPD06, TSM-xxxPD06.08, TSM-xxxPD06.09,
TSM-xxxPD06(II),
TSM-xxxPD06.08(II), TSM-xxxPD06.09(II), TSM-
xxxPD06.T0,
TSM-xxxPD06.T8, TSM-xxxPD06.T9, TSM-
xxxPD06.T0(II),
TSM-xxxPD06.T8(II), TSM-xxxPD06.T9(II), TSM-
xxxPC06A,
TSM-xxxPC06A.08 (xxx=255-300, in steps of 5).

poly series with 157 x 78.5 (mm) half cutting cells
(without electronic de-vices):

a) 144 cells:

TSM-xxxPD14H, TSM-xxxPD14H.08, TSM-
xxxPD14H.09, TSM-xxxPD14H(II),
TSM-xxxPD14H.08(II), TSM-xxxPD14H.09(II), TSM-
xxxPD14H.T0,
TSM-xxxPD14H.T8, TSM-xxxPD14H.T9, TSM-
xxxPD14H.T0(II),
TSM-xxxPD14H.T8(II), TSM-xxxPD14H.T9(II)
(xxx=320-360, in steps of 5).
TSM-xxxPD14HB, TSM-xxxPD14HB.08, TSM-
xxxPD14HB.09,
TSM-xxxPD14HB(II), TSM-xxxPD14HB.08(II), TSM-
xxxPD14HB.09(II),
TSM-xxxPD14HB.T0, TSM-xxxPD14HB.T8, TSM-
xxxPD14HB.T9,
TSM-xxxPD14HB.T0(II), TSM-xxxPD14HB.T8(II),
TSM-xxxPD14HB.T9(II)
(xxx=320-360, in steps of 5).

b) 120 cells:

TSM-xxxPD05H, TSM-xxxPD05H.08, TSM-
xxxPD05H.09, TSM-xxxPD05H(II),

Member of TÜV SÜD Product Service GmbH

TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch

3-13, No.151, Hengtong Road, 200070 Shanghai, P.R.China



TSM-xxxPD05H.08(II), TSM-xxxPD05H.09(II), TSM-xxxPD05H.T0, TSM-xxxPD05H.T8, TSM-xxxPD05H.T9, TSM-xxxPD05H.T0(II), TSM-xxxPD05H.T8(II), TSM-xxxPD05H.T9(II) (xxx=270-300, in steps of 5).

poly series with 158.75 x 79.375 (mm) half cutting cells (without electronic devices):

a) 144 cells: TSM-xxxPD15H, TSM-xxxPD15H.08, TSM-xxxPD15H.09, TSM-xxxPD15H(II), TSM-xxxPD15H.08(II), TSM-xxxPD15H.09(II), TSM-xxxPD15H.T0, TSM-xxxPD15H.T8, TSM-xxxPD15H.T9, TSM-xxxPD15H.T0(II), TSM-xxxPD15H.T8(II), TSM-xxxPD15H.T9(II) (xxx=320-405, in steps of 5). TSM-xxxPD15HB, TSM-xxxPD15HB.08, TSM-xxxPD15HB.09, TSM-xxxPD15HB(II), TSM-xxxPD15HB.08(II), TSM-xxxPD15HB.09(II), TSM-xxxPD15HB.T0, TSM-xxxPD15HB.T8, TSM-xxxPD15HB.T9, TSM-xxxPD15HB.T0(II), TSM-xxxPD15HB.T8(II), TSM-xxxPD15HB.T9(II) (xxx=320-390, in steps of 5).

b) 120 cells: TSM-xxxPD06H, TSM-xxxPD06H.08, TSM-xxxPD06H.09, TSM-xxxPD06H(II), TSM-xxxPD06H.08(II), TSM-xxxPD06H.09(II), TSM-xxxPD06H.T0, TSM-xxxPD06H.T8, TSM-xxxPD06H.T9, TSM-xxxPD06H.T0(II), TSM-xxxPD06H.T8(II), TSM-xxxPD06H.T9(II) (xxx=270-335, in steps of 5).

poly series with 158.75 x 79.375 (mm) half cutting MBB cells (without elec-tronic devices):

a) 144 cells: TSM-xxxPD15M, TSM-xxxPD15M.08, TSM-xxxPD15M.09, TSM-xxxPD15M.T0, TSM-xxxPD15M.T8, TSM-xxxPD15M.T9, TSM-xxxPD15M(II), TSM-xxxPD15M.08(II), TSM-xxxPD15M.09(II), TSM-xxxPD15M.T0(II), TSM-xxxPD15M.T8(II), TSM-xxxPD15M.T9(II) (xxx=320-405, in steps of 5).

b) 120 cells: TSM-xxxPD06M, TSM-xxxPD06M.08, TSM-xxxPD06M.09, TSM-xxxPD06M.T0, TSM-xxxPD06M.T8, TSM-xxxPD06M.T9, TSM-xxxPD06M(II), TSM-xxxPD06M.08(II), TSM-xxxPD06M.09(II), TSM-xxxPD06M.T0(II), TSM-xxxPD06M.T8(II), TSM-xxxPD06M.T9(II)

Member of TÜV SÜD Product Service GmbH

TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch

3-13, No.151, Hengtong Road, 200070 Shanghai,P.R.China



(xxx=270-335, in steps of 5).

poly series with 166 x 83 (mm) half cutting MBB cells (without electronic devices):

- a) 144 cells:
 TSM-xxxPD17M, TSM-xxxPD17M.08, TSM-xxxPD17M.09,
 TSM-xxxPD17M.T0, TSM-xxxPD17M.T8, TSM-xxxPD17M.T9,
 TSM-xxxPD17M(II), TSM-xxxPD17M.08(II), TSM-xxxPD17M.09(II),
 TSM-xxxPD17M.T0(II), TSM-xxxPD17M.T8(II), TSM-xxxPD17M.T9(II)

(xxx=320-445, in steps of 5).

- b) 120 cells:
 TSM-xxxPD08M, TSM-xxxPD08M.08, TSM-xxxPD08M.09,
 TSM-xxxPD08M.T0, TSM-xxxPD08M.T8, TSM-xxxPD08M.T9,
 TSM-xxxPD08M(II), TSM-xxxPD08M.08(II), TSM-xxxPD08M.09(II),
 TSM-xxxPD08M.T0(II), TSM-xxxPD08M.T8(II), TSM-xxxPD08M.T9(II)

(xxx=270-365, in steps of 5).

mono series with 157 x 157 (mm) solar cells (with electronic devices):

- a) 144 cells:
 TSM-xxxDD14A.00U(II), TSM-xxxDD14A.08U(II), TSM-xxxDD14A.09U(II)

(xxx=330-380, in steps of 5).

- b) 120 cells:
 TSM-xxxDD05A.00U(II), TSM-xxxDD05A.08U(II), TSM-xxxDD05A.09U(II)

(xxx=275-315, in steps of 5).

poly series with 157 x 157 (mm) solar cells (with electronic devices):

- a) 144 cells:
 TSM-xxxPD14.00U, TSM-xxxPD14.08U, TSM-xxxPD14.09U,
 TSM-xxxPD14.00U(II), TSM-xxxPD14.08U(II), TSM-xxxPD14.09U(II)

(xxx=305-360, in steps of 5).

- b) 120 cells:
 TSM-xxxPD05.00U, TSM-xxxPD05.08U, TSM-xxxPD05.09U,
 TSM-xxxPD05.00U(II), TSM-xxxPD05.08U(II), TSM-xxxPD05.09U(II)

(xxx=255-300, in steps of 5).

xxx stands for rated output power at STC

- Standards:
- IEC 61215-1:2016
 - IEC 61215-1-1:2016
 - IEC 61215-2:2016
 - IEC 61730-1:2016

Member of TÜV SÜD Product Service GmbH
 TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch
 3-13, No.151, Hengtong Road, 200070 Shanghai, P.R.China





- IEC 61730-2:2016
- EN 61215-1:2016
- EN 61215-1-1:2016
- EN 61215-2:2017
- EN IEC 61730-1:2018
- EN IEC 61730-1:2018/AC:2018-06
- EN IEC 61730-2:2018
- EN IEC 61730-2:2018/AC:2018-06

Supplementary information:

This attachment was updated according to information of factory ID 070321 in CBW at 2023-10-08.

Serial number Code:

XXX XXXX XXX XXXXX

1st - 3rd digit = the workshop of manufacture/factory ID

4th - 5th digit = the year of production

6th - 7th digit = the month of production

8th - 10th digit = the order number of production

11th - 15th digit = the running number of product

the workshop of manufacture/factory ID:

A01 or A02 or A03 or A04 or A05 or A06 or A07 or A08 or A12 or A13 or A14

The main processes are inspected in this visit: Cell tabbing, cell stringing and connection of strings Lamination process Assembly of module (including framing), Electrical routine tests (including safety and power). Other detailed information, please refer to the Factory inspection report, latest Certificates and CDFs.

Member of TÜV SÜD Product Service GmbH

TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch

3-13, No.151, Hengtong Road, 200070 Shanghai,P.R.China

